Detection Supplies

Issue 14A

Your one-stop-shop for Fire Alarm and Ancillary Equipment

T 01425 658239 F 01425 658241 E sales@detectionsupplies.co.uk www.detectionsupplies.co.uk

PLANNING YOUR NEXT SECURITY PROJECT?

FIND

ORGANISE

BUY

Get your ducks in a row with Norbain e-source!

The Norbain e-source website has been developed to allow users to explore thousands of leading security products, organise their research and then buy online. The site has been designed to make research as effective as possible with the use of Project Folders. These folders allow visitors to compile lists of products for an unlimited number of projects, keep notes and request advice.

MAIN FEATURES INCLUDE:

- Project Folders
- 'Request Advice' option to take advantage of Norbain's expert support
- Thousands of the industry's leading products and solutions
- Customer-specific pricing on log-in
- Access to special offers and promotions
- Online order placement

Simply visit **www.norbain.com** today to sign up and take advantage of all the great benefits on offer.

NORBAIN e-source | FIND ORGANISE BUY

WEB
NORBAIN.COM

EMAIL
INFO@NORBAIN.COM

TEL
0118 912 5000

YOUTUBE
SEARCH NORBAIN

Welcome to issue 14 of the Detection Supplies catalogue. We have added some new products this year such as Global OCTO+ Addressable panels, SWA LTD Firefly Range and Hochiki Addressable CO Multisensor.
Once again a reminder that this is still only a small selection of what we can offer, so please call us if you can't find what you are looking for.

Tel 01425 658239
Fax 01425 658241
Email sales@detectionsupplies.co.uk
Website www.detectionsupplies.co.uk

Our team has years of industry experience, making us ideally situated to answer your questions and provide you with advice on application and solution requirements. Renowned for our service offering, we can offer next day carriage paid deliveries on orders over £250. We also provide timed and third party delivery.

Due to uncertain economic conditions, it is important to stress our terms and conditions on the back page, reference to pricing in 2020.

All goods are sold subject to the prices and any relevant discount ruling at the time of delivery. Our prices, discount rates and conditions of sale may be altered at any time without notice, due to manufacturer price increases or similar changes, within the life of this catalogue.

For the most upto date price list, please refer to the catalogue on our website.

We would like to thank you for your continued support and look forward to working with you in the future.

Detection Supplies

Your one-stop-shop for Fire Alarm and Ancillary Equipment

CONVENTIONAL FIRE ALARM SYSTEMS 4-13
OPTICAL BEAM DETECTION, LINEAR HEAT & ASPIRATING SYSTEMS 14-20
CONVENTIONAL TWO WIRE ALARM SYSTEMS 21-23
WIRELESS FIRE ALARM SYSTEMS & TEMPORARY SITE ALARMS 24-27
ANALOGUE/ADDRESSABLE ALARM SYSTEMS 28-42
DOMESTIC DETECTION EQUIPMENT 43
BATTERIES & POWER SUPPLIES 44-47
MAGNETIC DOOR RETAINERS & LOCKS 48-49
MAINS & HAZARDOUS AREA EQUIPMENT 50-51
TEST EQUIPMENT & TOOLS 52-54
FIRE EXTINGUISHERS & FIRE BLANKETS 55
PROTECTIVE CAGES & COVERS 56
CALL SYSTEMS, INDUCTION LOOPS & EVC'S 57-59
SUNDRIES (CABLE, ZONE PLANS, LOG BOOK, DOC BOX, TIMERS, CABLE REEL SEALANT & FOAM) 60-61
WATER LEAK DETECTION 62
AUTOMATIC OPENING VENT SYSTEMS 63
EMERGENCY LIGHTING & SIGNS 64-66

CONVENTIONAL FIRE ALARM PANELS

Conventional fire alarm panels are suitable for what are commonly referred to as 4-wire systems, i.e. detectors and call points wired on 2 cores per zone, with sounders and beacons wired on separate pairs. It should be noted that panels come with a varying number of sounder circuits, it does not follow that a 4 zone panel will always come with 4 sounder circuits.
These panels are compatible with detectors shown on page 6 & 7.

C-TEC CFP

C-TEC CFP704-4 STANDARD 4 ZONE FIRE ALARM PANEL

- Dimensions W380 x H235 x D96mm
- LPCB Certified EN54
- Max alarm load 1.3A
- Max battery size 2 x 3.2Ah

CFP STANDARD PANELS (Requires up to 2 x 3.2ah Batteries)

CFP702-4	Standard 2 Zone Fire Alarm Panel with Keyswitch or Keypad Access Enable	£158.90
CFP704-4	Standard 4 Zone Fire Alarm Panel with Keyswitch or Keypad Access Enable	£188.70
CFP708-4	Standard 8 Zone Fire Alarm Panel with Keyswitch or Keypad Access Enable	£254.40

CFP STANDARD PANEL OPTIONS

CFP760	Repeater Panel with Keyswitch or Keypad Access Enable	£233.10
CFP761	Network Communications Card for CFP760	£75.90

MORLEY - IAS

FIRE RETARDANT ABS MOULDED ENCLOSURE

- Dimensions: W356 x H318 x D92mm
- 1.8 Amp PSU, 2 Sounder Circuits
- Maximum alarm load: 1.0 Amp
- Maximum battery size: 2 x 7Ah

MORLEY - IAS (Requires 2 x 7Ah Batteries)

HRZ-2E	002-492-222	2 Zone Fire Alarm Control Panel. 2 Detection Zones, 2 Sounder Outputs, Surface Mounting, Fire and Fault Relays.	£266.00
HRZ-4E	002-492-242	4 Zone Fire Alarm Control Panel. 4 Detection Zones, 2 Sounder Outputs, Surface Mounting, Fire and Fault Relays.	£325.00
HRZ-8E	002-492-282	8 Zone Fire Alarm Control Panel. 8 Detection Zones, 2 Sounder Outputs, Surface Mounting, Fire and Fault Relays.	£457.50

OPTIONS & SPARES

020-772	4 Way Sounder Output Card (1.5A max)	£222.00
020-747	8 Way Input / Output Card. Provides up to 8 Configurable Relay Outputs or up to 4 Inputs and 4 Outputs.	£158.00
020-745-008	Spare Installation Kit 8 Capatitor EOL, Battery Lead, Allen Key, Panel Control Key and Sounders EOL Resistors.	£74.30
020-417	Active End Of Line Kit For Panels	£44.80
020-865	Spare Red Controls Key (Pack of 10)	£8.00

KENTEC

METAL ENCLOSURE, KEYSWITCH ACCESS ENABLE

- Dimensions: W385 x H310 x D90mm
- PSU 3 Amp, 2 sounder circuits
- Changeover volt free fire & fault outputs
- Maximum battery size: 2 x 7Ah

SIGMA PANELS WITH LCMU (Requires 2 x 3.2Ah Batteries)

KL11020M2	Kentec Sigma 2 Zone Surface Fire Alarm with Line Continuity Modules	£311.00
KL11040M2	Kentec Sigma 4 Zone Surface Fire Alarm with Line Continuity Modules	£380.80
KL11080M2	Kentec Sigma 8 Zone Surface Fire Alarm with Line Continuity Modules	£440.90

SIGMA REPEATER PANELS

E01020L2	Kentec 2 Zone Surface Repeater Panel 24VDC	£193.70
E01040L2	Kentec 4 Zone Surface Repeater Panel 24V DC	£232.10
E01080L2	Kentec 8 Zone Surface Repeater Panel 24V DC	£317.10

OPTIONS & SPARES

K14060	Kentec LCMU Line Continuity Module	£10.70
K461	8 Way Sounder Card for Sigma Panel	£202.70
S005	Kentec Spare Key Set (4 keys, 1x 801, 1x 901, 1 x FH001 & 1 X KT3001)	£19.60
M2FCLGT	Bezel for Semi Flushing Panel	£82.60

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

GLOBAL FIRE EQUIPMENT

COVENTIONAL FIRE ALARM CONTROL PANELS - AVAILABLE IN WHITE AND RED

ORION MINI PANELS (Requires 2 x 7Ah Batteries)

ORION-MINI-1	Orion Mini 1 Zone Conventional	£144.00
ORION-MINI-2	Orion Mini 2 Zone Conventional	£147.90

ORION PANELS (Requires 2 x 7Ah Batteries)

ORION-2	Orion 2 Zone Conventional	£147.90
ORION-4	Orion 4 Zone Conventional	£176.00
ORION -8	Orion 8 Zone Conventional	£304.90
ORION-2L	Orion 2 Zone Conventional Landscape	£196.00
ORION-4L	Orion 4 Zone Conventional Landscape	£217.00
ORION-8L	Orion 8 Zone Conventional Landscape	£239.00

ORION PLUS (Requires 2 x 7Ah Batteries)

ORION-PLUS-8	Orion Plus 8 Zone Conventional	£248.00
ORION-PLUS-12	Orion Plus 12 Zone Conventional	£310.00
ORION-PLUS-16	Orion Plus 16 Zone Conventional	£372.00

ORION PLUS - LARGE ENCLOSURE (Requires 2 x 7Ah Batteries)

ORION-PLUS-20	Orion Plus 20 Zone - Large Enclosure	£805.00
ORION-PLUS-24	Orion Plus 24 Zone - Large Enclosure	£930.00
ORION-PLUS-28	Orion Plus 28 Zone - Large Enclosure	£991.00
ORION-PLUS-32	Orion Plus 32 Zone - Large Enclosure	£1053.00

ORION PLUS 8 ZONE CONVENTIONAL PANEL

- Dimensions W273 x H404 x D107mm
- EN54 Compliant
- Max alarm load 1.6A
- Max battery size 2 x 7Ah

ORION STANDARD PANEL LANDSCAPE

- Dimensions L404 x W272 x H107mm
- Available in 2,4 & 8 zone
- Max alarm load 1.6A
- Max battery size 2 x 7Ah

HAES SYSTEMS

ECLIPSE PANELS (Requires 2 x 3.2Ah Batteries)

ECL-2	Eclipse 2 Zone Fire Alarm Panel, 4 Wire or Sav-Wire	£221.00
ECL-4	Eclipse 4 Zone Fire Alarm Panel, 4 Wire or Sav-Wire	£263.10

ECLIPSE SPARES

FMK-ECL	Eclipse 2 & 4 Zone Recessing Bezel	£77.30

EXCEL PANELS (Requires 2 x 7Ah Batteries)

XLEN-4	Excel 4 Zone Fire Alarm Panel 4 Wire or Sav-Wire	£347.30
XLEN-6	Excel 6 Zone Fire Alarm Panel 4 Wire or Sav-Wire	£404.20
XLEN-8	Excel 8 Zone Fire Alarm Panel 4 Wire or Sav-Wire	£487.20
XLEN-12	Excel 12 Zone Fire Alarm Panel 4 Wire or Sav-Wire	£563.60
XLEN-R12	Excel 2-12 Zone Fully Functional Repeater Panel	£313.20

EXCEL SPARES

FMK-XLEN	Excel 4-12 Recessing Bezel for Excel 4-12 Zone Panel	£103.00
K107	Control Enable Key (x2)	£4.70

ECLIPSE 2 & 4 ZONE CONVENTIONAL

- 4 Wire or Sav-Wire, switchable 2 wire option
- 1 amp power supply, fire & fault relays
- Maximum battery size: 2 x 3.2Ah
- Dimensions: W308 x H260 x D80mm
- 2 sounder circuits

EXCEL 4-12 ZONE (EXPANDABLE) CONVENTIONAL

- 4 wire or Sav-Wire, switchable 2 wire option
- 3 Amp power supply, fire & fault relays
- Maximum battery size: 2 x 7Ah
- Dimensions: W460 x H310 x D85mm
- 2 sounder circuits

FIRE ALARM ANCILLARIES

MAINS FIRE ALARM SPUR/ISOLATOR

A	T2-FAI	Fire Alarm Panel Mains Isolator, Red c/w Back Box	£23.27
	T2-FAI-W	Fire Alarm Panel Mains Isolator, White c/w Back Box	£23.75

MAINS FILTER

	230MSF	3A Fused Mains Spike Filter	£55.00

AUXILIARY RELAYS, BOXED

B	T2-TR-KS	5 Amp Isolatable Timer Relay, 24V Coil with Keyswitch and Back Box	£45.41
C	503-003	5 Amp Metal Boxed Auxiliary Relay, 24V Coil	£58.30

AUXILIARY RELAY PCBS

D	AUX-R24PCB	5 Amp 24V DC Coil Double Pole Aux Relay	£19.60
	AUX-R12PCB	5 Amp 12V DC Coil Double Pole Aux Relay	£38.90
	AUX-BB	Plexo Box for Auxiliary Relay, Dimensions: 105 x 105 x 55	£5.65

RELAYS ON SINGLE GANG PLATE

E	AUX-RIU-R24B	5 Amp Auxiliary Relay 24V Coil on Single Gang Plate	£20.60
	BF376	5 Amp Auxiliary Relay 12V Coil on Single Gang Plate	£17.00
	AUX-RIU-R12B	5 Amp Auxiliary Relay 12V Coil on Single Gang Plate	£33.50

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

APOLLO SERIES 65

SMOKE DETECTORS

A	55000-317APO	Series 65 Optical Smoke Detector	£26.40

HEAT DETECTORS

B	55000-122APO	Series 65 Rate Of Rise Heat Detector A1R 57c	£17.10
	55000-127APO	Series 65 Rate Of Rise Heat Detector BR 75c	£17.30
	55000-132APO	Series 65 Rate Of Rise Heat Detector CR 90c	£17.10
	55000-137APO	Series 65 Fixed Temperature Heat Detector CS 90c	£17.30

FLAME DETECTORS

C	55000-025APO	Series 65 Base Mounted UV Flame Detector	£466.55

DETECTOR BASES

D	45681-201APO	Series 65 Detector Base c/w Diode	£4.10
	45681-206APO	Series 65 Sav-Wire Detector Base	£13.30
	45681-245APO	Series 65 Standard Relay Base	£27.60
	45681-508APO	Series 65 12V Relay Base	£15.70
E	45681-204APO	Series 65 Plastic Conduit Box	£4.60

APOLLO ORBIS

F

TIMESAVER BASES

- Designed to aid faster fixing and connection with a continuity link to enable testing of cables prior to commissioning

G

STARTUP

- Flashing red LED confirms correct installation

SENSALERT

- Flashing yellow LED to indicate that either the dirt compensation limit has been reached or detector is not operating correctly

H

FASTEST

- Enables Fast Test routine testing procedure to be completed in 4 seconds

SMOKE DETECTORS

F	ORB-OP-12001-APO	Orbis Optical Smoke Detector	£25.80
G	ORB-OH-13001-APO	Orbis Optical Smoke/Heat Multisensor	£31.50

HEAT DETECTORS

	ORB-HT-11001-APO	Orbis Rate Of Rise Heat Detector A1R 57c	£17.40
	ORB-HT-11002-APO	Orbis Fixed Temperature Heat Detector A2S 57c	£17.50
	ORB-HT-11003-APO	Orbis Rate Of Rise Heat Detector BR 75c	£18.20
	ORB-HT-11004-APO	Orbis Fixed Temperature Heat Detector BS 75c	£18.80
H	ORB-HT-11005-APO	Orbis Rate Of Rise Heat Detector CR 90c	£18.80
	ORB-HT-11006-APO	Orbis Fixed Temperature Heat Detector CS 90c	£18.80

DETECTOR BASES

ORB-DB-00003-APO	Orbis TimeSaver Detector Base c/w Diode	£4.80
ORB-SW-10005-APO	Orbis TimeSaver Sav-Wire Base	£23.50
ORB-RB-10004-APO	Orbis TimeSaver Relay Base	£25.00

DUCT HOUSING

53546-023-APO	Orbis Duct Detector Housing (Requires ORB-OP12001APO)	£90.90

C-TEC ACTIV

I

C-TEC C4416 ACTIV OPTICAL SMOKE DETECTOR

- Dimensions 102 diameter x D57mm
- Intertek Certified EN54
- 9-33V DC operating voltage
- 360° LED visibility when activated

J

SMOKE DETECTORS

I	C4416	ActiV Optical Smoke Detector	£26.80
	C4414	ActiV Optical Smoke/Heat Multisensor	£35.30

HEAT DETECTORS

	C4403A2	ActiV Heat Detector Class A2 Fixed Temperature 60c	£23.60
J	C4403B	ActiV Heat Detector Class B Fixed Temperature 75c	£23.60
	C4403A1R	ActiV Heat Detector Class A1R Rate Of Rise	£23.60

DETECTOR BASES

C4408D	ActiV Detector Base c/w Diode	£9.25
C4408R	ActiV Relay Detector Base	£32.00

SOUNDERS/VAD

BF456C/CC/W	ActiV Conventional C-3-8.5 Base VAD c/w 96dB(A) Sounder	£124.50
BF432C/CC/W	ActiV Conventional O-R-3-2.5-17 Base VAD c/w 96dB(A) Sounder, ideal for corridor use	£124.50
BF431C/CC/W	ActiV 96dB(A) Conventional Base Sounder	£44.50
BF433C/CC/SR	ActiV Conventional Hi-Output W-2.75-9 Wall VAD c/w 100dB(A) Sounder (shallow base)	£129.00
BF430C/CC/SR	ActiV Conventional Hi-Output 100dB(A) Wall Sounder (shallow base)	£45.90
BF430C/CC/DR/65	ActiV Conventional Weatherproof Hi-Output 100dB(A) Wall Sounder (IP55)	£70.80
BF433C/CC/DR	ActiV Conventional Hi-Output W-2.75-9 Wall VAD c/w 100dB(A) Sounder (deep base)	£133.50
BF430C/CC/DR	ActiV Conventional Hi-Output 100dB(A) Wall Sounder (deep base)	£49.80
BF433C/CC/DR/65	ActiV Conventional Weatherproof Hi-O/P W-2.75-9 Wall VAD c/w 100dB(A) Sounder (IP55)	£191.50

For more information or to place an order: Phone: 01425 658239 Fax: 01425 658241 Email: sales@detectionsupplies.co.uk

NITTAN EVOLUTION

SMOKE DETECTORS

A	EVC-P	Conventional Photoelectric Detector c/w 375 Ohm Resistor	£21.25
	EVC-DP	Conventional Dual Photoelectric Detector c/w 375 Ohm Resistor	£63.00

HEAT DETECTORS

B	EVC-HA2	Conventional Heat Detector 54-70 DEG. c/w 375 Ohm Resistor	£19.20
	EVC-HCS	Conventional Heat Detector 84-100 DEG. c/w 375 Ohm Resistor	£19.20

FLAME DETECTOR

	EVC-IR	Conventional Dual Band IR Flame Detector c/w 375 Ohm Resistor	£739.58

DETECTOR BASE

	UB-6-EV	Universal Base - Use with EV Conventional Detectors	£4.70

NITTAN

A

B

MORLEY-IAS VISION

SMOKE DETECTORS

C	2020P	Optical Conventional Detector.	£26.80
	2020PT	Optical Thermal Multi Criteria Conventional Detector.	£28.40

HEAT DETECTORS

D	2020HF	High Fixed Temperature Thermal BS (78°C) Conventional Detector	£23.80
	2020R	Rate of Rise Thermal A1R (58°C) Conventional Detector	£23.80
	2020F	Fixed Temperature Thermal A2S (58°C) Conventional Detector	£22.50

DETECTOR BASES

	2020BSD	Detector Mounting Base fitted with Schottky Diode	£8.40
	2020B	Standard Detector Mounting Base	£6.65

MORLEY IAS FIRE SYSTEMS

C

D

HOCHIKI CDX

SMOKE DETECTORS

E	SOC-E3N	Photoelectric Smoke Detector	£28.00

HEAT DETECTORS

F	DFJ-AE3	Fixed Temperature Heat Detector A1-A1S 60c	£24.00
	DFJ-CE3	Fixed Temperature Heat Detector C-CS 90c	£24.00
	DCD-AE3	Combined Heat Detector A1-A1R 60c	£24.00
	DCD-CE3	Combined Heat Detector C-CR 90c	£24.00
	DFG-60BLKJ	IP67 Waterproof Fixed Temperature Heat Detector 60c c/w Integral Base	£74.30

FLAME DETECTORS

	DRD-E	Infra Red Flame Detector	£466.00

DETECTOR BASES

	YBN-R/6SK	Shottky Diode Detector Base	£4.45
	YBN-R/6	Detector Base	£3.31
	YBO-R/6PA	Sav-Wire Detector Base	£13.72
	YBO-R/6R	Latching Relay Base	£14.75
	YBO-R/6RN	Non Latching Relay Base	£26.86
	YBO-R/6RS	Latching Relay & Diode Base	£16.00

OPTICAL BEAM DETECTOR

G	SPC-ET	Beam Detector 5-100 Metres Transmitter & Receiver Set	£710.00

HOCHIKI

E

F

G

ANCILLARIES

DETECTOR REMOTE INDICATORS

H	RIU-02	Detector Remote Indicator, on Flush ABS Plate	£10.20
	RIU-02BB	Surface Mount Box for RI-02	£4.40
I	53832-070APO	Apollo Mini Disc Remote Indicator	£8.10
	10-2011WFR-S	Remote Indicator Flush	£8.90
	10-2011WSR-S	Remote Indicator with BB	£12.90

H

I

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

FIRE ALARM CALL POINTS

Resettable MCP single pole changeover contacts. Mimics the feel of breaking glass whilst offering the user the benefits and environmental advantages of a resettable operating element. Once activated a flag drops into view. Simply reset with a key and the MCP is ready for re-use straight away.
Alternative electrical arrangements and colours available within this range.

STI CALL POINTS

OTHER COLOURS AVAILABLE

A

STI CALL POINTS

	RP-BD2-11	Blue Dual Mount (Flush or Suface) Resettable Call point, Double Pole Changeover	£17.50
A	RP-RD2-01	Red Dual Mount (Flush or Surface) Resettable Call Point 470 or 680 Ohm EN54-11	£13.60
	RP-YD2-02	Yellow Dual Mount(Flush or Surface) Resettable Call Point, Single Pole Changeover	£17.30
	STI-CI	Hinged Call Point Cover	£3.70
	ST-M210	Spare Key for STI Call Points (per 1)	£0.80

KAC

B

C

D

E

F

G

FIRE ALARM CALL POINTS

	MCP1A-R470SG01	Red Surface Call Point 470 Ohm	£11.20
B	MCP1A-R470FG01	Red Flush Call Point 470 Ohm	£9.20
	MCP1B-R470SG01	Red Sav-Wire Surface Call Point	£13.10
	MCP1A-R470SF01	Red Resettable Surface Call Point 470 Ohm	£13.10
	MCP1A-R470SG-01IS	Red Intrinsically Safe Surface Call Point 470 Ohm	£17.00

WEATHERPROOF CALL POINTS

C	WCP1A-R470SG01	Red IP67 Call Point 470 Ohm	£76.20
	WCP2B-R820SG01	Red IP67 Sav-Wire Call Point with LED	£89.10
	WCP3A-G000SG11	Green IP67 Call Point (No Resistor)	£82.70

OTHER CALL POINTS

	M8A-G000SF	Green Resettable Element Call Point, Triple Pole, Surface	£44.20
	M8A-G000SG	Green Breakglass Call Point, Triple Pole, Surface	£44.90
	MCP3A-R000SG01	Red Surface Call Point (No Resistor)	£12.20
	MCP3A-R000SF01	Red Resettable Surface Call Point (No Resistor)	£14.10
D	MCP3A-G000SG12	Green Emergency Door Release Surface Call Point	£17.80
	MCP3A-G000SF12	Green Resettable Emergency Door Surface Release Call Point	£20.40
	MCP4A-G000SG-11	Green Double Pole Surface Call Point	£36.10
	MCP3A-Y000SG11	Yellow Surface Call Point (No Resistor)	£18.60
E	M3A-A000SG01	Orange Vent Release Surface Call Point (No Resistor)	£17.70
	MCP3A-B000SG11	Blue Surface Call Point (No Resistor)	£17.80
	MCP3A-B000SF11	Blue Resettable Surface Call Point (No Resistor)	£18.90

KEYSWITCH CALL POINTS

	K20SRS-01	Red 2 Position Keyswitch Call Point, Key Removable In All Positions	£28.30
	K20SYS-11	Yellow 2 Position Keyswitch Call Point, Key Removable In All Positions	£25.40
	K21SGS-12	Green Emergency Door Release Keyswitch Call Point, Key Trapped	£28.90
	K21SRS-01	Red 2 Position Keyswitch Call Point, Key Trapped	£28.90
	K21SAS-74	Orange 2 Position Keyswitch Call Point with 'Smoke Vent' Label, Key Trapped	£39.50
	K21SWS-11	White 2 Position Keyswitch Call Point, Key Trapped	£28.90
F	K30SRS-43	Red 3 Position Fireman's Vent Extract Switch, Key Removable In All Positions	£28.70
G	K30SYS-33	Yellow 3 Position Fireman's Vent Extract Switch, Key Removable In All Positions	£29.30

SPARES & ACCESSORIES

KG1-10	Spare Glass for KAC Call Point 76mm x 40mm (Per 10)	£9.20
SC070	Spare Key for KAC Call Points (Per 10)	£7.90
SC061	Spare Key for KAC Resettable Call Point (Per 10) Old Style	£6.10
PS200	Hinged Call Point Cover	£4.10
PS210	Flexible Operating Element	£1.30
C787	Spare Key for 2 Position Keyswitch Call Point A126 Key (Per 1)	£4.30
C788	Spare Key for 3 Position Keyswitch Call Point 603 Key (Per 1)	£4.20

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

We make safe and sound work.*

* The world's no.1 supplier for fire notification devices.[1]

With our diverse portfolio including Cooper, Fulleon, JSB and Menvier, alongside our ATEX explosion-proof products from MEDC and UL certified sounders from Wheelock, it means approximately **1 in 5 of every Fire Notification device installed is an Eaton product.**

EATON
Powering Business Worldwide

Protect your people, property and assets

Notification in event of an emergency, such as a fire, is paramount to ensure the safe evacuation of people from the premises.

Eaton is a leading manufacturer of fire alarm devices designed to protect what matters most.

Visit www.eaton.com/gb to find out more.

[1] Source: IHS Markit Report – 2018

EATON



FIRE ALARM CALL POINTS

A	CXL-UNIV-R	Red Universal Call Point with LED 470 or 680 Ohm	£10.77
	CXL-GP-R-IP	Red Call Point IP66 with LED 470 or 680 Ohm	£45.86

CALL POINTS WITH 24V RATED CONTACTS

	CXM-CO-GP-R-BB	Red Call Point 24V Changeover Contacts	£18.48
B	CXM-CO-G-Y-BB	Yellow Call Point 24V Changeover Contacts	£20.71
	CXM-CO-G-R-WP	Red Call Point 24V Changeover Contacts IP66	£44.99

SPARES & ACCESSORIES

C	CX-KEY	Spare Key for Fulleon Call Points (Per 10)	£9.52
	CXS-G	Spare Glass for Fulleon Call Points (Per10)	£7.35
	CXS-PC	Perspex Call Point Cover	£4.50
	CX-R-KIT	Resettable Element Conversion Kit (Per 10)	£20.50

EATON

Please note: Part numbers and prices shown are without bases. Photos show sounders with bases fitted for illustration purposes. Please order the appropriate bases from the "Standard Bases" section shown below.

SOUNDERS

D	ROLP-SV-R-3	Roshni Red Sounder 9-28V DC 12mA 102dB (No Base)	£18.58
E	ROLP-SV-W-NB	Roshni White Sounder 9-28V DC 12mA 102dB (No Base)	£20.03

SOUNDER/LED BEACONS

F	ROLPSB-SV-RL-R-N	Roshni Red Sounder/LED Beacon 18-28V DC 21mA 102 dB (No Base)	£52.95
	ROLPSB-RL-W-S	Roshni White Sounder/LED Beacon with Red Lens (No Base)	£56.88

SOUNDER/XENON BEACONS

G	FL-RL-R-NB	Flashni Red Sounder Beacon 18-28V DC 70mA 90dB (No Base)	£53.93
H	FL-AL-W-N-SEP-SW	Flashni White Sounder Beacon 18-28V DC with Amber Lens (No Base)	£58.65
	FL-RL-WD-SEP-SW	Flashni White Sounder Beacon 18-28V DC with Red Lens (No Base)	£58.65

XENON WALL BEACONS

I	SO-R-NB-3C	Solex Red Beacon 10-60V DC 25mA (No Base)	£26.50
	SO-C-NB-3C	Solex Clear Beacon 10-60V DC 25mA (No Base)	£28.67
	SO-G-NB-3C	Solex Green Beacon 10-60V DC 25mA (No Base)	£28.67
	SO-A-NB-3C	Solex Amber Beacon 10-60V DC 25mA (No Base)	£28.31

LED CEILING BEACONS

J	SOL-RL-R-NB	Solista Red Ceiling Beacon 10-30V DC 3-6mA (No Base)	£29.92
	SOL-RL-W-NB	Solista White Ceiling Beacon with Red Lens (No Base)	£29.97

STANDARD BASES

K	SR01	Red Shallow Base	£1.39
L	DR01	Red Deep Base IP65	£1.87
	UR01	Red 'U' Base IP65	£1.87
	SW01	White Shallow Base	£1.39
	DW01	White Deep Base IP65	£2.73
	UW01	White 'U' Base IP65	£1.87

MAINS CONVERSION MODULE BASES (Converts 24V DC Devices to 240V DC mains power Units)

	DRB240V	Red Mains Conversion Module Base	£19.78
	DWB240V	White Mains Conversion Module Base	£20.34

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

EN54-23 is the latest standard for Visual Alarm Devices (VADs) where visual alarm is required to reinforce or replace audible alarms. Typical application:-

- Warning for those with hearing impairments
- Operating theatres
- Recording studios
- Where a staff alert only signal is required
- Areas with high background noise
- Please note – if VADs are required, an illumination of not less than 0.4 Lux must be achieved at floor level.

EATON

WALL VADS

A	SOL-LX-W-RF-R1-S	Solista Red Wall VAD, with Shallow Base 9-60V DC 10-25mA EN54-23	£43.02
	SOL-LX-W-RF-R1-D	Solista Red Wall VAD, with Deep IP65 Base 9-60V 10-25mA EN54-23	£43.02

CEILING VAD

B	SOL-LX-C-RF-W1-S	Solista White Ceiling VAD, with Red Flash & Shallow Base 9-60V 10-25mA EN54-23	£43.02

VAD SOUNDERS

	ROLPBASE-LX-W-RF-R1	Red VAD Base18-28V 28mA EN54-23 (Requires Roshni Sounder)	£42.45
C	SYG1-LX-W-RF-R1	Symphoni Red VAD Sounder, with Base 18-28V 30mA 100dB EN54-23	£72.93
	SYG1-LX-W-RF-R1-WP	Symphoni Red VAD Sounder, with IP66 Base 18-28V 30mA 100dB EN54-23	£99.12

SOUNDER VAD BASE (Image shown with SQ-Cover-W, supplied separately)

D	SQ-G3-23/W1/WF	Squashni VAD Base Sounder with White Flash EN54-23	£68.28

SQUASHNI PLATFORM SOUNDER

E	SQ-SV-S-W	Squashni Sounder White 28 Tone 10-28V DC 18mA 93dB	£20.50
	SQ-COVER-R	Squashni Red Cover Plate	£3.18
	SQ-COVER-W	Squashni White Cover Plate	£3.18

SQUASHNI MICRO LOW CURRENT PLATFORM SOUNDER

	SQM-W	Squashni Micro White Sounder 9-30V DC 5mA 95dB	£22.57
	SQM-COVER-W	Squashni Micro White Cover Plate, for SQM-W	£2.98
	SQM-COVER-R	Squashni Micro Red Cover Plate, for SQM-W	£3.26

SQUASHNI MICRO SOUNDER BEACON

	SQMSB-RL-W	Squashni Micro Sounder with Solista Beacon 15-30V DC 3-10mA 97dB	£45.86

ASKARI BEDHEAD SOUNDERS

F	AC-R3	Askari Red Flush Sounder 9-28V DC 18mA 97dB	£17.34
	BB-R	Askari Red Surface Box	£4.09
	AC-W3	Askari White Flush Sounder 9-28V DC 18mA 97dB	£17.24
	BB-W	Askari White Surface Box	£4.09

SYMPHONI SOUNDERS

	SY-R	Symphoni Red Sounder 18-30V DC 5mA 100dB	£32.15
	SY-W	Symphoni White Sounder 18-30V DC 5mA 100dB	£33.03
G	SY-IP-R	Symphoni Red Sounder IP65 18-30V DC 5mA 100dB	£61.19
	SY-IP-HO-R	Symphoni Red High Output Sounder IP65 18-28V DC 240mA 120dB	£122.89

CENTRIFUGAL BELL

H	CFB6D24	Bell 6" Red 20-28V DC 25mA 95dB	£21.07

ELECTRONIC BELLS

I	FB024	Bell 6" Red 24V DC 35mA 95dB	£27.48
	FB024-G	Bell 6" Grey 24V DC 35mA 95dB	£45.76

IP55 ELECTRONIC BELLS

	FB024-WP	Bell 6" Red Weatherproof IP55 24V DC 35mA 95dB	£42.19
	FB024-G-WP	Bell 6" Grey Weatherproof IP55 24V DC 35mA 95dB	£60.51
	FB-WP-KIT	Weatherproof Bell Kit	£14.71

The Squashni range can be ceiling mounted as a platform for a smoke or heat detector, or if fitted with a cover plate, it can be used on either a wall or ceiling.

KAC

SOUNDERS/BEACONS

	CWST-RR-S5	EN54-23, C W Class Beacon, Red, with Red Lens	£68.80
	CWST-RR-W5	EN54-23, C W Class Beacon, Red, with Red Lens, IP65 rated	£69.90
	CWSS-RR-S5	EN54-23, C W Class Sounder/Beacon, Red with Red LED	£78.80
J	CWSS-RR-W5	EN54-23, C W Class Sounder/Beacon, Red with Red LED, IP65 rated	£78.90
	CWSS-RW-S5	EN54-23, C W Class Sounder/Beacon, Red with White LED	£78.80
	CWSS-RW-W5	EN54-23, C W Class Sounder/Beacon, Red with White LED, IP65 rated	£78.90
	CWSO-RR-S1	EN54-3, Sounder, Red	£18.10
	CWSO-RR-W1	EN54-3, Sounder, Red, IP65 rated	£20.30

VIMPEX

BANSHEE SOUNDER

	902CHA6AO	Banshee Excel Red Wall Sounder with Shallow Base	£31.60
A	903CHA6AO	Banshee Excel Red Wall Sounder with IP66 Base	£32.60
B	902CHA4AO	Banshee Excel White Wall Sounder with Shallow Base	£31.60
	903CHA4AO	Banshee Excel White Wall Sounder with IP66 Base	£32.60

BANSHEE PLATFORM SOUNDER

C	IDBTS-W	Banshee Excel White Sounder Base	£27.00

BANSHEE SOUNDER BEACONS

	958CHL1000	Banshee Excel Red Wall Sounder/LED Beacon with Shallow Base	£72.50
	958CHL1001	Banshee Excel Red Wall Sounder/LED Beacon with IP66 Base	£73.75
	958CHX1000	Banshee Excel Red Wall Sounder/Xenon Beacon with Shallow Base	£69.80
	958CHX1001	Banshee Excel Red Wall Sounder/Xenon Beacon with IP66 Base	£72.65

LOW FREQUENCY SOUNDER (FOR ANIMAL LABORATORIES/KENNELS ETC.)

D	ANI-S	Ani-Mate Low Frequency Animal Friendly Sounder	£400.00

LAMP BUZZER UNIT

E	BZ1L	Alarm Indicator Buzzer Unit, 16-60V DC, 65 dBA	£28.20

FIRE CRYER SOLO (SINGLE MESSAGE VOICE SOUNDERS)

F	FCS/A/R/0/D	Fire-Cryer SOLO Standard - Red (D/B) IP66,, EN54-3	£57.20
	FCS/A/R/0/S	Fire-Cryer SOLO Standard - Red, EN54-3	£53.70
	FCS/A/R/R/D	Fire-Cryer SOLO Single Msg, Red, Red beacon, D/B, EN54-3	£80.50
	FCS/A/R/R/S	Fire-Cryer SOLO Single Msg, Red, Red Beacon, S/B, EN54-3	£77.00
G	FCS/C/W	Mini Fire-Cryer SOLO, White, Base Mounted, EN54-3 (Detector not included)	£59.70

Pre-Recorded Message preceded with a Banshee Alarm Tone -
"Fire emergency. Please remain calm and evacuate the building immediately".

VIMPEX

IDENTIFIRE TRITONE SOUNDERS

H	10-1010RFX-S	Identifire Tritone Sounder Flush Mount, Red, 98dB(A), 5ma, EN54-3	£14.00
I	10-1010RSX-S	Identifire Tritone Sounder Surface Mount, Red, 98dB(A), 20-28V DC, 5ma, EN54-3	£16.10
	10-1010WFX-S	Identifire Tritone Sounder Flush Mount, White, 98dB(A), 20-28 V DC, 5ma, EN54-3	£14.00
	10-1010WSX-S	Identifire Tritone Sounder Surface Mount, White. 98dB(A), 20-28V DC, 5ma, EN54-3	£16.10

IDENTIFIRE SOUNDER VID

J	10-1110RFR-S	Identifire Tritone Sounder VID Flush Mount, Red, 20-28V DC, 14ma, EN54-3	£33.20
	10-1110RSR-S	Identifire Tritone Sounder VID Surface Mount, Red, 20-28V DC, 14ma, EN54-3	£35.40

IDENTIFIRE VID

K	10-1310RSR-S	Identifire VID Surface Mount, Red, 12-28V DC, 8mA	£24.90
L	10-1310WSR-S	Identifire VID Surface Mount, White, Red, 12-28V DC, 8mA	£24.90

IDENTIFIRE PLATFORM SOUNDER

M	IDBTS-W	Vimpex Base Sounder, White, Complete with cover, 32 Tones, 18-30V DC, 90dBA, EN 54-3	£27.00

CEILING VAD

N	CBE1002-C	Conventional Ceiling Mount VAD with Base, White, Flash C3-7.5	£48.80

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

KLAXON

WALL MOUNTED VAD

	ESB-5002	Sonos Pulse Wall VAD White Body White Flash	£63.76
	ESD-5002	Sonos Pulse Wall VAD White Body Red Flash	£63.76
	ESB-5004	Sonos Pulse Wall VAD Red Body White Flash	£63.76
	ESD-5004	Sonos Pulse Wall VAD Red Body Red Flash	£63.76

WALL MOUNTED SOUNDER VAD

	ESC-5002	Sonos Pulse Wall Sounder VAD White Body White Flash	£77.90
A	ESF-5002	Sonos Pulse Wall Sounder VAD White Body Red Flash	£75.53
	ESC-5004	Sonos Pulse Wall Sounder VAD Red Body White Flash	£77.90
B	ESF-5004	Sonos Pulse Wall Sounder VAD Red Body Red Flash	£77.90

CEILING MOUNT SOUNDER VAD

	ESC-5006	Sonos Pulse Ceiling Sounder VAD White Body White Flash	£77.90
	ESF-5006	Sonos Pulse Ceiling Sounder VAD White Body Red Flash	£77.90
	ESC-5008	Sonos Pulse Ceiling Sounder VAD Red Body White Flash	£77.90
	ESF-5008	Sonos Pulse Ceiling Sounder VAD Red Body Red Flash	£77.90

CEILING MOUNT VAD

C	ESB-5006	Sonos Pulse Ceiling VAD White Body White Flash	£63.76
	ESD-5006	Sonos Pulse Ceiling VAD White Body Red Flash	£63.76
D	ESB-5008	Sonos Pulse Ceiling VAD Red Body White Flash	£63.76
	ESD-5008	Sonos Pulse Ceiling VAD Red Body Red Flash	£63.76

NEXUS IP66 WALL MOUNT SOUNDER VAD

E	ENC-6001	Nexus Pulse 105 Sounder VAD White Flash	£189.78
	ENC-6002	Nexus Pulse 110 Sounder VAD White Flash	£206.85
	END-6001	Nexus Pulse 105 Sounder VAD Red Light	£189.63
	END-6002	Nexus Pulse 110 Sounder VAD Red	£206.64

SONOS EN54-3 SOUNDER/BEACONS

	PSS-0068	Sonos Red Sounder Beacon 17-60V DC 106dB (Requires Base)	£39.87
	PSS-0076	Sonos Red LED Beacon 17-60V DC 5mA (Requires Base)	£23.11
F	PSS-0084	Sonos Red Sounder 9-60V DC 6-35mA 106dB (Requires Base)	£20.81
F	PSS-0089	Sonos White Sounder 9-60V DC 6-35mA 106dB (Requires Base)	£20.81

SONOS BASES

	PSO-0009	Sonos Red Shallow Diode Base	£6.77
	PSO-0010	Sonos White Shallow Diode Base	£6.77
	PSO-0011	Sonos Red Deep Diode Base IP65	£7.59
	PSO-0012	Sonos White Deep Diode Base IP65	£7.59

klaxon
Signalling Solutions

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

OPTICAL BEAM DETECTORS

Optical Beam Detectors are best suited to wide open areas such as warehouses and aircraft hangars, or where ceiling access, or construction will not support the installation of cables.

THE FIRE BEAM COMPANY

thefirebeam

A



B

FIRE BEAM XTRA

A	FIREBEAM XTRA	Self Aligning Beam Detector 7-70 Metre	£428.00
B	70KIT140	Range Extension Kit 70-140 Metre	£67.50
	140KIT160	Range Extension Kit 140-160 Metre	£180.00

ANTI FOG KITS

FIREBEAM XTRA-AF	Anti Fog Firebeam Xtra	£506.00
WINDOW-AF	Anti Fog Window for Beam Head	£61.50
REF-AF	Anti Fog Single Reflector	£40.70
70KIT140AF	Anti Fog Range Extension Kit 70-140 Metre	£140.00
140KIT160-AF	Anti Fog Range Extension Kit 140-160 Metre	£297.00

BRACKETS

FB-BRACKET	Adjustable Wall Bracket for Firebeam or Single Reflector	£112..00

SPARES

TF	Obscuration Test Filter for Reflector Beam Detector	£5.90
REFLECTORS	Single Reflector	£29.50

STI



C

PROTECTIVE CAGES

	STI-9862	Steel Cage Protector for Fire Beam Controller H187 x W122 x D70mm	£28.80
C	STI-9861	Steel Cage Protector for Fire Beam Head H186 x W160 x D143mm	£28.80

Find full range of protective cages on page 56

thefirebeam™

Winner of the fire industry international awards for product innovation.....
thefirebeam is the ultimate optical beam detector available today, it has addressed all the problems you normally associate with this type of detection.

What makes thefirebeam so special ?

Its the first **motorised self aligning** reflective optical beam smoke detector to be launched onto the market....that after following a simple procedure will self align at installation, saving time, aggravation and the uncertainty of **misalignment**, all of which cost time and money. Once aligned **it will continually re-align itself against building movement,** saving time and the disruption of high level re-alignment and more importantly **reduces expensive false alarms** and will keep your reputation intact.
The low level controller means all beam settings can be changed and monitored at floor level (such as threshold and time to fire), no more climbing to the beam head to make adjustments. Using only 3mA in any state it is **possible to make thefirebeam addressable using a manufactures interface**, that in some cases can be zone powered. **Thefirebeam** with all its advanced features is being hailed as the industry favourite

"thefirebeam - a reliable effective alternative to air sampling and spot detection at considerably less cost"

Accessory range the standard firebeam comes with a low level controller and one reflector that covers a range of 7-70 metres. Longer distances can be achieved by using our range kits below.

Mid Range Kit
extends the range of your firebeam to 70/140 metres made from clear acrylic and pre-drilled with unistrut friendly holes

Long Range Kit
extends the range of your firebeam to 140/160 metres made from clear acrylic and pre-drilled with unistrut friendly holes

Adapter Plate
made from clear acrylic and pre-drilled with unistrut friendly holes you can fit ether the head or single reflector to this

Anti Fog kits and Reflector
In some applications condensation can cause a problem, to solve this we have developed reflectors and lens covers that are specially coated and will not mist over. Available as a retro fit kit of lens and single reflector, or single reflectors

Visit the web site for latest information and technical details
www.thefirebeam.com

winner
of the fire Industry award for innovation

VdS G206056

CE 0786

The Patent Office Patent No. 2 414 549

FFE

FIRERAY 5000 SERIES

A	5000-101	Fireray 5000 Beam Detector 50 Metre, 1 x TX & RX Head	£523.50
B	5000-002	Fireray 5000 Additional Head & Prism 50 Metre (Max. 2 Per Beam)	£460.00
	5000-004	Fireray 5000 Extension Kit 50-100 Metre	£115.10
	5000-005	Universal Bracket for FR5000 Head or Prism Plates	£135.80
	5000-006	Surface Mounting Plate for Prisms 1 or 4 Prisms	£74.70
	5000-007	4 Way Prism Plate (Requires FR5000-005 Bracket)	£79.00
	5000-008	Single Prism Plate (Requires FR5000-005 Bracket)	£74.30
	5000-201	Mounting Bracket for FR5000 360 Degree Rotation	£135.50

FIRERAY ONE

C	6010-100	Fireray One 1 Prism 50 Metre	£474.60
	1010-000	Fireray Long Range Kit 3 Prisms 120 Metre	£121.60

FIRERAY 3000 SERIES

D	3000-101	Fireray 3000 Optical Beam Detector c/w Controller 5-120 Metre	£734.00
E	3000-015	Fireray 3000 Additional Beam Detector Set 5-120 Metre	£604.00
	3000-201-03	Mounting Bracket for FR3000 360 Degree Rotation	£128.90

EXPLOSION PROOF

	3000-115	Explosion Proof Beam Detector	£3797.00

ANTI-CONDENSATION HEATER

	5000-204	Anti-Condensation Heater and Bracket for FR5000 Detector or Head	£262.80
	3000-204	Anti-Condensation Heater and Bracket for FR3000 Trans/Rec or Trans	£265.20
	5100-204	Anti-Condensation Heater and Bracket for FR50/100R Detector	£265.20
	5000-205	Anti-Condensation Heater and Bracket for FR5000 & 50R/100R Prism(s)	£153.80

TEST FILTER

	TF	Obscuration Test Filter for Reflective Beam Detector	£5.90

STI

PROTECTIVE CAGES

	STI-9624	Steel Cage Protector for Fireray 5000 Controller H225 x W140 x D120mm	£27.40
F	STI-9840	Steel Cage Protector for Fireray 5000 Beam Transmitter Dia168 x D168mm	£18.80

XTRALIS

IMAGERS

G	OSI-10	OSID 7 Degree Imager	£685.60
	OSI-90	OSID 80 Degree Imager	£705.80

EMITTERS

	OSE-SP-01	OSID Standard Battery Operated Emitter (Includes Battery)	£335.80
	OSE-SPW	OSID Standard 24V DC Emitter	£335.80
	OSE-HPW	OSID High Power 24V DC Emitter	£335.80

INSTALLATION KIT

	OSID-INST	OSID Installation Kit - Includes Laser Alignment Tool, Test Filter, PC Cable, Cleaning Cloth & Manual	£230.40

PROTECTIVE CAGE

H	OSID-WG	OSID Wire Guard	£65.80

OSID by xtralis

- Superior smoke detection & nuisance alarm rejection
- Simple & fast installation, easy to align
- High tolerance to vibration & structural movement
- High immunity to dust, steam, birds & insects
- High resistance to reflections & sunlight

Please note: The X-OSI-10 Imager must be paired with either the X-OSE-SP or X-OSE-SPW standard power emitter. The X-OSI-10 can only support one emitter. The X-OSI-45 & X-OSI-90 Imagers are used in multi emitter applications, or in shorter distance applications. The appropriate number of emitters must be paired with the imager to a maximum number of seven.

Find full range of protective cages on page 56

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

ALARMLINE II DIGITAL CABLE

Alarmline II Digital sensor cables are a flexible, durable and cost-effective form of fire detection, suitable for protecting a wide range of commercial and industrial applications. They provide flexibility in installation, enabling them to be used for general area protection or proximity detection close to a specific point of risk. A wide range of alarm temperatures, protective coatings and installation fixings ensure system design and installation is specific to the risk. Alarmline II Digital sensor cables are especially suited for confined areas and harsh environmental conditions, which prohibit the use of other forms of detection.
Alarmline II Digital sensor cables can be easily integrated to any fire control panel through a monitored input i.e. conventional detection zone, Zone Monitor Unit or Switch Monitor Unit. The Digital Location Control Unit provides additional functionality to the Alarmline II Digital sensor cable system by being able to determine the alarm location along extended lengths of digital sensor cable (up to 3000m).

ALARMLINE II DIGITAL CABLE

ALARMLINE II



68°C/88°C ALARM TEMPERATURE SENSOR CABLE - 100M (ALSO AVALABLE 500M/1000M DRUMS)
(100M/500M FOR STAINLESS STEEL)

A	AD68-0100	Digital Cable 68°C PVC - (PVC outer sheath)	POA
B	AD68N-0100	Digital Cable 68°C Nylon - (Nylon outer sheath)	POA
	AD68P-0100	Digital Cable 68°C Poly - (PVC coated cable with Polypropylene outer sheath)	POA
C	AD68SS-0100	Digital Cable 68°C SS & PVC - (PVC coated cable with Stainless Steel outer braid)	POA
	AD88-0100	Digital Cable 88°C PVC - (PVC outer sheath)	POA
	AD88N-0100	Digital Cable 88°C Nylon - (Nylon outer sheath)	POA
	AD88P-0100	Digital Cable 88°C Poly - (PVC coated cable with Polypropylene outer sheath)	POA
	AD88SS-0100	Digital Cable 88°C SS & PVC - (PVC coated cable with Stainless Steel outer braid)	POA

105°C/185°C ALARM TEMPERATURE SENSOR CABLE - 100M (ALSO AVALABLE 500M/1000M DRUMS) (100M/500M FOR STAINLESS STEEL)

AD105-0100	Digital Cable 105°C PVC	POA
AD105N-0100	Digital Cable 105°C Nylon	POA
AD105P-0100	Digital Cable 105°C Poly	POA
AD105SS-0100	Digital Cable 105°C SS & PVC	POA
AD185N-0100	Digital Cable 185°C Nylon	POA
AD185SS-0100	Digital Cable 185°C SS & Nylon	POA

ALARMLINE II DIGITAL CONTROL UNIT (OPTIONAL)

ADLCU	Alarmline II Digital LHD Location Control unit	POA

Alarmline II analogue sensor cable providing cable tray protection





PATOL
FIRE DETECTION SOLUTIONS

Patol linear heat detection cable also available. Please call for details.

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

For more information or to place an order: Phone: 01425 658239 Fax: 01425 658241 Email: sales@detectionsupplies.co.uk

ALARMLINE II ANALOGUE SYSTEM

Alarmline II Analogue Linear Heat detection systems are a flexible, durable and cost-effective form of fire detection, suitable for protecting a wide range of commercial and industrial applications.
They provide flexibility in installation, enabling them to be used for general area protection or proximity detection close to a specific point of risk. A wide range of alarm and pre-alarm temperatures, protective coatings and installation fixings ensure system design and installation is specific to the risk. Alarmline II Analogue sensor cables are especially suited for confined areas and harsh environmental conditions, which prohibit the use of other forms of detection.
Alarmline II Analogue control unit provides monitoring of the sensor cable and allows full integration with any fire alarm control system.

ALARMLINE II ANALOGUE SYSTEM

ALARMLINE II ANALOGUE CONTROL UNITS

A	AACUSP	Analogue LHD Control Unit - Self Programmable	POA
	AACULP	Analogue LHD Control Unit - PC Programmable	POA
	AACU-PCC	Alarmline II Analogue LHD PC Software c/w USB Cable	POA

STANDARD PVC COATED SENSOR CABLE (RED)

B	AA-0100	(100m) Analogue LHD Cable PVC Coated	POA
C	AA-0500	(500m) Analogue LHD Cable PVC Coated	POA

NYLON COATED SENSOR CABLE

	AAN-0100	(100m) Analogue LHD Cable Nylon Coated	POA
	AAN-0500	(500m) Analogue LHD Cable Nylon Coated	POA

POLYPROPYLENE COATED SENSOR CABLE

	AAP-0100	(100m) Analogue LHD Cable Polythene Coated	POA
	AAP-0500	(500m) Analogue LHD Cable Polythene Coated	POA

PVC COATED SENSOR CABLE WITH STAINLESS STEEL OUTER BRAID

	AASS-0100	(100m) Analogue LHD Cable Stainless Steel & PVC Coated	POA
	AASS-0500	(500m) Analogue LHD Cable Stainless Steel & PVC Coated	POA

NYLON + STAINLESS STEEL BRAIDED

	AASSN-0100	(100m) Analogue LHD Cable Stainless Steel & Nylon Coated	POA
	AASSN-0500	(500m) Analogue LHD Cable Stainless Steel & Nylon Coated	POA

ALARMLINE II INSTALLATION ACCESSORIES

ALARMLINE SPECIAL APPLICATION ACCESSORIES

D	B6782-032	Cable Collector, Stainless Steel	POA
	B6782-170	Retractable Cable – 30m	POA
	53836-K241EX	Automatic Cable Reeler - Stainless Steel c/w Ex Polycarbonate Junction Box	POA
	53836-K247EX	Automatic Cable Reeler - Stainless Steel c/w Stainless Steel Junction Box	POA
	B6782-189	Ex Junction Box c/w 2 Cable Glands	POA
	B6782-190	Ex Junction Box c/w 3 Cable Glands	POA
	ACA-JBW	Junction Box, IP65/66 w/ Cable Glands & Terminals	POA

ALARMLINE ANALOGUE AND DIGITAL SENSOR CABLE FIXINGS

E	ACA-CE02-025	"Edge" Clip, (Spring Steel) 2-3mm (3-8mm, 8-14mm, 14-20mm available) - Pack of 25	POA
	ACA-B706-025	"7" Bracket (Pipe Clip), 60mm (2.4") (Zintec) c/w Silicon Sleeve - Pack of 25	POA
	ACA-B706SS-025	Pipe Clip - Stainless Steel c/w Silicon Sleeve - Pack of 25	POA
	B6782-023	"V" Bracket, (Spring Steel)	POA
	ACA-BVSS-025	"V" Bracket, (Stainless Steel) c/w Silicon Sleeve - Pack of 25	POA
	B6782-154	"L" Bracket c/w Strain Relief Bush	POA
	ACA-BU06-025	"U" Bracket, 60mm (2.4") (Zintec) c/w Silicon Sleeve - Pack of 25	POA
	ACA-BL05-025	"L" Bracket, 50mm (2") (Zintec) c/w Silicon Sleeve - Pack of 25	POA
	ACA-BL05SS-025	"L" Bracket, 50mm (2") Stainless Steel c/w Silicon Sleeve - Pack of 25	POA
	ACA-BL10-025	"L" Bracket, 100mm (200mm available) (Zintec) c/w Silicon Sleeve - Pack of 25	POA
	ACA-BL10SS-025	"L" Bracket, 100mm (200mm available) Stainless Steel c/w Silicon Sleeve - Pack of 25	POA
	ACA-RS-025	Silicon Sleeve - Pack of 25	POA
	ACA-TW11W-025	Tie Wrap (PA66) 110°C (230°F) - Pack of 25	POA
	ACA-TW17W-025	Tie Wrap (PA66) 170°C (338°F) - Pack of 25	POA
	ACA-TWSS-025	Tie Wrap Stainless Steel - Pack of 25	POA
	ACA-TWT	Stainless Steel Tie Wrap Tool	POA

Aspirating Smoke Detection (also known as "Air Sampling") is a method of smoke detection where a sample of air from the protected area is drawn into a pipe & passed through a Laser Detection Chamber for analysis. These systems are not intended to compete with standard point detection devices where cost, ease of installation & compliance are the main criteria, but are designed for areas of high risk from fire where early warning is imperative, or where consequential loss would be high value.

A VESDA VLI

The VESDA VLI is an industrial-strength detection category that will benefit customers in critical but often harsh environments. With its patented, innovative technology, the VESDA VLI sets a new benchmark for reliable, absolute smoke detection in industrial applications including mining, manufacturing, processing plants, petrochemical plants, power generation facilities, waste treatment plants and more.

A

B VESDA VEP

The VESDA-E VEP Series of Aspirating smoke detectors extend the reach of the VESDA-E platform to a wide range of applications. VEP sensitivity range is from 0.005 to 20% obs/m (0.0016 to 6.25% obs/ft) and provides upto 40 class A holes. VEP is equiped with a powerful aspirator that provides a total of 130m (427ft) in the one pipe model and 560m (1837ft) in the four pipe model. VEP also provides staX support, ethernet, wifi, usb and VESDAnet capabilities. .

B

C VESDA VLS (LASERSCANNER)

The VESDA VLS locates the origin of smoke by identifying the first sector (pipe) with the highest level of smoke and then continues to sample air from all sectors to monitor fire growth. The VESDA VLS also provides four alarm levels for each individual pipe (Alert, Action, Fire 1 and Fire 2) and provides individual pipe addressability and settings. It protects areas up to 2,000m^2 (20,000 sq. ft).

C

D VESDA VLF (LASERFOCUS)

The VESDA VLF delivers the most advanced and cost-effective aspirating smoke detection technology for small environments. The VESDA VLF-250 model protects areas up to 250m^2 (2,500 sq. ft) and the VESDA VLF-500 model covers up to 500m^2 (5,000 sq. ft). In addition to the features found in all Xtralis Laser products, VESDA VLF provides a new range of features and built-in intelligence for quick installation, commissioning and servicing.

D

REMOTE DISPLAYS & PROGRAMMERS

The VESDA display module monitors and reports the status of a detector, providing visual representation of smoke levels along with all alarm and fault conditions. For monitoring convenience, multiple displays can be associated with a single detector. The menu-driven VESDA Programmer allows the user to conveniently configure, commission and maintain the VESDA system, as well as program each individual detector. Only one programmer is needed to support the entire network. Display and programmer modules can be mounted in a detector unit separately (connected via VESDAnet), in a single remote mounting box, or in a 19-inch sub rack.

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

VESDA ASPIRATING SMOKE DETECTION

VESDA VLF DETECTORS

A	VLF-250	Vesda VLF Detector Unit (for areas up to 2,500 sq. feet)	£1472.10
	VLF-500	Vesda VLF Detector Unit (for areas up to 5,000 sq. feet)	£1953.80

VESDA VEP DETECTORS

	VEP-A10-P	Vesda VEP Detector with Standard Display	£3871.00
	VEP-A00-P	Vesda VEP Detector with LCD Programmer & Display	£3529.80
B	VEP-A00-1P	Vesda VEP Detector with 1 Pipe & LCD Programmer & Display	£2870.00

VESDA VLS DETECTORS

C	VLS-204	Vesda VLS Detector with Scanner Display	£5580.60
	VLS-214	Vesda VLS Detector with LCD Programmer & Display	£6134.90
	VLS-600	Vesda VLS Detector with Fire & OK LED	£5031.00

VESDA POWER SUPPLY UNITS

VPS-215-E	0.5 Amp 24V DC Boxed PSU EN54 (Requires 2 x 7Ah Batteries)	£312.10
VPS-220-E	0.5 Amp 24V DC Boxed PSU EN54 (Requires 2 x 12Ah Batteries)	£394.20
VPS-250-E	2 Amp 24V DC Boxed PSU EN54 (Requires 2 x 38Ah Batteries)	£590.80

VESDA PIPEWORK

PIP-001	Vesda 25mm Red Pipe 3M Length (Pack of 20)	POA
PIP-002	Vesda 25mm Socket Union to Connect Pipes (Pack of 10)	POA
PIP-003	Vesda 25mm Socket Union to Connect to Vesda Unit (Pack of 10)	POA
PIP-004	Vesda 25mm to $^{3}/_{4}$" Socket Adaptor (Pack of 10)	POA
PIP-005	Vesda 25mm 90 Degree Bend (Pack of 10)	POA
PIP-006	Vesda 25mm 45 Degree Elbow (Pack of 10)	POA
PIP-007	Vesda 25mm End Cap (Pack of 10)	POA
PIP-008	Vesda 25mm 'T' Piece (Pack of 10)	POA
PIP-009	Vesda 25mm Red Pipe Clip (Pack of 20)	POA
PIP-012	Vesda 250ml Solvent Cement	POA

VESDA SAMPLING POINT

059-001	Vesda Flush Sampling Point Kit	£16.70
128-014	Vesda Sampling Point Label (Roll of 100)	£16.70

VESDA SPARES

VSP-005	Vesda Filter Cartridge	£115.90
VSP-025	Vesda Filter Cartridge (Pack of 20)	£1489.70
VSP-850-G	Vesda In Line Air Filter 25mm Inlet	£174.80
VSP-855-4	Vesda In Line Filter Elements (Pack of 4)	£104.50

A

B

C

ASPIRATING TEST KITS

SCORPION KITS

SCORP1001-001	Scorpion Point Head Installation Kit	POA
SCORP2001-001	Scorpion ASD Head Installation Kit	POA
SCORP8000-001	Scorpion Control Panel	POA
SCORP7000-001	Scorpion Engineers Portable Controller	POA
SCORP50-001	Scorpion Battery Pack	POA
SCORP60-001	Scorpion Battery Baton Cable	POA

For use with aspirating systems. Fixed solution for inaccessible areas, e.g. lift shafts, stairwells, data centres and escalators.

HONEYWELL FAAST

D

FAAST

D	FL0111E-HS-EB	FAAST LT-200 - 1 Channel - (160m 18 holes) c/w Earth bar	POA
	FL0112E-HS-EB	FAAST LT-200 - 1 Channel - Double Knock - (160m 18 holes) c/w Earth Bar	POA
	FL0122E-HS-EB	FAAST LT-200 - 2 Channel - (160m 18 holes per channel) c/w Earth Bar	POA

APOLLO

E

DISCOVERY ASD

E	29650-081APO	Discovery ASD-1 Aspirating Smoke Detector	£989.90
	29650-082APO	Discovery ASD-2 Aspirating Smoke Detector	£1197.20

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

STRATOS ASPIRATING SMOKE DETECTION

A

B

C

D

E

	MICRA SINGLE PIPE		
A	30725	Stratos Micra 10 (Maximum Pipe Length 50 Metres)	POA
B	30671	Stratos Micra 25 Single Pipe Detector (Maximum Pipe Length 50 Metres)	POA
	30760	Stratos Micra 25 with Relay Input Card (Maximum Pipe Length 50 Metres)	POA
	MICRA 2 PIPE		
C	30672	Stratos Micra 100 2 Pipe (Maximum Pipe Length 50 Metres)	POA
	30764	Stratos Micra 100 2 Pipe with Relay Input Card (Maximum Pipe Length 50 Metres)	POA
	HSSD2 4 PIPE		
	30621	Stratos HSSD Standard Detector 4 Pipe (Maximum Pipe Length 50 Metres)	POA
	MODULASER		
	9-30780	Modulaser Minimum Display Module	POA
D	9-30781	Modulaser Standard Display Module	POA
	9-30782	Modulaser Command Module	POA
D	9-30783	Modulaser Detector Module	POA
	POWER SUPPLY		
	STX2402-E	2 Amp EN54 PSU 24V DC (Requires 2 x 17Ah Batteries)	£206.90
	PIPEWORK		
	CM10900	Red Pipe 3 Metre Length (¾" Nominal Bore)	POA
	CM10905	45 Degree Elbow Red ¾"	POA
	CM10906	90 Degree Bend Red ¾"	POA
	CM10908	Joining Socket Red ¾"	POA
	CM10909	T Piece Red ¾"	POA
	CM10915	Socket Union Red ¾"	POA
	CM10927	End Cap Red ¾"	POA
	CM10946	¾" Female to 25mm Male Adapter Red	POA
	CM10954-25	Pipe Clip Red ¾" Pack of 25	POA
	CM10954-100	Pipe Clip Red ¾" Pack of 100	POA
	CM10933	Hole Repair Saddles ¾"	POA
	CM10950	Clear Solvent Cement (250ml with Brush)	POA
	SAMPLING POINTS		
	21888-K074	Capillary Flush Sampling Point & Flexible Tube	POA
	CM10960	Sampling Hole Warning Labels (100 Per Roll)	POA
	INTERFACE CARDS		
E	30430	Stratos APIC Card (Apollo Protocol)	POA
	30433	Stratos APIC Card (Notifier Protocol)	POA
	30438	Stratos APIC Card (Hochiki Protocol)	POA
	SPARES		
	30755	Stratos Micra/Nano Dust Filter	POA
	30699	Stratos HSSD2 Dust Filter	POA
	21888-K030	Smoke Pellets 13g 40 Second Burn Time (Pack of 6)	POA

ALARMSENSE PANELS

C-TEC CFP (Requires up to 2 X 3.2Ah Batteries)

	CFP702-2AS	AlarmSense 2 Zone Control Panel	£238.30
	CFP704-2AS	AlarmSense 4 Zone Control Panel	£290.10
A	CFP708-2AS	AlarmSense 8 Zone Control Panel	£423.90

KENTEC SIGMA (Requires up to 2 X 7Ah Batteries)

	KA11020M2	Sigma CPA AlarmSense 2 Zone Surface Fire Panel	£371.70
	KA11040M2	Sigma CPA AlarmSense 4 Zone Surface Fire Panel	£418.00
B	KA11080M2	Sigma CPA AlarmSense 8 Zone Surface Fire Panel	£479.70

HAES ECLIPSE (Requires up to 2 X 3.2Ah Batteries)

	ALS-2	Eclipse 2 Zone AlarmSense 2 Wire Fire Panel	£221.20
C	ALS-4	Eclipse 4 Zone AlarmSense 2 Wire Fire Panel	£263.10

HAES EXCEL (Requires up to 2 X 7Ah Batteries)

	ASP4	Excel 4 Zone AlarmSense 2 Wire Fire Panel	£347.26
	ASP8	Excel 8 Zone AlarmSense 2 Wire Fire Panel	£448.00
	ASP12	Excel 12 Zone AlarmSense 2 Wire Fire Panel	£563.58

ALARMSENSE DEVICES

SMOKE DETECTORS

D	55000-390APO	AlarmSense Optical Smoke Detector	£25.60
	55000-391APO	AlarmSense Integrating Optical Smoke Detector	£28.80

HEAT DETECTORS

E	55000-190APO	AlarmSense Heat Detector A1R	£16.90
	55000-193APO	AlarmSense High Temperature Heat Detector CS	£19.20

SMOKE DETECTOR BASE SETS

	55000-392APO	AlarmSense Optical Smoke Detector with Sounder Base	£57.50
F	55000-393APO	AlarmSense Integrating Optical Smoke Detector with Sounder Base	£60.00
	55000-394APO	AlarmSense Optical Smoke Detector with Sounder Beacon Base	£71.00

HEAT DETECTOR BASE SETS

G	55000-196APO	AlarmSense Heat Detector A1R with Sounder Base	£54.90
	55000-197APO	AlarmSense High Temperature Heat Detector CS with Sounder Base	£57.80
	55000-198APO	AlarmSense Heat Detector A1R with Sounder Beacon Base	£67.50
	55000-199APO	AlarmSense High Temperature Heat Detector CS with Sounder Beacon Base	£72.40

BASES

	45681-244APO	AlarmSense Detector Base	£8.50
	45681-509APO	AlarmSense Sounder Beacon Base	£39.90
	45681-510APO	AlarmSense Sounder Base	£30.50
	45681-294	AlarmSense Locking Cap in White (for 45681-509/510)	£4.35

OPEN AREA SOUNDER BEACONS

	55000-017APO	AlarmSense Red Open Area Sounder Beacon	£60.40
I	55000-018APO	AlarmSense Red Open Area Sounder	£52.30

CALL POINT

J	55400-894APO	AlarmSense Surface Manual Call Point	£27.40
	44251-175APO	Perspex Hinged Call Point Cover for SA5900-908 Series Call Point (Per 10)	£27.40

RELAY

K	55000-835APO	AlarmSense Relay Module	£57.20

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

CHECK POINT ALARM CONFIRMATION TECNHOLOGY

With the increasing number of new builds, property conversions to flats and bed-sits, and greater pressure on environmental officers to actively enforce the requirements of BS5839 part 6 (the code of practice for fire detection and alarm systems in dwellings), organisations are continually looking for a dependable early warning fire alarm system. The TWINFLEX pro system has the ability to set a pre-alarm for dwellings, allowing time to investigate the cause of the activation before evacuating the building.

When a fire is detected in a dwelling, only the local (room) sounder (or sounders within that zone for larger dwellings) will operate during the alarm verification period, to warn the occupants within that particular dwelling. The control panel will then carry out a number of checks over a specified period of time (1 to 5 minutes) to confirm the detector is still in alarm and there is a genuine fire. At the end of this checking period, if the detector ceases to signal alarm, the control panel will automatically reset the detector/ sounder and the system will revert to its normal state. However, if the detector is still generating an alarm signal, the control panel will instantly sound all alarms in the building for full evacuation.

Detectors sensing fire (or call point activation in any zone) in communal areas instantly generate a full alarm throughout the building.

FIKE TWINFLEX

TWINFLEX®pro²

	TWINFLEX PRO² PANEL (Requires up to 2 X 3.2Ah Batteries)		
	505-0002	Twinflex Pro² 2 Zone Fire Alarm Panel	£264.15
	505-0004	Twinflex Pro² 4 Zone Fire Alarm Panel	£327.45
A	505-0008	Twinflex Pro² 8 Zone Fire Alarm Panel	£450.40
	TWINFLEX PRO² EXPANSION CARD		
	505-0006	Twinflex Pro² 4 Zone Expansion Card (Can only be used with 505-0004 4 Zone Panel)	£162.30
	TWINFLEX PRO² REPEATER PANEL		
	505-0010	Twinflex Pro² Repeater Panel (For use with 4 & 8 Zone Panels only)	£232.30
	TWINFLEX ASD DETECTORS		
	204-0003	Twinflex ASD Multipoint (no Sounder)	£40.40
B	204-0001	Twinflex ASD Multipoint with Sounder	£47.50
	204-0012	Twinflex ASD Multipoint with Sounder & Strobe	£75.60
	CALL POINTS - NOW INCLUDING COVERS		
C	402-0006	Twinflex Surface or Flush Call Point	£26.00
	402-0007	Twinflex Weatherproof Call Point	£40.40
	45-0022-S	Spare Key for Twinflex Call Point (Pack of 5)	£5.75
	SOUNDERS		
D	302-0001	Twinflex Hatari Red Sounder 97dB (also available in white)	£25.80
	313-0021	Twinflex Square Red Sounder 85dB (also available in white)	£26.20
	IP65 SOUNDER		
	302-0004	Twinflex 90dB Industrial Weatherproof Sounder IP55	£51.90
	SOUNDER STROBE		
E	302-0012	Twinflex Sounder / Flashpoint 90dB	£43.60
	STROBE		
	302-0023	Twinflex Flashpoint IP52	£65.00
	I/O UNIT		
F	802-0006	Twinflex Input/Output Module	£77.20
	TWINFLEX PRO² BOXED KIT		
	604-0002	Twinflex Pro² Boxed Kit comprising of :- 1 x Twinflex Pro² 2 Zone Panel,7 x Twinflex Multipoint ASD with sounder, 2 x Twinflex Manual Call Point,1 x Head Removal Tool	£599.90
	604-0004	Twinflex Pro² Boxed Kit comprising of :- 1 x Twinflex Pro² 4 Zone Panel,7 x Twinflex Multipoint ASD with sounder, 2 x Twinflex Manual Call Point,1 x Head Removal Tool	£662.70
	604-0008	Twinflex Pro² Boxed Kit comprising of :- 1 x Twinflex Pro² 8 Zone Panel,7 x Twinflex Multipoint ASD with sounder, 2 x Twinflex Manual Call Point,1 x Head Removal Tool	£810.30

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

SAV-WIRE - TRIED & TESTED 2 WIRE CONVENTIONAL FIRE ALARM SYSTEM

The Sav-Wire system is the original 2 wire concept, using standard Apollo Series 65 or Hochiki CDX detector with dedicated Sav-Wire bases & call points.
Any conventional low current 24V DC sounder can be wired onto the same pair as the smoke detectors.

KENTEC

SAV-WIRE PANELS (Requires up to 2 X 7Ah Batteries)

	T11020M2	Kentec 2 Zone Sav-Wire Surface Panel	£350.60
A	T11040M2	Kentec 4 Zone Sav-Wire Surface Panel	£394.40
	T11080M2	Kentec 8 Zone Sav-Wire Surface Panel	£452.30
	E01020L2	Kentec 2 Zone Surface Repeater Panel	£193.70
	E01040L2	Kentec 4 Zone Surface Repeater Panel	£232.10
	E01080L2	Kentec 8 Zone Surface Repeater Panel	£317.10

HAES

ECLIPSE SAV-WIRE PANELS (Requires up to 2 X 3.2Ah Batteries)

B	ECL-2	Eclipse 2 Zone Fire Alarm Panel 4 Wire or Sav-Wire	£221.00
	ECL-4	Eclipse 4 Zone Fire Alarm Panel 4 Wire or Sav-Wire	£263.10
	FMK-ECL	Recessing Bezel for Eclipse 2 & 4 Zone Panel	£77.30

EXCEL SAV-WIRE PANELS (Requires up to 2 X 7Ah Batteries)

	XLEN- 4	Excel 4 Zone Fire Alarm Panel 4 Wire or Sav-Wire	£347.30
	XLEN- 6	Excel 6 Zone Fire Alarm Panel 4 Wire or Sav-Wire	£404.20
	XLEN- 8	Excel 8 Zone Fire Alarm Panel 4 Wire or Sav-Wire	£487.20
	XLEN-12	Excel 12 Zone Fire Alarm Panel 4 Wire or Sav-Wire	£563.60
	FMK-XLEN	Recessing Bezel for Excel 4-12 Zone Panel	£103.00

SAV-WIRE COMPATIBLE DEVICES

DETECTORS & BASES

C	55000-317APO	Series 65 Optical Smoke Detector	£26.40
	55000-122APO	Series 65 Rate Of Rise Heat Detector A1R 57c	£17.10
	55000-127APO	Series 65 Rate Of Rise Heat Detector BR 75c	£17.30
	55000-132APO	Series 65 Rate Of Rise Heat Detector CR 90c	£17.10
	55000-137APO	Series 65 Fixed Temperature Heat Detector CS 90c	£17.30
	45681-206APO	Series 65 Sav-Wire Detector Base	£13.30

CALL POINTS

	MCP1B-R470SG01	Red Sav-Wire Call Point	£13.10
	WCP2B-R820SG01	Red Sav-Wire Call Point IP67 with LED	£89.10
	PS200	Hinged Call Point Cover	£4.50

SOUNDERS & BEACONS

	SQ-SV-S-W	Squashni Sounder Base 28 Tone 10-28V DC 18mA 93dB	£20.50
	ROLP-SV-R-3	Roshni Red Sounder 9-28V DC 12mA 102dB (No Base)	£18.58
	ROLPSB-SV-RL-R-N	Roshni Red Sounder/LED Beacon 18-28V DC 21mA 102 dB (No Base)	£52.95
D	SO-R-NB-3C	Solex Red Beacon 10-60V DC 25mA (No Base)	£26.50
E	SQ-G3-23	Squashni VAD Sounder Base with White Flash EN54-23	£68.28

BASES FOR SOUNDERS & BEACONS

	SR01	Red Shallow Base	£1.39
	DR01	Red Deep Base IP65	£1.87
	UR01	Red 'U' Base IP65	£1.87

VISUAL ALARM DEVICES TO EN54-23

	ROLPBSELX-W-RFR1	Red VAD Base 18-28V 28mA EN54-23 (Requires Roshni Sounder)	£42.45
	SOL-LX-W-RF-R1-S	Solista Red Wall VAD, with Shallow Base 9-60V DC 10-25mA EN54-23	£43.02
F	SOL-LX-C-RF-W1-S	Solista White Ceiling VAD, with Red Flash & Shallow Base 9-60V 10-25mA EN54-23	£43.02

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

EMS FIRECELL WIRELESS ALARM SYSTEM

A

B

C

D

E

CONTROL EQUIPMENT

A	FC-LA80161-M2	FireCell 1 Loop Master Surface Control Panel with Key Enable	POA
	FC-A80162-M2	FireCell 2 Loop Master Surface Control Panel with Key Enable	POA
B	FCX-532-001	FireCell Fusion Radio Loop Module (Up to 5 Per Loop)	POA

FIRE DETECTORS

C	FCX-177-001	FireCell Optical Smoke Detector	POA
	FCX-175-001	FireCell A1R Heat Detector	POA
	FCX-176-001	FireCell CS Heat Detector	POA
	FCX-170-001	FireCell Wireless Detector Base (Includes Batteries)	POA
	FCX-191-000	FireCell Wireless Detector Sounder Base (Includes Batteries)	POA
D	FCX-191-200	FireCell Wireless Detector Sounder/ Red Visual Indicator Base (Includes Batteries)	POA

SOUNDERS & BEACONS

	FC-315-WA2	FireCell Wireless Wall Sounder & Beacon	POA
	FC-171-002	FireCell Wireless Base for Audio Visual Devices (Includes Batteries)	POA

MODULES

	FC-620-001	FireCell Auxiliary Relay Module	POA
	FC-610-001	FireCell Wireless Input/Output Module (Includes Batteries)	POA
	FC-868-SE2	FireCell Wireless Survey Kit	POA

CALL POINTS

E	FC-200-002	FireCell Wireless Red Surface Manual Call Point (Includes Batteries)	POA
	PS200	Hinged Call Point Cover	£4.50

EDA ZERIO PLUS

F

G

H

I

J

CONTROL EQUIPMENT

F	EDA-Z5008	8 Zone Control Panel	POA
	EDA-Z5020	20 Zone Control Panel	POA
	EDA-Z5100	100 Zone Control Panel	POA
	EDA-Z6000	Radio Booster Unit (Requires 240V Supply)	POA
	EDA-Z6010	Wired Intelligent Antenna	POA
	EDA-Z5008FS	8 Zone Flush Mounted Wired Remote Display	POA
	EDA-Z5008SS	8 Zone Surface Mounted Wired Remote Display	POA
	EDA-Z5008SZ	8 Zone Standard Enclosure Wired Remote Display	POA
	EDA-Z5000	Survey Kit	POA

DEVICES

G	EDA-R5000	Radio Optical Smoke Detector	POA
	EDA-R6000	Radio Optical Smoke Detector with Combined Sounder	POA
H	EDA-R6030	Radio Optical Smoke Sounder Detector with Beacon	POA
	EDA-D5000	Radio Heat Detector	POA
	EDA-D6000	Radio Heat Detector with Combined Sounder	POA
I	EDA-C5000	Radio Call Point / Break Glass Unit	POA
	PS200	Hinged Call Point Cover	
	EDA-T5000	Radio Transmitter Unit	POA
	EDA-T5100	Radio Silence Alarm Button	POA

SOUNDERS & OUTPUT UNITS

	EDA-A6000	Radio Sounder	POA
J	EDA-A6030	Radio Sounder with Beacon Combined	POA
	EDA-A6060	Radio LED Beacon	POA
	EDA-T6080	Radio Clean Contact Input/Output Unit	POA

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

ZITON ZR4 RADIO FIRE ALARM & DETECTION

ZR4 SERIES 868MHZ HUB, CLUSTER & LOOP MODULES & ACCESSORIES

A	ZPR868	Ziton Protocol 868MHz - Radio Loop Module (RLM) c/w Internal Aerials	POA
	ZPR868-H	Ziton Protocol 868MHz - Radio Loop Module (Hub) - 4 Loop	POA
	ZPR868-C	Ziton Protocol 868MHz - Radio Cluster Communicator (RCC), 24V DC	POA
	ZPR868-CM	Ziton Protocol 868MHz - Radio Cluster Communicator (RCC), Mains Powered	POA
	ZR4ST-3	868MHz Radio Survey Kit	POA

ZR4 SERIES WIRELESS FIRE ALARM DEVICE

	ZR432-2P	Radio Dual Optical/Heat Detector c/w ZR401-3 Base & Battery Pack (Polar White)	POA
B	ZR432-2PA	Radio Dual Optical/Heat Detector c/w Radio Sounder Base (Polar White)	POA
	ZR432-2PAV	Radio Dual Optical/Heat Detector c/w Radio Sounder Base & Red Visual Indicator (Polar White)	POA
C	ZR485-3	Radio Call Point c/w Battery Pack (Red), 868Mhz	POA
	PS200	Hinged Call Point Cover	
	ZR451-3	Radio Input/Output Unit c/w Battery Pack, 868Mhz	POA
	ZR455V-3RA	Wireless Sounder/Visual Indicator c/w Battery Pack (Red c/w Amber Lens)	POA
	ZR455V-3RR	Wireless Sounder/Visual Indicator c/w Battery Pack (Red c/w Red Lens)	POA
	ZR455-3R	Radio Sounder c/w Battery Pack (Red), 868Mhz	POA
	ZR455-3W	Radio Sounder c/w Battery Pack (White), 868Mhz	POA

ZR4 SERIES WIRELESS SOUNDERS & VAD'S - EN54-23 COMPLIANT

	ZRC460-3WC	Wireless Beacon, Ceiling Mount c/w Battery Pack (White c/w Clear Flash)	POA
D	ZRW460-3C	Wireless Beacon, Wall Mount c/w Battery Pack (Red c/w Clear Flash)	POA
	ZRW460-3WC	Wireless Beacon, Wall Mount c/w Battery Pack (White c/w Clear Flash)	POA
	ZRW466-3C	Wireless Sounder/Beacon, Wall Mount c/w Battery Pack (Red c/w Clear Flash)	POA
	ZRW466-3WC	Wireless Sounder/Beacon, Wall Mount c/w Battery Pack (White c/w Clear Flash)	POA
	ASWP-RF	Weatherproof Mounting Kit for Wireless Notification Products (IP33)	POA

ZR4 COMPONENTS

E	ZX432-2P	Multi-Sensor Optical/Heat Detector for Wireless use (Polar White)	POA
	ZR401-3P	Radio Sensor Base for ZX432-2 c/w Battery Pack, 868Mhz (Polar White)	POA
	ZR401-3PA	Radio Detector Sounder Base for ZX432-2 c/w Battery Pack	POA
	ZR401-3PAV	Radio Detector Sounder Base with Visual Indicator (for ZX432-2) c/w Battery Pack	POA
	ZR401H-P	Wireless Base Housing (Polar White)	POA

A

B

C

D

E

APOLLO XPANDER AVAILABLE ON PAGE 36

HOCHIKI FIREWAVE ALSO AVAILABLE ON REQUEST

CAN'T FIND WHAT YOU'RE LOOKING FOR?
WE'RE HAPPY TO HELP!

Call us today on 01425 658239 or email sales@detectionsupplies.co.uk

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

KLAXON

SELF CONTAINED/BATTERY POWERED SITE ALARMS

A	404-0006	Resettable Battery Powered Call Point c/w Sounder (Requires 2 x GP23A) (Up to 12 404-0006 can be interlinked using a 3 core cable)	POA
B	FMCEVASMPB	Evacuator Sitemaster Push Button - Self Contained	POA
	FMCEVASMBG	Evacuator Sitemaster Break Glass	POA

EVACUATOR

EVACUATOR SITE ALARMS

	FMCEVASYN	Evacuator Synergy Call Point - Wireless Interlinkable	POA
	FMCEVASYNBS	Evacuator Synergy Base Station	POA
C	FMCEVASYNTS40	Evacuator Synergy Touch Screen 40	POA
	FMCEVASYNSS	Evacuator Synergy Sounder Strobe	POA
	FMCEVASYNHD	Evacuator Synergy Heat Detector	POA
	FMCEVASYNSD	Evacuator Synergy Smoke Detector	POA
	FMCEVAINT2	Evacuator Synergy Relay Interface	POA

ROTARY BELL/AIR HORN

	FMCRAB10	Rotary Hand Bell	POA
D	AIRHORN1	Airhorn	POA

Howler Site Alarms, Bull Products and WES Wireless Fire Safety and Security Technology available on request

BULL

WES

GO LINK Howler



VX-3000
Voice Alarm System



Today, the issue of safety is more important than ever. At TOA, we have developed a reliable and energy-efficient voice alarm system that combines all functions in a single device. Whether in airports, hotels, offices, hospitals or schools, the flexible system architecture makes it scalable and expandable for all size requirements.

Full TOA range now available from Detection Supplies!

We supply sound, not equipment.
www.toa.co.uk

TOA

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

EVACUATOR

Our Synergy-TS40 5 year History Recording Base Station.

Key Features

- Identifies Alarms, Battery lows, Missing devices
- Onboard 85dB buzzer
- Fire & First Aid monitoring as standard
- Mains powered
- Fully Addressable device monitoring
- Real Time Site monitoring
- Wall or Desk mountable

UK MADE IN

Synergy-RF Base Station

- Category 1 radio module
- Tested to ETSI-300-220-1
- CE RoHs and EMC Compliant
- 25mm Bright LED display unit
- 85dB buzzer
- Battery operated
- Completely wireless operation
- Manufactured in the UK

Synergy-RF Call Point

- Category 1 radio module
- Tested to ETSI-300-220-1
- CE RoHs and EMC Compliant
- UV Repellant decal
- 108dB buzzer
- Battery low indication
- Optional “First Aid” function
- Manufactured in the UK

Synergy Heat Detector

- Available in Heat or Optical Smoke.
- Battery Low indication
- 40 Devices per zone
- ABS moulded casing for durability
- Manufactured in the UK

CE RoHS Compliant

www.evacuatoralarms.com

ADVANCED ELECTRONICS MXPRO4 (APOLLO & HOCHIKI PROTOCOL)

A

MX4100 PANEL

- 500mA Loop Current
- 2 x Programmable Sounder Circuits
- 2 Amp PSU
- Space for 7Ah Batteries
- Size H320 x W345 x D85

B

MX4404 PANEL

- 500mA Loop Current
- 4 x Programmable Sounder Circuits
- 4 Amp PSU
- Space for 17Ah Batteries
- Size H475 x W450 x D115

C

MX4802 PANEL

- 500mA Loop Current
- 8 x Programmable Sounder Circuits
- 5 Amp PSU
- Space for 17Ah Batteries
- Size H950 x W450 x D188

D

MX4020 REPEATER PANEL

- Require 24V DC PSU if futher than 50m from panel.
- Size H218 x W300 x D44

A	MX-4100	1 Loop Fire Panel. (No Loop Driver Required)	£1590.90
	MX-4202	1-2 Loop Fire Panel. c/w 2 Loop Cards	£2075.70
B	MX-4404	1-4 Loop Fire Panel. c/w 4 Loop Cards	£3429.20
C	MX-4802	2-8 Loop Fire Panel c/w Standard Network Card & 2 Loop Cards	£4999.00
	MXP-002	Loop Driver Card for MX4000 Panels	£241.60
	MXP-024	20 Zone LED Card for MX4100	£79.40
	MXP-013-050	50 Zone LED Card for MX4200/4400 with Door & Label (Retro- fit)	£379.50
	MXP-013-100	100 Zone LED Card for MX4200/4400 with Door & Label (Retro- fit)	£551.70
	MXP-003	Standard Network Card for MX4000 Series	£313.00
	MXP-009	Fault Tolerant Network Card For MX4000 Series	£832.20
	MXP-011	Access Enable Keyswitch Assembly for MX4000 Panels	£82.80
	MXP-035	Peripheral Bus -4 Way Relay Card for MX4000 Series	£302.50
	MX-4010	Passive Repeater Panel	£803.10
	MX-4010FT	Passive Repeater Fault Tolerant	£1634.40
D	MX-4020	Fully Functional Repeater Panel	£1044.70
	MX-4020FT	Fully Functional Repeater Fault Tolerant	£1787.90
	MXM-001	Semi Flush Bezel for MX4100	£83.60
	MXM-002	Semi Flush Bezel for MX4200/MX4400	£98.20
	MXM-008	Semi Flush Bezel for Repeater Panel MX4010/4020	£78.40
	PC-NET-003-USB	Configuration Software & USB Upload/Download Lead	£231.90

ADVANCED ELECTRONICS MXPRO5 (APOLLO & HOCHIKI PROTOCOL)

E

MX5101 PANEL

- 500mA Loop Current
- 2 x Programmable Sounder Circuits
- 3 Amp PSU
- Space for 7Ah Batteries
- Size H340 x W340 x D85

F

MX5202 PANELS

- 500mA Loop Current
- 2 x Programmable Sounder Circuits
- 5 Amp PSU
- Space for 12Ah Batteries
- Size H340 x W430 x D115

G

MX5404 PANELS

- 500mA Loop Current
- 4 x Programmable Sounder Circuits
- 5 Amp PSU
- Space for 18Ah Batteries
- Size H470 x W450 x D115

E	MX-5101	1 Loop 20 Zone Fire Panel.	£1195.60
F	MX-5202	1-2 Loop 20 Zone Fire Panel. c/w 2 Loop Cards	£1906.70
G	MX-5404	1-4 Loop 20 Zone Fire Panel. c/w 4 Loop Cards	£3045.60
	MX-5808	2-8 Loop 20 Zone Fire Panel. c/w 8 Loop Cards. Standard Network	£6897.00
	MXP-502	Loop Driver Card	£263.70
	MXP-513L-050RD	MX-5000 50 Zone LED Card (Red) (MX-5400 only)	£279.70
	MXP-513L-100RD	MX-5000 100 Zone LED Card (Red) (MX-5400 only)	£407.30
	MXP-503	MX-5000 Standard Network Card	£298.80
	MXP-509	MX-5000 Fault Tolerant Network Card	£746.70
	MXP-511	Access Enable Keyswitch Assembly	£78.50
	MXP-516	Keyswitch Assembly - Trapped Key	£81.50
	MXP-517	Keyswitch Assembly - Untrapped Key	£81.70
	MXP-507	MX-5000 Two Way Relay Card	£146.65
	MXP-512	MX-5000 Printer Assembly	£509.20
	MXP-512F	MX-5000 Printer Assembly Fitted	£509.20
	TOUCH-10	Touch Screen Terminal - Standard Network	£2656.30
	TOUCH-10FT	Touch Screen Terminal - Fault Tolerant Network	£3329.60
	MX-5010	Passive Repeater Panel (RDT)	£771.80
	MX-5010FT	Passive Repeater Panel (RDT), Fault Tolerant	£1552.70
	MX-5020	Fully Functional Repeater (RCT)	£953.70
	MX-5020FT	Fully Functional Repeater (RCT), Fault Tolerant	£1662.50
	MXM-501	Semi-Flushing Bezel for MX5101	£81.50
	MXM-502	Semi-Flushing Bezel for MX5201 & 5202	£89.00
	MXM-503	Semi-Flushing Bezel for MX5401-5404	£98.50
	PC-NET-003-USB	Configuration Software & USB Upload/Download Lead	£231.90

courtesy of Lipton Rogers

Whatever the scale of your site and fire protection challenge, Advanced brings you unrivalled solutions

Whether you need a single panel for a simple installation or you're creating fault-tolerant, high-speed networks for complex sites, our range of versatile fire panels delivers performance, quality and ease of use.

Supporting four leading protocols, our MxPro panels and TouchControl touchscreen repeaters with graphics put you in control of a wide range of flexible solutions, including: AlarmCalm false alarm management; BMS integration and internet monitoring and control.

Discover more at advancedco.com or call us to arrange a demo

Advanced

Building a safer future

Contact Advanced now for a demo or sales information

Tel: +44 (0)345 894 7000 **Email:** marketing@advancedco.com **Web:** www.advancedco.com

Advanced
The Standard in Fire Systems

We are able to supply Analogue Addressable Panels from single loop to 8 loop, and/or multi panel networks supporting a range of manufacturers protocols, including Apollo, Hochiki, Nittan, System Sensor and Fike.

C-TEC XFP 1 & 2 LOOP PANELS (APOLLO & HOCHIKI PROTOCOL)

A

XFP501E SINGLE LOOP

- 2 x Sounder Circuits
- 1.4 Amp PSU
- Space for 2 x 3.2Ah batteries
- Size H235 x W235 x D77

B

XFP501 & 502

- 2 x Sounder Circuits
- 3 Amp PSU
- Space for 2 x 7Ah batteries
- Size H274 x W439 x D87

XFP 1 & 2 LOOP APOLLO PROTOCOL

A	XFP501E/X	16 Zone Single Loop Fire Panel. XP95 & Discovery	£502.50
	XFP501/X	32 Zone Single Loop Fire Panel. XP95 & Discovery	£625.40
B	XFP502/X	32 Zone Two Loop Fire Panel. XP95	£791.40

XFP 1 & 2 LOOP HOCHIKI PROTOCOL

XFP501E/H	16 Zone Single Loop Fire Panel. Hochiki ESP	£485.00
XFP501/H	32 Zone Single Loop Fire Panel. Hochiki ESP	£619.90
XFP502/H	32 Zone Two Loop Fire Panel. Hochiki ESP	£785.10

REPEATER PANELS

XFP510-16	Repeater Panel 16 Zones (Panel Requires CFP761 Card)	£392.70
XFP510-32	Repeater Panel 32 Zones (Panel Requires AFP711 Card)	£436.50

NETWORK CARDS

CFP761	Network Comms Card for 16 Zone XFP Panel	£75.90
AFP711	Network Driver Card for 32 Zone XFP Panel	£114.60

HUSH BUTTONS

XFP508X	Hush Button (XP95/Discovery)	£79.30
XFP508H	Hush Button (Hochiki ESP)	£79.30

C-TEC ZFP PANELS (APOLLO PROTOCOL)

ZFP 2 LOOP 20 ZONE STANDARD FIRE PANEL

- Dimensions W450 x H462 x D127
- Touchscreen controlled
- Intertek Certified EN54
- Apollo XP95/Discovery Protocol

ZFP STANDARD PANELS

ZFP1/X	1 Loop Fire Panel, XP95 & Discovery	£1097.90
ZFP2/X	2 Loop Fire Panel, XP95 & Discovery	£1526.30
ZFP2/20/X	2 Loop 20 Zone Fire Panel, XP95 & Discovery	£1696.70
ZFP4/20/X	4 Loop 20 Zone Fire Panel, XP95 & Discovery	£2130.60
ZREP1F	Flush Compact Controller c/w Network card	£907.00
ZREP1S	Surface Compact Controller c/w Network card	£980.20

C-TEC SOUNDERS & VADS

C

D

Image shown with Apollo XP95 Optical, supplied separately.

C-TEC BF456A/CX/W BASE VAD C/W 96DB(A) SOUNDER VAD

- Dimensions 122mm diameter x D46mm
- Can be mounted under an Apollo detector and base
- LPCB Certified EN54
- 14mA Alarm Current

CEILING SOUNDERS & VADS

BF451A/CX/SW	Compact C-3-8 Ceiling VAD c/w 91dB sounder, white	£82.20

WALL SOUNDERS & VADS

	BF450A/CX/SR	Compact Wall Sounder, Red	£55.30
C	BF451A/CX/SR	Compact Wall VAD c/w 91dB Sounder, Red	£78.20

HIGH OUTPUT WALL SOUNDER & VADS

BF430A/CX/SR	Hi-Output 103dB Wall Sounder, Shallow, Red	£63.50
BF433A/CX/DR	Hi-Output W-2.4-8.2 Wall VAD c/w 103dB Sounder, Deep, red	£89.70
BF453A/CX/SR	Compact W-3-3.1 Wall VAD c/w Voice Sounder, Shallow, Red	£101.60

BASE SOUNDERS & VADS

	BF431A/CX/W	White 96dB(A) Base Sounder.	£48.00
	BF454A/CX/W	Base Voice Sounder	£57.80
D	BF456A/CX/W	White C-3-8 Base VAD c/w 96dB(A) Sounder.	£86.60
	BF457A/CX/W	C-3-8 Base VAD c/w Voice Sounder	£89.00

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

HUSH ActiV

C-TEC

A new Grade C domestic fire alarm solution for residential dwellings.

Can be used in any situation where **Grade D** Mains/ Battery Alarms are specified

- A simple to install 24V system - can be wired in standard 1-1.5mm² triple and earth electrical cable.
- Includes an attractive double gang central controller with easy-to-access HUSH and TEST buttons to facilitate full compliance with the Disability Discrimination/Equality Act.
- Requires only one 72 hour standby battery per system (supplied).
- Provides comprehensive monitoring of battery, power supply, detector removal and open/short circuit faults.
- Meets the requirements of the latest revision of BS 5839 part 6 (2019).

SEE OUR VIDEO AT
YouTube
CTECUKTV

MADE IN THE UK

www.c-tec.com **+44(0)1942 322744** **sales@c-tec.co.uk**

You're safe with C-TEC

KENTEC ELECTRONICS (AVAILABLE IN APOLLO OR HOCHIKI PROTOCOL)

Kentec Electronics Ltd

Software CD available, free with every panel purchase, if requested.

A

B

C

SYNCRO AS LITE 1 LOOP ECONOMY (Requires up to 2 x 9ah Batteries)

	LA81161M2	Syncro AS Lite 1 Loop 16 Zone Panel. Apollo	£729.20
A	LA80161M2	Syncro AS Lite 1 Loop 16 Zone Panel with Key Enable. Apollo	£825.50

SYNCRO AS 1-2 LOOP STANDARD (Requires up to 2 x 9ah Batteries)

	A80161M2	Syncro AS 1 Loop 16 Zone Surface Panel with Key Enable. Apollo	£932.20
	A80162M2	Syncro AS 2 Loop 16 Zone Surface Panel with Key Enable. Apollo	£1376.60
	K768P2	Syncro A S Printer Module in lockable enclosure c/w Internal Key Hanger.	£514.50

NETWORK CARD

	K555	Syncro AS Fault Tolerant Network Card	£388.60

SERIAL REPEATER PANELS

	K67001M1	Syncro View LCD 24V Surface Repeater Panel with Key Enable	£614.70
B	K67751M1	Syncro View LCD 240V Surface Repeater Panel with Key Enable	£802.70

SOFTWARE & DOWNLOAD LEADS

	X187LS	Kentec Economy Serial Download Lead (Requires USB Converter)	£70.50
	U187	Kentec USB Converter	£132.00

FLUSHING COLLARS

	M2FCLGT	Syncro AS & Syncro Ident Flushing Collar	£82.60

LED SERIAL REPEATER PANEL

C	K6524L2	24 Way Syncro Ident Local LED Repeater Panel, 24V, Surface	£506.10

Kentec Electronics Ltd

A world-leading life safety solutions manufacturer

World-leaders in the manufacture of conventional, analogue addressable fire detection and extinguishant control panels.

- Easy to commission
- Made in the UK
- Approved to EN54

Choose the best – choose Kentec

+44 (0)1322 222121 www.kentec.co.uk

Certificate No. FM 32987 BS EN ISO 9001: 2015
Certificate No. EMS 518118 BS EN ISO 14001:2015
Certificate No. 360 BS EN ISO 9001: 2015
Fire Industry Association
BS-EN12094-1 KM 96761
SIGNALING UL LISTED
FM

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

MORLEY-IAS (MODULAR PANELS AVAILABLE IN 5 PROTOCOLS)

DXC PANELS

A	714-001-111	DXc1 Single Loop Panel (no zone LEDs), 2 Sounder Circuits. Supports Apollo, System Sensor and Hochiki Protocols. H260 x W390 x D147mm.	£916.50
	714-001-221	DXc2 2 Loop Control Panel (no zone LEDs), 2 sounder Circuits. Supports Apollo, System Sensor and Hochiki protocols. H391.5 x W390 x D147mm.	£1395.00
	714-001-241	DXc4 4 Loop Control Panel (no zone LEDs), 2 Sounder Circuits. Supports Apollo, System Sensor and Hochiki Protocols. H391.5 x W390 x D147mm.	£2267.00

ZONAL LED CARDS

795-102	40 Zone LED Card, Includes PCB, Ribbon Cable, Zone Number Labels & Fixings	£89.80
795-124	80 Zone LED Card, Includes PCB, Ribbon Cable, Zone Number Labels & Fixings	£178.00

ACTIVATE KEYSWITCH

795-118	DXc Key Switch Kit	£102.60

NETWORK CARD

795-099	DXc Network Card	£508.00

BEZEL KITS

795-112	Flush Bezel Kit for DXc1 (small enclosure)	£146.00
795-113	Flush Bezel Kit for DXc 2/4 (large enclosure)	£184.00

ZX PANELS

B	722-001-301	ZX1Se Single Loop Control Panel, 2 Sounder Circuits, 4 Line Display & Networking Capability. H400 x W400 x D135mm. Order Loop Cards Separately. Supplied With 20 Zonal LED's, Not Expandable	£1096.00
	720-001-301	ZX2Se 1-2 Loop Control Panel, 2 Sounder Circuits, 4 Line Display & Networking Capability. H400 x W400 x D135m m. Order Loop Cards Separately. Supplied with 20 Zonal LED's, Not Expandable	£1366.00
C	721-001-301	ZX5Se 1-5 Loop Control Panel, 4 Sounder Circuits, 4 Line Display & Networking Capability. Order Loop Cards Separately. Supplied with 20 Zonal LED's, Expandable to 40 or 80 with Part Numbers 795-077-020 or 795-077-060	£2401.00

LOOP CARDS

795-066-100	Loop Driver Card for Apollo Discovery Or XP95 Protocols	£243.00
795-058-105	Loop Driver Card for Hochiki ESP Protocol	£238.00
795-068-100	Loop Driver Card Nittan Protocol	£221.00
795-072-100	Loop Driver Card for Morley-IAS Protocol	£236.20

ZONAL LED CARDS

795-077-020	20 Zone LED Card, Includes PCB, Ribbon Cable & Fixings. Increases the total number of Zone LEDs to 40	£214.70
795-077-060	60 Zone LED Card, Includes PCB, Ribbon Cable & Fixings. Increases the total number of Zone LEDs to 80	£419.00

PRINTER

795-051-001	Internal Printer for ZX5SE Panel	£449.70

COMMS MODULES

795-004-001	RS485 Communication Card for Repeater/Network	£258.60
795-038-001	Hi-485 Communication Module (Fault Tolerant)	£517.00
795-005	RS232 Communication Module	£263.70

RELAY MODULES

795-014	4 Way, Programmable Output Relay Module. Requires 24V DC Supply and an RS485 Card to be fitted in the Control Panel.	£385.20
795-015	4 Way, Programmable Sounder Module. Requires 24V DC Supply and an RS485 Card to be fitted in the Control Panel.	£426.30

REPEATER PANELS

	709-701-001	Morley-IAS Passive Repeater. Requires 24V DC and a RS485 Card when used with a ZX Control Panel.	£767.00
D	709-601-001	Morley-IAS Active Repeater. Silence, Mute, Reset, Accept, Evacuate & Test Controls. Requires 24V DC Supply and a RS485 Card when used with A ZX Control Panel.	£908.20
	709-752	Morley-IAS Stainless Steel Semi-flush Active Repeater	£2670.40

FLUSH BEZELS

797-061	Semi-flush Mounting Kit for ZX1(S)e or ZX2(S)e Control Panel. Bezel Dimensions H450 x W450mm	£96.40
797-062	Semi-flush Mounting Kit for ZX5(S)e Control Panel. Bezel Dimensions H550 x W550mm	£165.00
020-600-002	Bezel Kit for Active or Passive Repeaters. Semi-flush Mounting, H218 x W307mm	£119.00

PERSPEX DOOR KITS

797-063	ZX1SE & ZX2Se Glass Door Kit, Comprises a new inner door and plaxiglass window allowing controls to be protected and recessed within the existing enclosure	£275.90
797-064	ZX5Se Glass Door Kit, Comprises a new Inner door and plaxiglass window allowing controls to be protected and recessed within the existing enclosure	£447.50

SOFTWARE & DOWNLOAD LEAD

020-891	Morley-IAS USB Upload / Download Lead. The Lead Provides the Interface between a PC and any Morley-IAS Fire Alarm Control Panel.	£166.60
795-082	Engineer's SPK (Software Programming Kit). CD containing Fire 6, Fire 5, Fire 4, Fire 3 and Dimension Configuration Tools.	£265.80

Multi Protocol Fire Alarm Panels with loop drivers for use with Apollo XP95/ Discovery, Hochiki ASX or System Sensor devices Compatible with repeater panels from the ZX range

- 500mA Loop Current
- 2 x Programmable Sounder Circuits
- 3 Amp PSU
- Space for Batteries – 2 x 7Ah in 1 Loop or 2 x 17Ah in 2 & 4 Loop
- Size - 1 Loop H260xW390xD147
- Size - 2 & 4 Loop W392xH390xD147

ZXSE panels are constructed on a modular format. Select the base panel required and then add loop cards, communication modules etc. ZXSE panels are suitable for networking applications or communicating to a computer graphics package.

- 500mA loop current
- 2 x Programmable Sounder Circuits
- 2.5 Amp PSU
- Space for batteries - 2 x 12Ah in 1 & 2 loop panels, and 2 x 24Ah in the 5 loop panel
- Size -1 & 2 loop H400xW400xD135 and 5 loop H500xW500xD195

Repeater Panels
- 24V
- Size H165 x W254 x D50

N.B. ZX panels require a FPM795-004-001 RS485 card to work with repeaters.

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

APOLLO XP95, SOTERIA & DISCOVERY

XP95 SMOKE & HEAT DETECTORS

A	55000-600APO	XP95 Optical Smoke Detector	£49.65
B	55000-400APO	XP95 Heat Detector	£49.65
	55000-401APO	XP95 High Temperature Heat Detector	£51.40
	55000-885APO	XP95 Combined Smoke & Heat Detector	£57.10

SOTERIA DEVICES

	SA5000-200APO	Soteria Standard Base	£4.60
	SA5000-400APO	Soteria Mid Level Heat Detector	£96.20
	SA5000-600APO	Soteria Mid Level Optical Smoke Detector	£96.20
C	SA5000-700APO	Soteria Mid Level Multi-Sensor	£136.50

SOTERIA DIMENSION

D	FL5100-600APO	Soteria Dimension Flush Mounted Optical Detector	£300.50
	FL6100-600APO	Soteria Dimension Specialist Flush Mounted Optical Detector	£413.80
	FL5000-200APO	Soteria Dimension Mounting Box	£15.30

DISCOVERY SMOKE & HEAT DETECTORS

E	58000-600APO	Discovery Optical Smoke Detector	£53.80
	58000-400APO	Discovery Heat Detector	£46.70
F	58000-700APO	Discovery Multisensor	£58.75
	58000-300APO	Discovery Carbon Monoxide Fire Detector	£72.20
	58000-305APO	Discovery Carbon Monoxide & Heat Multisensor	£84.30

SMOKE DETECTOR DUCT HOUSING

	53546-022APO	XP95 Duct Detector Housing with Base	£102.00

FLAME DETECTORS

	55000-280APO	XP95 Flame Detector (Dual Infra Red)	£1863.00
	55000-295APO	XP95 Flame Detector in Flameproof Housing	£2423.90
G	55000-022APO	XP95 Base Mounted UV Flame Detector (Requires 45681-210 Base)	£531.10
	55000-023APO	XP95 Base Mounted UV/IR Flame Detector (Requires 45681-210 Base)	£1110.90
	55000-024APO	XP95 Base Mounted IR3 Flame Detector (Requires 45681-210)	£1034.00
	55000-020APO	XP95 Flame Detector Triple IR	£2131.70
	55000-021APO	XP95 Flameproof Triple IR Flame Detector	£2610.50

OPTICAL BEAM DETECTOR

H	SA7100-100APO	Intelligent Auto-Aligning Beam Detector	£586.70

CALL POINTS

I	SA5900-908APO	Intelligent Resettable Surface/Flush Call Point with Isolator NEW Apollo Style	£43.90
	55100-908APO	XP95 Resettable Surface/Flush Call Point with Isolator OLD KAC Style	£62.40
	44251-189APO	Persepex Hinged Call Point Cover for SA5900-908 (Per 1)	£3.70
	44251-175APO	Perspex Hinged Call Point Cover for SA5900-908 (Per 10)	£27.40
	44251-176APO	Spare Key for SA5900-908 Series Call Point (Per 10)	£12.50

WEATHERPROOF CALL POINTS

	58200-951APO	Discovery/XP95 Red Call Point with Isolator IP67 NEW Apollo Style	£126.60

DETECTOR BASES & BASE SOUNDER COMBINATIONS

J	45681-210APO	XP95 Detector Base with Xpert Address Card	£4.30
	45681-284APO	XP95 Isolating Detector Base	£13.85
	45681-242APO	XP95 Low Power Relay Base	£23.50
	45681-276APO	XP95 Ancillary Sounder Base	£39.95
	45681-277APO	XP95 Sounder Base with Isolator	£44.70
K	45681-330APO	XP95 Sounder Beacon Base with Isolator	£72.20
	45681-333APO	XP95 Beacon Base with Isolator	£47.20
	45681-705APO	XP95 Sounder/VAD Base with Isolator (White LED's)	£132.70
	45681-709APO	XP95 VAD Base with Isolator (White LED's)	£91.15
	45681-292	White Cap for 45681-277 Base Sounder	£4.10
	45681-293	Red Cap for 45681-277 Base Sounder	£4.10

XPERT ADDRESS CARDS

	38531-771	XP95 Xpert Address Card	£0.53
	45682-127APO	XP95 Set of 126 Pre Addressed Xpert Cards	£57.10

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

APOLLO XP95 & DISCOVERY

WALL SOUNDERS

	55000-001APO	XP95 Red Wall Sounder IP65 with Isolator	£52.80
	55000-278APO	XP95 Red High Output Wall Sounder	£76.70
	55000-279APO	XP95 White High Output Wall Sounder	£78.20
A	55000-274APO	XP95 Red Weatherproof Wall Sounder IP66	£156.50

FLASHING INDICATORS

	55000-877APO	XP95 Red Ceiling LED Visual Indicator (Requires 45681-210 Base)	£48.70
	55000-009APO	XP95 Red Wall Visual Indicator IP65 with Isolator	£56.60
	55000-741APO	XP95 Wall Mounted VAD, 8 Metre Range (Red)	£66.30
	55000-742APO	XP95 Ceiling Mounted VAD, 8 Metre Range (Red)	£66.30

WALL SOUNDER, VISUAL INDICATOR COMBINATION

	55000-005APO	XP95 Red Wall Sounder /Indicator IP65 with Isolator	£82.70
B	55000-293APO	XP95 Red Sounder/Indicator with Isolator	£113.30
	55000-298APO	XP95 Red Weatherproof Sounder/Indicator IP66 with Isolator	£190.90

LOOP POWERED VADS

C	55000-744APO	Cat W. XP95 Loop Powered VAD 6 Metre (White)	£66.30
	55000-745APO	Cat C. XP95 Loop Powered VAD 8 Metre (White)	£66.30

DISCOVERY VOICE RANGE

	58000-010APO	Discovery Red Open Area Voice Sounder with Isolator	£140.70
	58000-030APO	Discovery Red Open Area Voice Sounder/Indicator with isolator	£167.70

XP95 INTERFACES

	55000-760APO	XP95 Mini Switch Monitor with Isolator	£62.10
	55000-845APO	XP95 Zone Monitor with Isolator	£65.10
	55000-852APO	XP95 Sounder Control Unit with Isolator	£82.90

INTELLIGENT INTERFACES

D	SA4700-102APO	Intelligent Input/Output Unit	£72.90
	SA4700-104APO	Intelligent Twin Input/Output Unit	£99.30
	SA4700-103APO	Intelligent Mains Switching Input/Output Unit	£86.60
	SA4700-100APO	Intelligent Switch Monitor Unit	£61.75
	SA6700-100APO	Intelligent Twin Switch Monitor Unit	£82.30

DIN RAIL INTERFACES

E	SA4700-302APO	Intelligent DIN-Rail Input/Output Unit	£81.10
	SA4700-300APO	Intelligent DIN-Rail Switch Monitor	£68.35
	55000-802APO	XP95 Din Rail Dual Isolator	£62.00
	55000-812APO	XP95 Din Rail Zone Monitor	£87.50
	55000-182APO	XP95 Din Rail Sounder Control Unit	£119.05
	29600-239	4 Interface Din Rail Enclosure	£130.60
	29600-240	Din Rail 10 W Enclosure	£145.00

CAN'T FIND WHAT YOU'RE LOOKING FOR?
WE'RE HAPPY TO HELP!

Call us today on 01425 658239 or email sales@detectionsupplies.co.uk

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

APOLLO XPANDER

Xpander is Apollo's wireless intelligent fire detector range, designed for use in buildings and structures where electrical wiring installations are restricted or difficult. Xpander provides a solution wirelessly through a network of individual detectors, call points, alarm devices and interfaces which communicate with the Apollo addressable loop using radio signals. An interface is connected to the loop just like any other device, such as an input/output unit. Every Xpander product is assigned an address which is recognised by the fire control panel in the same way as the address of any hard-wired device.

APOLLO XPANDER

A

B

C

D

LOOP INTERFACES

	XPA-IN-14050-APO	Xpander Loop Interface Module with Isolator	POA

DETECTORS

A	XPA-CB-12034-APO	Xpander Optical Smoke Detector & Base	POA
B	XPA-CB-11170-APO	Xpander A1R Heat Detector & Base	POA
	XPA-CB-11171-APO	Xpander CS Heat Detector & Base	POA

CALL POINTS

	XPA-MC-14006-APO	Xpander Call Point	POA

DETECTOR SOUNDER COMBINATIONS

	XPA-CB-14016-APO	Xpander Sounder Base & Optical Detector	POA
C	XPA-CB-14017-APO	Xpander Sounder Base & A1R Heat Detector	POA
	XPA-CB-14018-APO	Xpander Sounder Base & CS Heat Detector	POA

DETECTOR SOUNDER & INDICATOR COMBINATIONS

	XPA-CB-14024-APO	Xpander Sounder Beacon Base & Optical Detector (Clear Lens)	POA

OPEN AREA SOUNDERS

D	XPA-CB-14001-APO	Xpander Red Sounder with Base	POA
	XPA-CB-14002-APO	Xpander White Sounder with Base	POA
	XPA-CB-14003-APO	Xpander Red Sounder Beacon with Base	POA
	XPA-CB-14004-APO	Xpander White Sounder Amber Beacon with Base	POA

INTERFACE MODULES

	XPA-IN-14011-APO	Xpander Single Input/Output Unit	POA
	XPA-IN-14012-APO	Xpander Dual Input/Output Unit	POA

SURVEY TOOL

	XPA-TE-14075-APO	Xpander Survey Tool	POA

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

HOCHIKI ESP

ESP PROTOCOL FIRE DETECTION DEVICES

A	ACD-EN	ESP Optical Smoke, Heat & CO Multisensor	£134.60
	ALN-EN	ESP Optical Smoke Sensor	£52.40
	ATJ-EN	ESP Heat Sensor	£52.40
	ACB-EW	ESP Waterproof IP67 Heat Sensor	£90.15
B	ACC-EN	ESP Optical Smoke & Heat Multisensor	£62.00

ESP BASES (REQUIRED FOR ALL DETECTORS & CEILING MOUNTED DEVICES)

C	YBN-R/3	ESP Sensor Base	£3.25
	YBN-R/3(SCI)	ESP Combined Sensor/Isolator Base	£26.20
	YBO-R/3(RED)	ESP Red Base for CHQ-WS2 & CHQ-WSB2	£4.20
	YBO-R/SCI(RED)	ESP Red Isolator Base for CHQ-WS2 & CHQ-WSB2	£22.10

ESP CALL POINTS

D	HCP-E(SCI)	ESP Flush Call Point c/w Isolator	£51.80
	SR3T	Surface Box for HCP-E Call Point	£5.60
	PS200	Call Point Protective Cover (BS 5839 requirement)	£4.50
	HCP-W(SCI)	ESP IP65 Call Point c/w Isolator	£179.70

PROGRAMMER

	TCH-B200	ESP Handheld Programmer (Includes PL3 Lead)	£151.71

PHOTOELECTRIC BEAM DETECTOR

	ESPFIREBEAMXTRA	ESP Beam Smoke Sensor 7-70 Metres (Reflective)	£812.20

ESP SOUNDERS/INDICATORS

	CHQ-WS2	ESP Red Wall Sounder (Requires YBO-R3(Red) Base)	£66.40
E	CHQ-WSB2/RL	ESP Red Wall Sounder VAD (Requires YBO-R3(Red) Base) Red LEDs	£95.20
	YBO-BS	ESP Base Sounder (Requires YBN-R3 Base)	£51.40
F	YBO-BSB2/RL	ESP Base Sounder VAD, Red LEDs (Requires YBN-R3 Base)	£84.90
	YBO-BSB2/WL	ESP Base Sounder VAD, White LEDs (Requires YBN-R3 Base)	£75.20
	CHQ-CB(RED)/RL	Loop-Powered Ceiling Beacon EN54-23 (Red Body, Red LEDs)	£87.55
	CHQ-CB(RED)/WL	Loop-Powered Ceiling Beacon EN54-23 (Red Body, White LEDs)	£84.90
	CHQ-CB(WHT)/RL	Loop-Powered Ceiling Beacon EN54-23 (White Body, Red LEDs)	£84.90
	CHQ-CB(WHT)/WL	Loop-Powered Ceiling Beacon EN54-23 (White Body, White LEDs)	£84.90
G	CHQ-WB/RL	Loop Powered Wall Beacon EN54-23 (White Body, Red LEDs)	£105.80
	CHQ-AB	ESP Red LED Flashing Indicator (Requires YBN-R3 Base)	£52.10
	CHQ-AB(AMB)	ESP Amber LED Flashing Indicator (Requires YBN-R3 Base)	£50.50
	SI-CAP2	Blank Cover Plate for YBO-BS & YBO-BSB	£2.25
	CHQ-WPK	Weatherproof Kit for CHQ-WS2 & CHQ-WSB	£12.60

MODULES

CHQ-DRC2(SCI)	ESP Dual Relay Controller c/w Isolator	£91.70
CHQ-DSC2(SCI)	ESP Dual Sounder Controller c/w Isolator	£114.90
CHQ-MRC2(SCI)	ESP Mains Switching Relay Controller with Isolator	£76.10
CHQ-DIM2(SCI)	ESP Dual Input Module c/w Isolator	£66.99
CHQ-SZM2(SCI)	ESP Single Zone Monitor c/w Isolator	£73.90
CHQ-DZM(SCI)	ESP Dual Zone Monitor c/w Isolator	£147.10
CHQ-POM	ESP Powered Output Module	£43.75
CHQ-SOM	ESP Single Output Module	£48.30
CHQ-SIM	ESP Single Input Module	£43.30
CHQ-PCM(SCI)	ESP Plant Control Module (with SCI)	£165.30

MODULE BOX

CHQ-BACKBOX	ESP Module Deep Back Box	£10.37

HOCHIKI

A

ESP INTELLIGENT FIRE DETECTION

- True Multi-criteria Sensor with Optical Smoke, Heat and CO Detection elements.
- 24 EN54 approved Modes of Operation
- 10 year CO cell life
- ESP open protocol compatible (check control panel support)

B

C

D

E

F

G

ESP DEVICES ALSO AVAILABLE IN WHITE BY ADDING WHT AT THE END OF THE PART NUMBER

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

NITTAN EVOLUTION PROTOCOL

NITTAN

A

B

C

D

E

PANEL

A	EVOLUTION-1	Single Loop, Touch Screen Fire Alarm Panel	£822.00

DEVICES

B	EV-P	Optical Smoke Detector	£42.90
	EV-DP	Dual Optical Smoke Detector	£52.25
	EV-DPH-A2R	Dual Optical Smoke & Rate of Rise Heat Sensor (A2R)	£68.25
	EV-DPH-CS	Dual Optical Smoke & Rate of Rise Head Sensor (CS)	£68.20
	EV-H-A1R	Rate of Rise Heat Detector	£42.90
	EV-H-CS	High Temperature Heat Detector 84ºC	£42.90
	EV-PH	Multisensor Optical Smoke & A1R Heat Detector	£49.20
	EV-PYS	Optical Smoke Detector c/w In-Built Sounder	£63.10

DETECTOR BASES/ISOLATORS

C	UB6-EV	Base - use with EV Analogue Detectors	£4.70
	EV-B-SCI	Detector Base with Short Circuit Isolator	£18.06
	EV-DIN-SCI	DIN Rail Mounting Short Circuit Isolator	£20.83
	EV-PSBCN	Beacon Base - use Exclusively with EV-PYS	£36.46

BASE SOUNDERS

	EV-SDR	Loop Powered Sounder Base	£54.50
	EV-AV2BASE	Sounder/Beacon Base	£64.00

WALL SOUNDERS

	EV-AV2	Ceiling/Wall Mounted Sounder Beacon	£63.30
	EV-HIOP-SDR	High Output Sounder with Isolator	£71.42
D	EV-HIOP-SB	High Output Sounder Beacon with Isolator	£92.85
	EV-HIOP-BCN-SCI	High Output Beacon with Isolator	£125.00

CALL POINTS

	EV-MCP2-SCI-IP24	Reset Call Point with Short Circuit Isolator IP24	£47.25
	EV-MCP2-SCI-IP67	Waterproof Reset Call Point with Short Circuit Isolator IP67	£159.00
	DMN782	Hinged Call Point Cover	£4.10

MODULES

	EV-MINI-IP2	Mini Input Module with Short Circuit Isolator	£69.44
	EV-IO-420	4-20mA Input/Output Module with SCI & Mains Rated Relay	£179.00
	EV-OP	Output Module	£69.40
	EV-IP	Input Module	£69.40
E	EV-2I1O	Dual Input/Single Output Module with SCI & Mains Rated Relay	£90.50
	EV-SCM2	Sounder Control Module (Requires Ext 24V PSU) with SCI	£95.30
	EV-ZMU2	Zone Monitor Module with SCI (Loop Powered)`	£102.40
	EV-3IO	Triple Input/Output Module with SCI and Mains Rated Relay	£170.00
	SURFACE BOX	Plastic Surface Box 45mm Deep for EV Modules	£8.50

DEVICE PROGRAMMING KIT

	EV-PROG-KIT	EV-AD2 Programmer & EV-AVADAPT Universal Lead	£212.30

REMOTE INDICATORS

	STA-R1	Remote Indicator c/w Text	£13.00

GENT S-QUAD

GENT
by Honeywell

F

G

H

I

We can supply the full range of Gent products. Please call for prices.

DETECTORS

F	S4-715	Compact Optical Sensor	POA
	S4-720	Heat Sensor	POA

DETECTOR SOUNDER COMBINATIONS

	S4-770-S	Optical Heat Sensor with Sounder	POA
	S4-780S	Heat Sensor with Sounder	POA
	S4-771-S	Dual Optical Heat Sensor with Sounder	POA
	S4-711-V	Dual Optical Heat Sensor with Voice Sounder	POA
G	S4-720-V-VAD-HPR	Heat Sensor with Voice Sounder & High O/P Red VAD	POA

DETECTOR BASE

	S4-700	Common Base for S-Quad Sensors	POA

CALL POINTS

H	S4-34800	Vigilon Call Point (Flush)	POA
	S4-34895	Surface Call Point Back Box	POA
	S4-34892-1	Call Point Cover	POA

SOUNDERS & STROBES

I	S3EP-VAD-HPR-R	Loop Driven Sounder/Strobe Red IP55	POA
	S3EP-V-VAD-HPR-R	Loop Driven Voice Sounder/Strobe Red 100dB IP55	POA

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

NOTIFIER

DETECTION DEVICES

A	NFXI-OPT	Notifier Analogue Smoke Detector	POA
	NFXI-SMT2	Notifier Analogue Multisensor	POA
	NFXI-SMT3	Notifier Analogue Smoke/Heat/IR Multisensor	POA
B	NFXI-TDIFF	Notifier Analogue Rate of Rise Heat Detector 58c A1R	POA
	NFXI-TFIX58	Notifier Analogue Fixed Temperature Heat Detector 58c	POA
	NFXI-TFIX78	Notifier Analogue Fixed Temperature Heat Detector 78c	POA

BASE

C	B501AP	Notifier Analogue Detector Base	POA

CALL POINT

	M5A-RP02FG-N026-01	Notifier Flush Analogue Call Point. Glass	POA
	W5A-RP01SGK01301	Notifier Weatherproof Analogue Call Point IP67	POA
D	WCP5A-RP02SG-01	Notifier Weatherproof Analogue Call Point IP67 with Isolator	POA
	PS200	Hinged Call Point Cover	£4.50

BASE SOUNDER/BEACONS

	NFXI-BS-W	Notifier White Sounder Base (Requires B501AP Base)	POA
	NFXI-DSF-WC	Notifier White Sounder/Beacon Base (Requires B501AP Base)	POA
	NFXI-BF-WC	Notifier Clear Beacon Base (Requires B501AP Base)	POA

WALL SOUNDERS/BEACONS

E	NFXI-WS-R	Notifier Wall Mounted Red Loop Sounder (Requires B501AP Base)	POA
	NFXI-WS-W	Notifier Wall Mounted White Loop Sounder (Requires B501AP Base)	POA
	NFXI-WSF-RR	Notifier Wall Mounted Red Loop Sounder/Beacon (Requires B501AP Base)	POA
	NFXI-WF-WC	Notifier Wall Mounted Loop Beacon (Requires B501AP Base)	POA

INTERFACES

F	M701	Notifier Output Module (Requires M200E-SMB Box)	POA
	M701-240	Notifier Output Unit 240V (Requires M200E-SMB Box)	POA
	M710	Notifier Input Module with Isolator (Requires M200E-SMB Box)	POA
	M710-CZR	Notifier Conventional Zone Monitor (Requires M200E-SMB Box)	POA
	M720	Notifier Dual Input Monitor Module (Requires M200E-SMB Box)	POA
	M721	Notifier Dual Input, Single Output Module (Requires M200E-SMB Box)	POA

We can supply the full range of Notifier products. Please call for prices.

ZITON

DETECTORS

G	ZP730-2P	Ziton Optical Smoke Detector (Polar White)	POA
	ZP720-3P	Ziton Heat Detector Compatible with V3.0 Software (Polar White)	POA
	ZP732-2P	Ziton Combined Smoke/Heat (Polar White)	POA

DETECTOR BASE

H	ZP7-SB1-P	Ziton Standard Base (Polar White)	POA

CALL POINTS

	ZP785-3	Ziton Flush Call Point	POA
	ZP787-3	Ziton Waterproof Call Point	POA
	PS200	Hinged Call Point Cover	POA

PLATFORM SOUNDERS & BEACONS

I	ZP755B-2P	Ziton Sounder Base (Polar White) (Requires ZP-SPB-2P)	POA
	ZP755BV-4P	Ziton Sounder Beacon Base (Polar White) (Requires ZP-SPB-2P)	POA
	SPB-2P	Ziton Base for ZP755B-2P Sounder (Polar White)	POA
	ZP755-COV-P	Ziton Blank Cover for ZP755 Sounder or Beacon (Polar White)	POA

SOUNDERS & BEACONS

	ZP755HA-2R	Ziton Horn Sounder Red (Requires ZP-SPB-2R Base)	POA
	ZP755HAV-2R	Ziton Horn Sounder Beacon Red (Requires ZP-SPB-2R Base)	POA
	SPB-2R	Ziton Red Base for ZP755HA-2R Sounder	POA

IP65 SOUNDER & BEACON

	ZP755W-2R	Ziton Weatherproof Red Horn Sounder	POA
J	ZP755WV-2R	Ziton Weatherproof Red Horn Sounder/Beacon	POA

INTERFACES

	A45E-2	Ziton Mini Input Interface	POA
	A50E-2	Ziton Mini Relay Output Unit	POA
	A51E-1	Ziton Mini Relay Unit, Mains Switching	POA
	SMB-DIN1	Ziton Surface Box for "A" Series Relays	POA

We can supply the full range of Ziton products.
Please call for prices.

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

GLOBAL FIRE EQUIPMENT PANELS

A

B

C

D

GEKKO 1-4 LOOP PANELS

A	GEKKO-1	Gekko 1 Loop Addressable Panel	POA
	GEKKO-2	Gekko 2 Loop Addressable Panel	POA
	GEKKO-3	Gekko 3 Loop Addressable Panel	POA
	GEKKO-4	Gekko 4 Loop Addressable Panel	POA
	CHAMELEON-MINI-REP	Gekko Mini Repeater Panel	POA
	CHAMELEON-DISPLAY	Gekko & OCTO+ Repeater Panel	POA

JUNIOR V4 1-2 LOOP PANELS

B	JNR-V4-1	Junior 1 Loop Panel	POA
	JNR-V4-2	Junior 2 Loop Panel	POA
C	JNR-V4-1L	Junior 1 Loop Panel (Landscape)	POA
	JNR-V4-2L	Junior 2 Loop Panel (Landscape)	POA
	JNR-V4-CARD	Junior Loop Expansion Card	POA
	JNR-MINI-REP	Junior V4 Mini Repeater Panel, inc. RS485 Interface, can also be used with J-Net Panels	POA
	CHAMELEON-485-DTLOOP	RS-485 Repeater Interface, for Junior V4 & J-Net Panels	POA

JUNO-NET 1-4 LOOPS STANDARD ENCLOSURE - AVAILABLE IN WHITE & RED (RED SPECIAL ORDER)

	J-NET-EN54-SC-001	Juno Net 1 Loop Panel	POA
	J-NET-EN54-SC-002	Juno Net 2 Loop Panel	POA
	J-NET-EN54-SC-003	Juno Net 3 Loop Panel	POA
	J-NET-IP	Juno Net Internal Thermal Printer (Requires J-NET-QUART)	POA
	J-NET-QUART	Juno Net Quart chip	POA

JUNO-NET 4 - 13 LOOPS LARGE ENCLOSURE

	J-NET-EN54-SC-004L	Large Box - 4 Loops - PSU 5A	POA
	J-NET-EN54-SC-005	Large Box - 5 Loops - PSU 5A	POA
D	J-NET-EN54-SC-006	Large Box - 6 Loops - PSU 5A	POA
	J-NET-EN54-SC-007	Large Box - 7 Loops - PSU 7.5A	POA
	J-NET-EN54-SC-008	Large Box - 8 Loops - PSU 7.5A	POA
	J-NET-EN54-SC-009	Large Box - 9 Loops - PSU 7.5A	POA
	J-NET-EN54-SC-010	Large Box - 10 Loops - PSU 7.5A	POA
	J-NET-EN54-SC-011	Large Box - 11 Loops - PSU 7.5A	POA
	J-NET-EN54-SC-012	Large Box - 12 Loops - PSU 7.5A	POA
	J-NET-EN54-SC-013	Large Box - 13 Loops - PSU 7.5	POA

JUNO-NET REPEATER - AVAILABLE IN WHITE & RED (RED SPECIAL ORDER)

J-NET-EN54-REP	Juno Net EN54 Repeater	POA

We can supply the full range of Global Fire Equipment products. Please call for prices.

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

NEW OCTO+ FIRE ALARM PANEL

The OCTOPLUS Fire Alarm Control Panel, builds on the pedigree of the worldwide known JUNO NET. It introduces a full peer to peer networking solution which enables extreme resilience in very large distributed systems.

Each of the Nodes in the system has in its internal configuration memory the complete information of the whole system, i.e. in the unlikely event of a loss of communication, there is no degradation in performance of individual Nodes.

The CHAMELEON networking protocol uses fully redundant physical layers which can use either RS422 or Fibre optic mediums. It can also use Ethernet interfaces which enable using the existing networking infra structure.

The OCTOPLUS can be expanded up to 32 Nodes and each one of those can support from 1 to 4 addressable loops, giving a total of 128 loops in a single system! It can naturally also communicate with our proprietary ODYSSEY Graphics Interface, as well as with third party Building Management Systems through a Modbus output.

NEW GLOBAL FIRE EQUIPMENT PANEL

OCTO + 1-4 LOOPS

OCTOPLUS-1L	Octo + 1 Loop Addressable Panel	POA
OCTOPLUS-2L	Octo + 2 Loop Addressable Panel	POA
OCTOPLUS-3L	Octo + 3 Loop Addressable Panel	POA
OCTOPLUS-4L	Octo + 4 Loop Addressable Panel	POA

OCTO+ PANEL

- Dimensions L375,W345,H139mm
- 2.3amp PSU
- Max Battery size 2 x 12ah

GLOBAL FIRE EQUIPMENT

ADDRESSABLE DETECTORS - AVAILABLE IN WHITE AND BLACK

A	ZEOS-AD-S	ZEOS - Addressable Optical Smoke Detector with dip switch addressing	POA
	ZEOS-AD-H	ZEOS - Addressable Heat Detector with Dip Switch Addressing	POA
	ZEOS-DETECTOR-BASE	ZEOS Detector Base	POA

ADDRESSABLE CALL POINTS

B	GFE-MCPE-A	GFE Addressable Manual Call Point - with Built-in Hinged Cover	POA
	GFE-MCPE-AI-IP67	GFE Addressable Manual Call Point with Isolator - IP67 - with Built-in Hinged Cover	POA

ADDRESSABLE SOUNDERS - AVAILABLE IN WHITE AND RED

	VALKYRIE-AS	VALKYRIE - Addressable Wall Mount Sounder - Red or White	POA
	VALKYRIE-ASB	VALKYRIE - Addressable Wall Mount Sounder / Beacon - Red or White	POA
	VALKYRIE-ASBI-IP65	VALKYRIE - Addressable Wall Mount Sounder / Beacon IP65 - Red	POA
C	VALKYRIE-AB	VALKYRIE - Addressable Beacon - Red or White	POA
	VULCAN-2-AS	VULCAN 2 - Addressable Base Sounder	POA
	VULCAN-2-ASB	VULCAN 2 - Addressable Base Sounder / Beacon	POA
	VULCAN-2-AB	VULCAN 2 - Addressable Base Beacon	POA
	VULCAN L / LT	LID for Vulcan when not used with Detector - Transparent or White	POA

ADDRESSABLE INTERFACES

3 I/O-PLUS-1CH	Addressable Interface 1 Channel (2 & 3 Channel versions available)	POA
MAINS I/O	Addressable Interface - Mains	POA
ZMU	Addressable Zone Monitor	POA
Sprinkler Switch	Addressable Sprinkler Switch Module	POA

A

B

C

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

SYSTEM SENSOR

SENSOR DETECTION DEVICES

A	22051E-26	Optical Smoke Sensor, White. Requires B501AP base	£68.80
	22051TE-26	Multi-sensor Combined Optical Smoke Sensor and Thermal Sensor in a Single Housing, White, Requires B501AP Base	£84..90
	52051E-26	Heat Sensor, 58°C, White. Type A1R. Requires B501AP base	£65.00
B	52051RE-26	Heat Sensor, 58°C and Rate of Rise, White. Type A1R. Requires B501AP Base	£61.90
	52051HTE-26	Heat High Temperature Sensor, 78°C, White. Type BS. Requires B501AP Base	£61.90

DETECTION DEVICES WITH ISOLATOR

	22051EI-26	Optical Smoke Sensor c/w Isolator, White. Requires B501AP Base	£65.00
	22051TEI-26	Multi-sensor Combined Optical Smoke Sensor and Thermal Sensor c/w Isolator in a Single Housing, White, Requires B501AP Base	£94.40
	52051EI-26	Heat sensor, 58°C and Rate of Rise c/w Isolator, White. Type A1R. Requires B501AP Base	£64.10

BASES

C	B501AP	Analogue Sensor Base with SEMS Screw Connections for Isolated and Non-isolated Detectors and Address Identification Label	£6.75
	B524IEFT-1	Deep Analogue Sensor Base with Built-in FET Isolator with SEMS Screw Connections and Address Identification Label	£28.60

CALL POINTS

	M5A-RP01FG-X999-03	Addressable Manual Call Point. Glass Element	£66.00
	M5A-RP01FF-X999-03	Addressable Manual Call Point. Flexible Element	£69.20
	W5A-RP01SG-K013-01	Addressable Waterproof Call Point, IP67	£287.00

CALL POINTS WITH ISOLATOR

	M5A-RP02FG-X999-03	Addressable Manual Call Point with Built-in Isolator. Glass Element	£75.00
	M5A-RP02FF-X999-03	Addressable Manual Call Point with Built-in Isolator. Flexible Element	£77.30

BASE SOUNDERS

	BSO-PP-N00	Addressable Loop Powered Base Sounder, EN54-3 Approved. White	£70.50
	BSO-PP-I00	Addressable Loop Powered Base Sounder, EN54-3 Approved. White. Built-in Loop Isolation	£82.80

BASE SOUNDER BEACONS

	DSS-PC-N00	Loop Powered EN54-23 Open Category Detector Base Sounder Strobe in Pure White with Clear Lens and Red Flash. Non-isolated version. Features B501AP Base for fast and simple installation for System Sensor Detectors and a choice of sound output levels and tones selectable from the device or panel.	£110.00
	DSS-PC-I00	Loop Powered EN54-23 Open Category Detector Base Sounder Strobe in Pure White with Clear Lens and Red Flash. Isolated version. Features B501AP Base for fast and simple installation for System Sensor Detectors and a choice of sound output levels and tones selectable from the device or panel.	£103.00
	IBS-LIDPW	Pure White cover plate for base sounders. Pack of 10.	£45.40

WALL SOUNDERS/STROBES

D	WSO-PR-N00	Wall Sounder - Wall Mounted, Addressable, Loop Powered Sounder, EN54-3 Approved, Red	£65.50
	WSO-PP-N00	Wall Sounder - Wall Mounted, Addressable, Loop Powered Sounder, EN54-3 Approved, White	£65.30
	WSS-PR-N00	Wall Sounder - Addressable Loop Powered Base Sounder, EN54-3 Approved, with Visual Indicating Device (VID), White Body, Clear Lens with Red Flash. Not Isolated. This product is not approved to EN54-23 (Visual Alarm Device) and must not be used as a visual alarm device to provide a primary warning notification of fire.	£101.00
	WST-PC-N00	Wall VAD - Wall Mounted, Addressable Loop Powered EN54-23 O Class Compliant (W-1.68-1.68) Clear Lens with Red Flash. Not Isolated.	£46.00

WALL SOUNDERS/STROBES WITH ISOLATOR

	WSO-PR-I00	Wall Sounder - Wall Mounted, Addressable, Loop Powered Sounder, EN54-3 Approved, Red with Built-in Loop Isolation	£91.40
	WSS-PC-N00	Wall Sounder VAD - Wall Mounted, Addressable, Loop Powered Sounder, EN54-3 Approved, with Visual Alarm Device (VAD), EN54-23 O Class Compliant (W-1.9-1.9). Clear Lens with Red Flash. Not Isolated	£92.40
E	WSS-PR-100	Wall Sounder VID - Wall Mounted, Addressable, Loop Powered Sounder, EN54-3 Approved, with Visual Indicating Device (VID), Red Lens. Built-in Loop Isolation. This product is not approved to EN54-23 (Visual Alarm Device) and must not be used as a visual alarm device to provide a primary warning notification of fire.	£103.60

SOUNDER/STROBE BASE OPTIONS

	BPW	Addressable Deep Base for Detector and AV, White	£9.60
	BRR	Addressable Deep Base for Detector and AV, Red	£7.90
	WRR	Addressable Sealed Deep Base for Detector and AV, Red	£19.30

MODULES

	M210E	Single Input Monitor Module. Requires M200E-SMB for Surface Mounting or M200E-DIN for Mounting to DIN Rails.	£77.70
	M220E	Dual Input or Monitor Module. Requires M200E-SMB for Surface Mounting or M200E-DIN for Mounting to DIN rails.	£98.30
	M221E	Dual Input and Single Control Output Combination Module. Requires M200E-SMB for Surface Mounting or M200E-DIN for Mounting to DIN Rails.	£145.60
F	M201E	Output Control Module. Requires M200E-SMB for Surface Mounting or M200E-DIN for Mounting to DIN Rails.	£100.15
	M201E-240	Output Control Module. 240V AC Relay Contact Rating, Complete with Surface Enclosure.	£137.70
	M210E-CZR	System Sensor Zone Monitor Module (Requires SMB500 Box)	£114.60

MODULE MOUNTING BOX

G	M200E-SMB	Surface Mounting Box for M2xx Series Modules.	£18.00



All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

KIDDE FYRNETICS FIRE & CO DETECTORS

MAINS RESIDENTIAL FIRE DETECTORS

A	KF10	Ionisation Smoke Detector 230V with Battery, Linkable	£34.90
	KF20	Optical Smoke Detector 230V with Battery, Linkable	£41.00
	KF30	Heat Detector 57c 230V with Battery, Linkable	£55.40

MAINS RESIDENTIAL FIRE DETECTORS, 10 YEAR BATTERY BACKUP

	KF10R	Ionisation Smoke Detector with Battery, Linkable, 10 Year Life Battery	£62.50
	KF20R	Optical Smoke Detector 230V with Battery, Linkable, 10 Year Battery Life	£78.20
	KF30R	Heat Detector 57c 230V with Battery, Linkable, 10 Year Battery Life	£83.20

BASE OPTIONS

B	SMK4896	Option pattress base for KF/KFR	£4.50
	PATCO	Optional Pattress for 4MCO/ 4MCDO	£12.50
	SMK23RU	8 Amp Relay Base 240V Rated	£32.60

TEST/HUSH SWITCHES

C	REMTH	Remote Test & Hush Switch (Wired)	£43.10

MAINS CARBON MONOXIDE DETECTOR 10 YEAR BATTERY BACKUP

D	4MCO	CO Detector 230V Linkable with 10 Year Lithium Battery	£118.40
	4MDCO	CO Detector 230V with Digital Display & Recall	£132.00

CARBON MONOXIDE DETECTOR 10 YEAR BATTERY

E	10LLCOB	CO Detector with 10 Year Life Battery	£52.60
	10LLDCOB	CO Detector with Digital Memory and 10 Year Life Battery	£47.00

A

B

C

D

E

AICO RESIDENTIAL DETECTORS

MAINS POWERED SMOKE & HEAT ALARMS & BASES

	EI141RC	Mains Powered Ionisation Smoke Alarm with 9V Battery Back Up	£39.10
F	EI146RC	Mains Powered Optical Smoke Alarm with 9V Battery Back Up	£44.60
	EI144RC	Mains Powered Heat Alarm with 9V Battery Back Up	£60.30
G	EI168RC	RadioLINK Base for use with 140RC Series Alarms	£81.50
	EI3024	Mains Powered Multi-Sensor Fire Alarm	£99.10
	EI100MRF	RadioLINK+ Module for use with Multi-Sensor Alarm	£88.70

BATTERY POWERED SMOKE & HEAT ALARMS

	EI650RF	Battery Powered Optical Smoke Alarm	£171.80
H	EI603RF	Battery Powered Heat Alarm	£175.00

CARBON MONOXIDE ALARMS

I	EI208	Battery Powered Carbon Monoxide Alarm	£36.30
	EI208WRF	Battery Powered Carbon Monoxide Alarm	£117.60

ALARM ACCESSORIES & INTEGRATION

	EI450	Alarm Controller	£95.60
	EI407	RadioLINK Remote Manual Call Point	£60.80
J	EI414	Fire/CO Alarm Interface	£282.80

F

G

J

I

H

C-TEC HUSH - ACTIV

MAINS POWERED SMOKE & HEAT ALARMS & BASES

K	HAK/1	1x Hush Controller, 1 x PSU, 3 X ActiV Bases, 1 x ActiV Multi Sensor, 1 x ActiV Smoke Detector, 1 X ActiV Heat Detecctor and 1 x ActiV Base Sounder c/c Lid & Adapter Plate.	£320.00
	HAK/2	1x Hush Controller, 1 x PSU, 3 X ActiV Bases, 1 x ActiV Multi Sensor, 2 x ActiV Smoke Detector, 1 X ActiV Heat Detecctor and 1 x ActiV Base Sounder c/c Lid & Adapter Plate.	£317.00
	HAK/3	1x Hush Controller, 1 x PSU, 3 X ActiV Bases, 1 x ActiV Multi Sensor, 3 x ActiV Smoke Detector, 1 X ActiV Heat Detecctor and 1 x ActiV Base Sounder c/c Lid & Adapter Plate.	£324.50
L	BF-DP	Retrofit Decor Plate (to cover decorating marks on retro installs)	£4.00

K

L

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

YUASA SEALED LEAD ACID BATTERIES

A

B

C

D

E

F

G

H

NP 6V RANGE

A	NP1-6	SLA Battery 6V 1Ah L51 x W43 x H54 0.25Kg	£8.70
	NP1.2-6	SLA Battery 6V 1.2Ah L97 x W25 x H55 0.31Kg	£16.30
	NP2.8-6	SLA Battery 6V 2.8Ah L134 x W34 x H64 0.57Kg	£22.50
	NP4-6	SLA Battery 6V 4Ah L70 x W47 x H105 0.85Kg	£18.40
	NP7-6	SLA Battery 6V 7Ah L151 x W34 x H97 1.35Kg	£33.70
	NP12-6	SLA Battery 6V 12Ah L151 x W50 x H97 2.10Kg	£31.00

NP 12V RANGE

	NP1.2-12	SLA Battery 12V 1.2Ah L97 x W48 x H55 0.57Kg	£16.60
B	NP2.1-12	SLA Battery 12V 2.1Ah L178 x W34 x H65 0.90Kg	£14.80
	NP3.2-12	SLA Battery 12V 3.2Ah L134 x W67 x H94 2.10Kg	£16.60
	NP4-12	SLA Battery 12V 4Ah L90 x W70 x H106 1.70Kg	£24.20
C	NP7-12	SLA Battery 12V 7Ah L151 x W65 x H98 2.65Kg	£25.40
	NP12-12	SLA Battery 12V 12Ah L151 x W98 x H98 4Kg	£55.10
D	NP17-12	SLA Battery 12V 17Ah L181 x W75 H167 6.20Kg	£81.50
	NP24-12	SLA Battery 12V 24Ah L166 x W175 x H125 9Kg	£96.90
	NP38-12	SLA Battery 12V 38Ah L197 x W164 x H170 14.20Kg	£151.90
	NP65-12	SLA Battery 12V 65Ah L350 x W166 x H174 22.80Kg	£234.70

YUCEL RANGE

	YUCEL1.2-12	SLA Battery 12V 1.2Ah L97 x W48 x H55 0.57Kg	£10.40
	YUCEL2.1-12	SLA Battery 12V 2.1Ah L178 x W34 x H65 0.90Kg	£14.80
	YUCEL3.2-12	SLA Battery 12V 3.2Ah L134 x W67 x H94 2.10Kg	£15.30
	YUCEL7-12	SLA Battery 12V 7Ah L151 x W65 H98 2.65Kg	£23.00
E	YUCEL12-12	SLA Battery 12V 12Ah L151 x W98 x H98 4Kg	£36.60
	YUCEL17-12	SLA Battery 12V 17Ah L181 x W75 x H167 6.20Kg	£58.50
F	YUCEL24-12	SLA Battery 12V 24Ah L166 x W175 x H125 9Kg	£85.00
	YUCEL38-12	SLA Battery 12V 38Ah L197 x W164 x H170 14.20Kg	£112.90
	YUCEL65-12	SLA Battery 12V 65Ah L350 x W166 x H174 22.80Kg	£229.40

NPL LONG LIFE

	NPL24-12	SLA Battery 12V 24Ah L166 x W175 x H125 9Kg	£94.20
G	NPL38-12	SLA Battery 12V 38Ah L197 x W165 x H170 14Kg	£179.80
	NPL65-12	SLA Battery 12V 65Ah L350 x W166 x H174 23Kg	£248.90
	NPL78-12ISR	SLA Battery 12V 78Ah L380 x W166 x H174 27.50Kg	£319.60
	NPL100-12	SLA Battery 12V 100Ah L407 x W172 x H240 39Kg	£354.00

EN ENDURANCE RANGE - 10 YEAR DESIGN LIFE

	EN100-4	Endurance Battery 4V 100Ah L200 x W208 x H238 17.5Kg	£208.00
	EN160-4	Endurance Battery 4V 160Ah L206 x W210 x H240 24Kg	£224.00
	EN80-6	Endurance Battery 6V 80Ah L305 x W210 x H240 38Kg	£239.90
	EN100-6	Endurance Battery 6V 100Ah L200 x W208 x H238 23Kg	£269.30
H	EN160-6	Endurance Battery 6V 160Ah L305 x W210 x H240 35Kg	£312.60

DURACELL ALKALINE INDUSTRIAL BATTERIES

I

DURACELL INDUSTRIAL

I	ID1500/10	AA Size Pack of 10	POA
	ID2400/10	AAA Size Pack of 10	POA
	ID1400/10	C Size Pack of 10	POA
	ID1300/10	D Size Pack of 10	POA
	ID1604/10	9V Size Pack of 10	POA

LITHIUM

CR2016B2	3V Lithium Battery (Blister of 2)	POA
CR2032	3V Lithium Battery (Blister of 2)	POA
CR123	CR123ULTRA 3V Lithium Battery (Blister of 2)	POA

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

Ring the alarm

If you are not using Europe's number one standby battery.

Effective security and fire systems depend on reliable backup power.

As European market leader for over 30 years and the number one choice for reliability, quality and performance, you can always trust Yuasa standby batteries to perform at the critical moment.

Don't take risks with your backup power.
Demand the best standby battery... Demand Yuasa!

Discover more at *www.yuasaeurope.com*

A GS YUASA Group Company

YUASA
BATTERY

C-TEC EN54-4 COMPLIANT 12 & 24V DC POWER SUPPLIES

PLASTIC ENCLOSURE 24V

A	BF560-24	1.5 Amp PSU 24V DC EN54 Plastic Enclosure W380 x H235 x D96	Max Batt Size 2 x 3.2Ah	£172.40

METAL ENCLOSURE 24V

BF562-1	1.5 Amp PSU 24V DC EN54 Metal Enclosure W404 x H404 x D110	Max Batt Size 2 x 17Ah	£241.20
BF562-3	3 Amp PSU 24V DC EN54 Metal Enclosure W404 x H404 x D110	Max Batt Size 2 x 17Ah	£252.70
BF562-5	5 Amp PSU 24V DC EN54 Metal Enclosure W404 x H404 x D110	Max Batt Size 2 x 17Ah	£284.70

PLASTIC ENCLOSURE 12V

BF560-12	2 Amp PSU 12V DC EN54 Plastic Enclosure W380 x H235h x D96	Max Batt Size 2 x 7Ah	£188.40

ELMDENE 24V D.C. SWITCHMODE POWER SUPPLIES

EN54-4 APPROVED 24V DC SWITCHMODE POWER SUPPLIES METAL ENCLOSURES

	STX2401-T	1.5 Amp (Total Power) EN54-4 PSU 24V DC H300 x W240 x D60	Max Batt Size 2 x 3.2Ah	£145.65
B	STX2401-C	1.5 Amp (Total Power) EN54-4 PSU 24V DC H275 x W330 x D80	Max Batt Size 2 x 7Ah	£172.50
	STX2402-C	2.5 Amp (Total Power) EN54-4 PSU 24V DC H275 x W330 x D80	Max Batt Size 2 x 7Ah	£185.80
	STX2402-E	2.5 Amp (Total Power) EN54-4 PSU 24V DC H420 x W400 x D80	Max Batt Size 2 x 17Ah	£206.90
	STX2405-C	5.8 Amp (Total Power) EN54-4 PSU 24V DC H275 x W330 x D80	Max Batt Size 2 x 7Ah	£210.85
	STX2405-E	5.8 Amp (Total Power) EN54-4 PSU 24V DC H420 x W400 x D80	Max Batt Size 2 x 17Ah	£240.50
	STX2410-E	10.7 Amp (Total Power) EN54-4 PSU 24V DC H420 x W400 x D80	Max Batt Size 2 x 17Ah	£415.20
	STX2410-H	10.7 Amp (Total Power) EN54-4 PSU 24V DC H420 x W420 x D180	Max Batt Size 2 x 38Ah	£471.20

BATTERY CABINET

BATT-BOX-65	Battery Enclsure W465 x H534 x D270 for 2 12V 65Ah Batteries (with 3m Battery Leads)	£ 250.00



24V SWITCHMODE METAL ENCLOSURES

	G2401BM-C	1 Amp Switchmode PSU 24V DC with Fault Relay W330 x H275 x D80	Max Batt Size 2 x 7Ah	£117.84
C	G2401BM-R	1 Amp Switchmode PSU 24V DC with Fault Relay W390 x H410 x D80	Max Batt Size 2 x 17Ah	£140.00
	G2402BM-C	2 Amp Switchmode PSU 24V DC with Fault Relay W330 x H275 x D80	Max Batt Size 2 x 7Ah	£173.94
	G2402BM-R	2 Amp Switchmode PSU 24V DC with Fault Relay W390 x H410 x D80	Max Batt Size 2 x 17Ah	£180.13
	G2403BM-C	3 Amp Switchmode PSU 24V DC with Fault Relay W330 x H275 x D80	Max Batt Size 2 x 7Ah	£185.51
	G2403BM-R	3 Amp Switchmode PSU 24V DC with Fault Relay W390 x H410 x D80	Max Batt Size 2 x 17Ah	£185.51
	G2405BM-C	5 Amp Switchmode PSU 24V DC with Fault Relay W330 x H275 x D80	Max Batt Size 2 x 7Ah	£215.30
	G2405BM-H	5 Amp Switchmode PSU 24V DC with Fault Relay W420 x H420 x D180	Max Batt Size 2 x 38Ah	£337.78
	G2405BM-R	5 Amp Switchmode PSU 24V DC with Fault Relay W390 x H420 x D90	Max Batt Size 2 x 17Ah	£337.78
	G2410BM-E	10 Amp Switchmode PSU 24V DC with Fault Relay W400 x H420 x D80	Max Batt Size 2 x 17Ah	£324.00
	G2405BM-U	5 Amp Switchmode PSU 24V DC with Fault Relay (Unboxed)		£202.00

VIMPEX D.C. POWER SUPPLIES

METAL ENCLOSURES 24V SWITCHMODE (NO FAULT OUTPUTS)

D	VPSU24-02B/1	2 Amp Switchmode PSU 24V DC W320 x H260 x D87	£101.00
	VPSU24-03B/1	3 Amp Switchmode PSU 24V DC W320 x H260 x D87	£105.00
	VPSU24-01B/4	1 Amp Switchmode PSU 24V DC with Fault Output W320 x H260 x D87	£122.00
	VPSU24-03B/4	3 Amp Switchmode PSU 24V DC with Fault Output W320 x H260 x D87	£160.00
	VPSU24-05B/4	5 Amp Switchmode PSU 24V DC with Fault Output W320 x H260 x D87	£188.65

METAL ENCLOSURES 24V SWITCHMODE (WITH FAULT OPTIONS IN LARGE CABINET)

VPSU24-01C/4	1 Amp Switchmode PSU 24V DC with Fault Output W320 x H260 x D87	£158.00
VPSU24-03C/4	3 Amp Switchmode PSU 24V DC with Fault Output W320 x H260 x D87D	£189.52
VPSU24-05C/4	5 Amp Switchmode PSU 24V DC with Fault Output W320 x H260 x D87	£256.80

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

KENTEC EN54-4 COMPLIANT 24V DC POWER SUPPLIES

EN54-4 COMPLIANT 24V DC

	K2525003	2.5 Amp PSU 24V DC EN54 Metal Enclosure W500 x H355 x D117	£458.70
A	K25250M2	2.5 Amp PSU 24V DC EN54 Metal Enclosure W385 x H310 x D90	£403.50
	K25250M3	2.5 Amp PSU 24V DC EN54 Metal Enclosure W385 x H520 x D110	£469.10
	K2540003	5.25 Amp PSU 24V DC EN54 Metal Enclosure W500 x H355 x D117	£468.80
	K2540015	5.25 Amp PSU 24V DC EN54 Metal Enclosure W500 x H460 x D190	£493.40
	K25400M3	5.25 Amp PSU 24V DC EN54 Metal Enclosure W385 x H520 x D110	£526.30
	K2580003	10.25 Amp PSU 24V DC EN54 Metal Enclosure W500 x H355 x D117	£729.00
	K2580015	10.25 Amp PSU 24V DC EN54 Metal Enclosure W500 x H460 x D190	£788.00
	K25800D3	10.25 Amp PSU 24V DC EN54 Metal Enclosure W385 x H520 x D200	£928.10
	K738	Dual Power Output Board	£57.00

EN54-4 24V DC Power Supplies for fire alarm systems:- If supply is used to power a fire detection panel or alarm devices associated with the fire system, a Dual Power Output Board will be required for compliance with EN54-4 clause 6.4 Power Supply Interface. Part Number K738. Dual Power Output Board.

24V DC TRANSFORMER RECTIFIERS

C-TEC

B	BF375PE	250mA 24V DC Transformer Rectifier on 2 Gang Plate	£81.10

ELMDENE

	TRS-1	1 Amp 24V DC Transformer Rectifier W185 x H200 x D55	£71.85
	TR2	2 Amp 24V DC Transformer Rectifier W230 x H200 x D80	£89.10
	TR4	4 Amp 24V DC Transformer Rectifier W230 x H200 x D80	£100.85

Suitable for use with 24 volt door retainers or other devices where a maintained supply is not required in a mains failure condition. NOT SUITABLE FOR CHARGING BATTERIES

FIRE ALARM ANCILLARIES

FIRE ALARM ISOLATOR

C	T2-FAI	Fire Alarm Panel Mains Isolator, Red c/w Back Box	£23.27
	T2-FAI-W	Fire Alarm Panel Mains Isolator, White c/w Back Box	£23.75

AUXILIARY RELAYS, BOXED

	T2-TR-KS	5 Amp Isolatable Timer Relay, 24V Coil with Keyswitch and Back Box	£45.41
	503-003	5 Amp Metal Boxed Auxiliary Relay, 24V Coil	£58.30

AUXILIARY RELAY PCBS

	AUX-R24PCB	5 Amp 24V DC Coil Double Pole Aux Relay	£19.60
	AUX-R12PCB	5 Amp 12V DC Coil Double Pole Aux Relay	£38.90
	AUX-BB	Plexo Box for Auxiliary Relay, Dimensions: W105 x H105 x D55	£5.65

RELAYS ON A SINGLE GANG PLATE

D	AUX-RIU-R24B	5 Amp Auxiliary Relay 24V Coil on Single Gang Plate	£20.60
	AUX-RIU-R12B	5 Amp Auxiliary Relay 12V Coil on Single Gang Plate	£33.50

ACOUSTICALLY TRIGGERED DOOR RETAINERS & PILLOW ALARM

DORGARD

E	DORGARD-BLACK	Dorgard Black Acoustic Door Retainer	£160.00

AGRIPPA

F	3-80-0060	Agrippa Battery Powered Door Retainer (Includes Batteries)	£148.00
	3-80-0070	Agrippa Battery Powered Overhead Door Closer (Includes Batteries)	£400.10
G	3-80-0045	Agrippa Pillow Fire Alarm	£299.40
	2-34-9056-S002	Agrippa Floor Mounting Bracket	£17.20

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

ARROW ELECTROMAGNETIC DOOR CLOSERS - CARE HOMES, HOSPITALS, SCHOOLS

The A624 range of door closers are a multi-functional fire door closer with a 24V magnetic holding device incorporated within the body which can be configured to hold open at 90° or operate in "Swing Free Mode", i.e. behave as if no hydraulic closer were fitted and left open at any convenient angle. When the power is switched off or interrupted by a signal from a fire alarm system, the door will then fully close.



24V DC HOLD OPEN / SWING FREE DOOR CLOSERS

A	A624SILVER	Overhead Hold Open/Swing Free Door Control, Silver	£219.40
	A624BRASS	Overhead Hold Open/Swing Free Door Control, Brass with Black Arms	£255.10

24V DC HOLD OPEN / SWING FREE DOOR CLOSERS - FLOWLINE COVER

A624 Coloured	Supplied with Flowline Cover & Black Arms as Standard	POA
A624 Plated	Available in Polished or Satin Brass, Polished or Satin Nickel, or Polished Anodised Aluminium	POA
A624 Stainless	Available in Satin or Polished Stainless Steel	POA

MANUAL DOOR CLOSER

A325VP	Manual Door Closer, Satin Stainless Steel c/w matching arm	£100.00

EXIDOR CARE HOME DOOR CLOSERS



GUARDIAN - ANTI SLAM FINGER PROTECTION

B	9880R-SILVER	Guardian Closer with Elegant Radius Cover and Matching Arm H60 x W290 x D53	£267.00
	9880SQ-SILVER	Guardian Closer with Sylish Square Cover and Matching Arm H60 x W290 x D53	£267.00
	4880-SILVER	Guardian Closer with Narrow Profile Slide Front and Matching Arm H48 x W269 x D52	£260.00

NOTE also available in Satin Stainless Steel, Polished Stainless Steel & Polished Brass @ £267.00. Other finishes available on request.

MAGNETIC & HYDRAULIC DOOR RETAINERS

WALL MOUNTED DOOR RETAINERS

	3-59-03-CNQ24	Conquest Door Retainer 24V DC Surface or Flush, Metal 50mA	£41.10
C	3-59-03-CNQ230	Conquest Door Retainer 230V AC Surface or Flush, Metal	£41.10
	3-87-0370	Type 87 Door Retainer 24V DC ABS Fire Resistant Box 45mA	£35.00
	3-87-0371	Type 87 Door Retainer 230V AC ABS Fire Resistant Box	£35.60
	3-87-0551	Type 87 50kg Door Retainer 24V DC 90mA	£48.20
D	FMB-CONQ	Conquest Floor Mounting Bracket	£12.50

FLOOR MOUNTED DOOR RETAINERS

E	3-84-0301	Floor Mounted 20kg Door Retainer 24V DC Cast Metal Housing 45mA	£43.10
	3-84-0501	Floor Mounted 50kg Door Retainer 24V DC Cast Metal Housing 90mA	£63.50

UNIVERSAL DOOR RETAINERS

3-79-05200	Universal Door Retainer 50Kg 24V DC 250mm Long 55mA	£83.90
3-79-05300	Universal Door Retainer 50Kg 24V DC 350mm Long 55mA	£85.30
3-79-05500	Universal Door Retainer 50Kg 24V DC 500mm Long 55mA	£90.60
3-79-06300	Universal Door Retainer 100Kg 24V DC 350mm long 90mA	£109.50

ACCESSORIES

2-31-0310-U005	Replacement White Swivel Keeper Plate	£12.40
DR-RB	Sealing Ring for Standard Keeper Plate	£1.00
2-31-0307-N237	Metal Low Profile Keeper Plate	£11.90
2-31CHPLATE	Keeper & 1 Metre Chain Plate	£45.10

SPECIAL FINISH VERSIONS

	3-59-0301-M001	Flush Stainless Steel Single Gang Door Retainer 24V DC	£99.50
	2-34-0424-M095	Stainless Surface Mount Kit	£26.20
F	3-59-0301-E001	Flush Brass Single Gang Door Retainer 24V DC	£96.90
	2-34-0424-E091	Brass Surface Mount Kit	£26.20
G	3-59-0301-C001	Flush Bright Chrome Single Gang Door Retainer 24V DC	£96.90
	3-59-0302-C001	Flush Bright Chrome Single Gang Door Retainer 240V AC	£103.80
	2-34-0424-C091	Bright Chrome Surface Mount Kit	£25.30

IP65 DOOR RETAINERS

3-59-0801-G006	Weatherproof IP65 24V DC 120Kg Door Retainer	£114.50

SALAMANDER WIRELESS SYSTEM

3-80-0012	Salamander Wireless Door Retainer Controller	£338.30
3-80-0013	Salamander Wireless Door Retainer	£225.00
3-80-0014	Salamander Wireless Signal Booster	£273.70
3-80-0007	Salamander Wireless Survey/Range Finder Kit	£700.00
3-80-0050	Salamander Wireless Overhead Door Closer (Right)	£450.00
3-80-0051	Salamander Wireless Overhead Door Closer (Left)	£450.00

FLOOR BRACKET

2-34-9056-S002	Floor Bracket for Salamander Door Retainer	£17.20

MAGNETIC DOOR LOCKS

MAGNETIC DOOR LOCKS

A	AEM10001	Slimline Unmonitored Magnet	£99.70
	AEMBR089	Z&L Bracket Set for Slimline Magnet	£36.70
B	AEM10010	Standard Single Magnet Unmonitored	£123.60
	AEM10020	Standard Single Magnet Monitored	£184.40
C	AEMBR026	Z&L Bracket Set for Standard Magnet	£77.30
	AEM10060	Standard Double Magnet Unmonitored	£303.00
	AEMGATE-FS	External Magnet Side/Face Fix	£238.50
	AEMBR046	Z Bracket for External Magnet	£51.50

MORTICE LOCK RELEASES

D	ADCN512SX	Fail Safe Mortice Lock Release, 12V DC	£44.60
	ADCN524G	Fail Locked Mortice Lock Release, 24V DC	£49.60
	AL900	Mortice Electric Release 12V/24V DC	£84.40

ACCESS CONTROL KITS

ACCESS CONTROL KITS

	AKT4223	Single Door Proximity Kit+Release	£316.50
E	AKT4224	Single Door Proximity Kit + Magnet	£392.60
	AKT4225	Single Door Keypad (Int) Kit + Release	£171.90
	AKT4226	Single Door Keypad (Int) Kit + Magnet	£240.90
	AKT4227	Single Door Keypad (Ext) Kit + Magnet	£303.60
	AKT4228	Single Door Keypad (Ext) Kit + Release	£234.60
	AC7101/10	Pack of 10 Prox. Fobs for AKT4223-AKT4224	£69.40

ANCILLARY PRODUCTS

DOOR RELEASE KEYPADS

F	ACT5	IP65 Keypad	£112.00
G	APX16PROX	IP65 Keypad & Proximity Reader	£164.20

PUSH BUTTON DOOR RELEASE SWITCHES

H	AEB1NR	Surface White Plastic Exit Button	£18.40
I	AEB26	Surface Stainless Steel Exit Button	£28.30
J	AEB514	Touch Sensitive Button, Black with Blue Led	£24.40
	AEB516	Touch Sensitive Button, White with Blue Led	£24.40
	AEB507/B	Press to Exit Switch Stainless Steel with Green Dome & Switch	£36.10
	AEB504/B	Press to Exit Switch Stainless Steel with 22mm Button & Back Box	£25.00
K	AEB6	Flush Stainless Steel Green Dome Exit Button	£37.60
	AEBBOX	Stainless Steel Surface Surround for AEB2/AEB6	£9.30

DOOR RELEASE CALL POINTS

L	MCP3A-G000SG12	Green Surface Emergency Door Release Call Point	£17.80
	AEB37	Stainless Steel Touch Free Exit Button	£50.00

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

EATON BELLS, SOUNDERS & SOUNDER BEACONS



240V AC ELECTRONIC BELLS

A	FB240-R	Red 6" Bell 240V AC	£40.40
B	FB240-G	Grey 6" Bell 240V AC	£42.93

IP55 WEATHERPROOF ELECTRONIC BELL

FB240-R-WP	Red 6" Bell 240V AC Weatherproof IP55	£55.55
FB240-G-WP	Grey 6" Bell 240V AC Weatherproof IP55	£58.58
FB-WP-KIT	Weatherproof Bell Kit	£14.71

ASSERTA D.C. HIGH OUTPUT SOUNDERS

C	AS-MS9-60VR	Asserta Midi Sounder Red 9-60V DC 120mA, 110dB	£88.25
	AS-S024-R120	Asserta Sounder Red 24V DC 450mA, 120dB	£213.26

ASSERTA D.C. HIGH OUTPUT SOUNDER/BEACON COMBINATION

D	AS-MSB9-60VR-RL	Asserta Midi Sounder Beacon 9-60V DC 230mA, 110dB	£117.34
	AS-SB024-R120RL	Asserta Sounder Beacon Red 24V DC 650mA, 120dB	£239.40

ASSERTA A.C. HIGH OUTPUT SOUNDERS

AS-S115-230-R120	Asserta Sounder Red 115-230V AC 120dB	£228.27

ASSERTA A.C. HIGH OUTPUT SOUNDER/BEACON COMBINATION

AS-SB240-R120RL	Asserta Sounder Beacon Red 115-240V AC 120dB	£289.46

X10 MIDI SOUNDER BEACONS IP69K

X10/CE/MDH/G1/10-60VAC-DC	X10 Midi, Dark Grey Housing, 10-60V AC/DC	£124.23
X10/CE/MDH/G1/115/230VAC	X10 Midi, Dark Grey Housing, 115/230V AC	£124.23
X10/CE/M2B/RL	X10 Midi Beacon, Red Lens	£30.03
X10/CE/M2B/AL	X10 Midi Beacon, Amber Lens	£30.03
X10/CE/M2B/BL	X10 Midi Beacon, Blue Lens	£30.03
X10/CE/M2B/GL	X10 Midi Beacon, Green Lens	£30.03
X10/CE/M2B/CL	X10 Midi Beacon, Clear Lens	£30.03

INTRINSICALLY SAFE FIRE DETECTION DEVICES

APOLLO ORBIS INTRINSICALLY SAFE DETECTORS

ORB-OP-52027-APO	Orbis Intrinsically Safe Optical Smoke Detector	£136.60
ORB-OH-53027-APO	Orbis Intrinsically Safe Multisensor Detector	£172.10
ORB-HT-51157-APO	Orbis Intrinsically Safe A1S Heat Detector	£117.60
ORB-HT-51147-APO	Orbis Intrinsically Safe A2S Heat Detector	£115.90
ORB-HT-51151-APO	Orbis Intrinsically Safe BS Heat Detector	£137.80
ORB-HT-51155-APO	Orbis Intrinsically Safe CS Heat Detector	£88.90
ORB-HT-51145-APO	Orbis Intrinsically Safe A1R Heat Detector	£86.30
ORB-HT-51149-APO	Orbis Intrinsically Safe BR Heat Detector	£93.90
ORB-HT-51153-APO	Orbis Intrinsically Safe CR Heat Detector	£120.80
ORB-MB-50018-APO	Orbis Intrinsically Safe Timesaver Base	£19.80
ORB-BA-50008-APO	Orbis Intrinsically Safe Base Adaptor	£16.50

CAN'T FIND WHAT YOU'RE LOOKING FOR?
WE'RE HAPPY TO HELP!
Call us today on 01425 658239 or email sales@detectionsupplies.co.uk

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

INTRINSICALLY SAFE FLAME DETECTOR

INTRINSICALLY SAFE FLAME DETECTOR

A	16571	Intrinsically Safe Dual IR Flame Detector, Die-cast Zinc Alloy	£2480.30
	16579	Intrinsically Safe Triple IR Flame Detector, Die-cast Zinc Alloy	£2515.30
	7127	Swivel Bracket	£147.60
	IFD-E(EXD)	Infra Red Flame Detector Alloy Flameproof Housing	£3032.00
	IFD-E(IS)	Infra Red Intrinsically Safe Flame Detector Alloy Housing	£3005.00

ffe

INTRINSICALLY SAFE CALL POINTS

INTRINSICALLY SAFE CALL POINTS

B	WCP1A-R470SG01IS	Intrinsically Safe Red Call Point, 470 Ohm IP67	£95.40
	WCP2A-R470SG01IS	Intrinsically Safe Red Call Point, 470 Ohm with LED IP67	£113.65
	WCP3A-R000SG01IS	Intrinsically Safe Red Call Point (No Resistor) IP67	£101.80

KAC

INTRINSICALLY SAFE SOUNDERS

INTRINSICALLY SAFE SOUNDERS

	IS-MA1-R	Intrinsically Safe Red Sounder IP65, 24V, 25mA	£184.78
	IS-MB1-R/R	Intrinsically Safe Red IED Beacon IP65, 24V, 25mA	£232.27
C	IS-MC1-R/R	Intrinsically Safe Red Sounder LED Beacon IP65 24V, 48mA	£325.27

e2S warning signals

ISOLATING BARRIERS

ISOLATING BARRIERS

	DX070	Two Way Barrier Cabinet	£170.00
	MTL5522	Alarm Driver Maximum 80mA Load (For use with IS Sounders/ Beacons)	£300.00
D	MTL5561	Dual Isolating Barrier (For use with IS Smokes & Heats)	£459.00

EXPLOSION PROTECTED ATEX APPROVED CALL POINTS

EXPLOSION PROTECTED ATEX APPROVED CALL POINTS

E	BG2EDC1NR	Exed Explosion Protected Red Call Point	£526.85
F	BEXCP3A-BG	Exed Explosion Protected Red Call Point (No Resistor)	£214.95
	BEXCP3B-BG	Exed Explosion Protected Red Call Point 470 Ohm	£251.32

Full Range available - call for details on request



VX-3000
Voice Alarm System



Today, the issue of safety is more important than ever. At TOA, we have developed a reliable and energy-efficient voice alarm system that combines all functions in a single device. Whether in airports, hotels, offices, hospitals or schools, the flexible system architecture makes it scalable and expandable for all size requirements.

Full TOA range now available from Detection Supplies!

We supply sound, not equipment.
www.toa.co.uk

TOA

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

SOLO AEROSOL SMOKE TEST

	A5 FOR USE WITH SOLO SMOKE DISPENSER		
A	SOLO-A5-001	Smoke Detector Tester 250ml	POA
	C3 FOR USE WITH SOLO SMOKE DISPENSER		
B	SOLO-C3-001	Carbon Monoxide Fire Detector Tester	POA
	SMOKE SABRE HAND HELD SMOKE DETECTOR TESTER		
C	SOLO-SABRE	Smoke Detector Test with Telescopic Funnel	POA
	A10 FOR USE WITH SOLO SMOKE DISPENSER, BOXED IN 12'S		
	SOLO-A10-001	Smoke Detector Test Gas 150ml (Non-Flammable)	POA
	SOLO-A10S-001	Smoke Detector Test Gas 250ml (Non-Flammable)	POA

SOLO PARTS

	SOLO101-001	Fibreglass Extension Pole 1.13 Metre	POA
	SOLO108-001	Fibreglass 2 Section Telescopic Pole (Extends to 2.5 Metre)	POA
	SOLO100-001	Fibreglass 4 Section Telescopic Pole (Extends to 4.2 Metre)	POA
D	SOLO330-001	Aerosol Smoke Dispenser Cup	POA
E	SOLO200-001	Universal Detector Removal Tool	POA
F	SOLO461-001	Cordless Heat Detector Tester	POA
	SOLO424-001	240V Heat Detector Tester with 5 Metre Cable	POA
	SOLO610-001	Storage Bags for Solo Poles & Tools	POA

SOLO KITS

G	SOLO365-001	Solo 365 Smoke Detector Tester Kit		
	Includes:-	1 x SOLO365-001 Head Unit 1 x SOLO370-001 Lithium Ion Battery Pack 1 x SOLO371-001 Smoke Generator	1 x SOLO-ES3-1 Smoke Cartridge 1 x SOLOSPARE-1060 Charger & USB Lead	POA
	SOLO810	Smoke Detector Tester Starter Kit		POA
	Includes:-	1 x SOLO101-001 Fibreglass Extension Pole 1.13 Metre	1 x SOLO330-001 Aerosol Smoke Dispenser 1 x SOLO-A10-001 Test Gas	
	SOLO808	Smoke Detector Tester Starter Kit		POA
	Includes:-	1 x SOLO108-001 Fibreglass Telescopic Pole 2.5 Metre	1 x SOLO330-001 Aerosol Smoke Dispenser 1 x SOLO-A10-001 Test Gas	
	SOLO811	Smoke Detector Tester & Head Removal Kit		POA
	Includes:-	1 x SOLO100-001 Fibreglass Telescopic Pole 4.2 Metre 1 x SOLO330-001 Aerosol Smoke Dispenser	1 x SOLO200-001 Universal Detector Removal Tool 1 x SOLO610-001 SOLO Kit Storage Bags 1 x SOLO-A10-001 Test Gas	
	SOLO814	Smoke & 240V Heat Detector Tester & Head Removal Kit		POA
	Includes:-	1 x SOLO100-001 Fibreglass Telescopic Pole 4.2 Metre 1 x SOLO330-001 Aerosol Smoke Dispenser 1 x SOLO424-001 240V Heat Detector Tester	1 x SOLO200-001 Universal Detector Removal Tool 1 x SOLO610-001 SOLO Kit Storage Bags 1 x SOLO-A10-001 Test Gas	
H	SOLO822-001	Smoke & Cordless Heat Detector Tester & Head Removal Kit		POA
	Includes:-	1 x SOLO100-001 Fibreglass Telescopic Pole 4.2 Metre 1 x SOLO330-001 Aerosol Smoke Dispenser 1 x SOLO461-001 Cordless Heat Detector Tester	1 x SOLO200-001 Universal Detector Removal Tool 1 x SOLO610-001 SOLO Kit Storage Bags 1 x SOLO-A10-001 Test Gas 2 x Batteries	
	SOLO822-1-001	Smoke & Cordless Heat Detector Tester & Head Removal Kit		POA
	Includes:-	1 x SOLO100-001 Fibreglass Telescopic Pole 4.2 Metre 1 x SOLO330-001 Aerosol Smoke Dispenser 1 x SOLO461-001 Cordless Heat Detector Tester 1 x SOLO200-001 Universal Detector Removal Tool	1 x SOLO610-001 SOLO Kit Storage Bags 1 x SOLO-A10-001 Test Gas 1 x Battery Baton	

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

Two versions of Testifire are available. The TF1001 incorporates heat & smoke testing capability & the TF2001 has in addition a CO fire detector test mode.

- Smoke and heat testing in one single tool.
- Consecutive or simultaneous testing of multi criteria detectors.
- Fast and economical testing.
- Developed with leading detector manufacturers to ensure universal compatibility.
- Compatible with other SOLO equipment & poles.

URBAN KITS

URBAN KITS

URBAN365-001	Urban Smoke Test Kit	POA
URBAN1001-1-001	Urban Smoke / Heat Test Kit	POA
URBAN2001-1-001	Urban Smoke / Heat / CO Test Kit	POA

Urban 365 Smoke Test Kit
Includes:-
- 1 x Urban Backpack (inc. Pole Bag)
- 1 x Urban 4-section Telescopic Pole 1.75m
- 3 x Urban Extension Pole 0.5m
- 1 x Solo 365 Smoke Kit

Urban Smoke / Heat Test Kit
Includes:-
- 1 x Urban Backpack (inc. Pole Bag)
- 1 x Urban 4-section Telescopic Pole 1.75m
- 3 x Urban Extension Pole 0.5m
- 1 x Testifire 1001-1 Smoke/Heat Kit

Urban Smoke / Heat / CO Test Kit
Includes:-
- 1 x Urban Backpack (inc. Pole Bag)
- 1 x Urban 4-section Telescopic Pole 1.75m
- 3 x Urban Extension Pole 0.5m
- 1 x Testifire 2001-1 Smoke/Heat/CO Kit

TESTIFIRE

TESTIFIRE SMOKE CARTRIDGE FOR USE WITH TESTIFIRE TOOLS

TF3-1PACK	Testifire TS3 Smoke Capsule (Per 1)	POA
TF3-6PACK	Testifire TS3 Smoke Capsule (Per 6)	POA

TESTIFIRE CO CARTRIDGE FOR USE WITH TESTIFIRE TOOLS

TF3C-1PACK	Testifire TC3 CO Capsule (Per 1)	POA
TF3C-6PACK	Testifire TC3 CO Capsule (Per 6)	POA

TESTIFIRE KITS

TF1001-001	Testifire Smoke/Heat Detector Tester	POA
TF2001-001	Testifire Smoke/Heat and CO Detector Tester	POA
TF6001-001	Testifire Smoke/Heat Kit c/w 2 Batteries, 4.2m Pole	POA
TF9001-001	Testifire Smoke/Heat Kit c/w 2 Batteries, 9m Pole	POA

TF6001-001 Testifire Kit
Includes:-
- 1 x Testifire 1000-001 Smoke/Heat Test Head
- 1 x TS3 Smoke Capsule
- 2 x SOLO770-001 Battery Sticks
- 1 x SOLO727-001 Multi Voltage Fast Charger
- 1 x SOLO100-001 4.5m Fibreglass Access Pole
- 1 x SOLO200-001 Universal Detector Removal Tool
- 1 x SOLO610-001 Storage Bag

TF9001-001 Testifire Kit
Includes:-
- 1 x TF1000-001 Smoke/Heat Test Head
- 1 x TS3 Smoke Capsule
- 2 x SOLO770-001 Battery Sticks
- 1 x SOLO727-001 Multi Voltage Fast Charger
- 1 x SOLO100-001 4.5m Fibreglass Access Pole
- 3 x SOLO101-001 1.13m Fibreglass Extension Pole
- 1 x SOLO200-001 Universal Detector Removal Tool
- 1 x SOLO610-001 Storage Bag

ASPIRATING TEST KITS

SCORPION

SCORP1001-001	Scorpion Point Head Installation Kit	POA
SCORP2001-001	Scorpion ASD Head Installation Kit	POA
SCORP8000-001	Scorpion Control Panel	POA
SCORP7000-001	Scorpion Engineers Portable Controller	POA
SCORP50-001	Scorpion Battery Pack	POA
SCORP60-001	Scorpion Battery Baton Cable	POA

For use with aspirating systems. Fixed solution for inaccessible areas, e.g. lift shafts, stairwells, data centres and escalators.

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

TEST METERS

	KEW337	Light Meter, range 40,000 Lux	POA
A	KT1790	Voltage Detector/Continuity Tester, LED & LCD Display with built in touch	POA
	KEWSTICK-DUO	Voltage Detection Stick	POA
B	ACT612	6V-12V Battery Tester	£345.00
	ACT1345	Sound Level Meter 30-130dB	£135.00



LADDERS

WERNER

	W-71604	Fibreglass Swingback Stepladder 4 Tread 1.12m	POA
	W-71605	Fibreglass Swingback Stepladder 5 Tread 1.40m	POA
C	W-71606	Fibreglass Swingback Stepladder 6 Tread 1.67m	POA
D	W-78069	Aluminium Work Platform	POA
	W-79009	Ladder Roof Rack Clamp	POA



All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

EXTINGUISHERS, SPARES & BLANKETS

WATER FIRE EXTINGUISHERS

A	WFEX6JSP	6Ltr Stored Pressure Water Fire Extinguisher	POA
	WFEX9J	9Ltr Stored Pressure Water Fire Extinguisher	POA

AFFF FOAM FIRE EXTINGUISHERS

B	FFEX2JSP	2Ltr Stored Pressure AFFF Foam Fire Extinguisher	POA
	FFEX6JSP	6Ltr Stored Pressure AFFF Foam Fire Extinguisher	POA
	FFEX9JSP	9Ltr Stored Pressure AFFF Foam Fire Extinguisher	POA

CO2 EXTINGUISHERS

	CDFEX2JSP	2KG CO2 Extinguisher	POA
	CDFEX5JSP	5KG CO2 Extinguisher	POA

DRY POWDER FIRE EXTINGUISHERS

	PFEX1J	1Kg Dry Powder Fire Extinguisher	POA
	PFEX2J	2Kg Dry Powder Fire Extinguisher	POA
C	PFEX4J	4Kg Dry Powder Fire Extinguisher	POA
	PFEX6J	6Kg Dry Powder Fire Extinguisher	POA
	PFEX9J	9Kg Dry Powder Fire Extinguisher	POA

EXTINGUISHER STANDS/CABINETS

	FMCMODSR	Modulex Stand Red	POA
	FMCMODSG	Modulex Stand Grey	POA
	FMCCAB1	FMC Single Cabinet	POA
	FMCCAB2	FMC Double Cabinet	POA
	EXTCOVER3	Extinguisher Jacket to suit 2kg Co2 - 6L-9L	POA

FIRE BLANKET

D	FMCPFB2	1.2m x 1.2m Fire Blanket	POA

ENGINEERS SPARES

	P/SEAL	500 x Tamper Seals (Various Colours)	POA
	HORNORING	100 x Horn O Ring	POA
	HOSEORING	100 x Hose O Ring	POA
	GAUGETESTER	Pump Gauge Tester	POA
	SERVLAB	500 x Service Labels (Various Sizes)	POA

EXTINGUISHER ANTI-THEFT DEVICE

E	STI-6200	Theft Stopper	£51.00
	STI -6255	Mini Theft Stopper	£46.70

A

B

C

D

FOR EXTINGUISHER SIGNS SEE PAGE 65

E

CAN'T FIND WHAT YOU'RE LOOKING FOR?
WE'RE HAPPY TO HELP!

Call us today on 01425 658239 or email sales@detectionsupplies.co.uk

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

STI PROTECTIVE STEEL CAGES & COVERS



OTHER COLOURS AVAILABLE

SMOKE DETECTOR & SOUNDER CAGES

A	STI-9604	Steel Cage Protector 175 Dia. x D75mm	£26.60
B	STI-9605	Steel Cage Protector 180 Dia. x D115mm	£28.00
	STI-9606	Steel Cage Protector 175 Dia. x D95mm	£27.70
	STI-9610	Steel Cage Protector 210 Dia. x D152mm	£30.00

EMERGENCY LIGHTING CAGES

	STI-9644	Steel Cage Protector H220 x W450 x D128mm	£57.00

BELL & CLOCK CAGES

C	STI-9631	Steel Cage Protector 270 Dia. x D152mm	£42.00

MOTION DETECTOR CAGES

D	STI-9624	Motion Detector Steel Cage Protector, H225 x W140 x D120mm	£27.40

BEACON/SOUNDER CAGES

E	STI-9617	Beacon & Sounder Steel Cage Protector, 149 Dia. x D127mm	£27.90
	STI-9665	Steel Cage Protector 134 Dia. x D214mm	£25.70

EXIT STOPPER

F	STI-6400	Exit Stopper, Red with PP3 Battery	£100.00

STI STOPPER CALL POINT COVERS

OTHER COLOURS AVAILABLE

STANDARD STOPPER COVERS

G	STI-1230	Stopper II, Surface, Large Polycarbonate Cover	£69.60
H	STI-6931	Call Point Stopper, Surface, Red	£39.70
	STI-13110FR	Universal Stopper, Surface Dome Polycarbonate Cover, Red Fire	£52.00
	STI-15C10ML	Euro Stopper Cover Kit, Surface, Red & Green	£45.20
	STI-3150	Weatherproof Stopper II, Surface	£80.00

STANDARD STOPPER COVERS WITH TAMPER ALARM

STI-15020ML	Euro Stopper Cover Kit, Flush, Red & Green with Sounder	£74.80
STI-15C20ML	Euro Stopper Cover Kit, Surface, Red & Green with Sounder	£83.50
STI-1130	Stopper II, Surface, Large Polycarbonate Cover with Sounder	£98.20
STI-13120EG	Universal Stopper, Surface Dome Polycarbonate Cover with Sounder, Green Emergency Exit	£94.50
STI-13120FR	Universal Stopper, Surface Dome Polycarbonate Cover with Sounder, Red Fire	£94.50



VX-3000
Voice Alarm System



Today, the issue of safety is more important than ever. At TOA, we have developed a reliable and energy-efficient voice alarm system that combines all functions in a single device. Whether in airports, hotels, offices, hospitals or schools, the flexible system architecture makes it scalable and expandable for all size requirements.

Full TOA range now available from Detection Supplies!

We supply sound, not equipment.
www.toa.co.uk

TOA

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

C-TEC ACCESSIBLE TOILET ALARMS

SINGLE WAY ACCESSIBLE TOILET ALARM

A	NC951	Accessible Toilet Alarm Kit with Call Accept Function and Battery Backup	£172.80

MULTI WAY SYSTEM

NC944	4 Zone Controller (Requires NC930 PSU)	£96.50
NC930	Power Supply 12V 250mA On 2 Gang Plate	£80.30
NC807C	Ceiling Pull Cord	£26.60
NC806CS	Over Door Light with Sounder	£38.90

C-TEC NC951 ACCESSIBLE TOILET ALARM KIT

- New call accept function
- BS8300 and Equality Act compliant
- Attractively designed
- On-board battery backup

C-TEC EMERGENCY CALL SYSTEMS - TWO CALL LEVELS

10-40 WAY EMERGENCY PATIENT CALL SYSTEM PANEL

B	NC910S	10 Way Control Panel with Integral PSU, Expandable to 40 Way	£287.70
	NC910ES	10 Zone Expansion Unit for NC910S	£293.70
	NC920S	20 Way Control Panel with Integral PSU, Expandable to 40 Way	£382.10
	NC920ES	20 Way Expansion Card for NC920S	£287.80

EMERGENCY PATIENT CALL SYSTEM CALL UNITS

C	NC802DEB-1/2	Emergency Push Button Reset Unit with Jack Socket	£55.70
	NC805C/6	Tail Call Lead 6ft	£17.60
	NC805C/14	Tail Call Lead 14ft	£18.80
	NC804DE	Emergency Call/Reset Button for NC807C Pull Cord	£45.50
	NC806C	Over Door Light	£27.40
	NC894DKB	Door Monitor Point with Door Switch & Isolate Keyswitch	£53.70

C-TEC QUANTEC ADDRESSABLE CALL SYSTEM - UP TO 7 CALL LEVELS

QUANTEC PANELS & SOFTWARE

QT601-2	Quantec Network Controller	£470.30
QT608C	Quantec Corridor Display Unit with Controls	£215.60
QT608CD	Quantec Corridor Display, No Controls	£215.60
QT707	Quantec Software & Download Lead	£101.30

BEZELS & ENCLOSURES

QT385	Flush Bezel for Quantec Controller	£41.70

QUANTEC CALL POINTS WITH SOCKET FOR TAIL CALL LEAD

QT602	Quantec Call Point, Button Reset with Jack Socket	£53.10
QT602RS	Quantec Call Point c/w Sounder & IR Receiver, Button Reset with Jack Socket	£85.00
NC805C/6	Tail Call Lead 6ft	£14.60
NC805C/14	Tail Call Lead 14ft	£15.60

PULL CORD & RESET POINTS

QT607	Quantec Ceiling Pull Unit	£24.40

INFRA RED CALL DEVICES

QT302RXS	Quantec Slave Infrared Ceiling Receiver	£66.10
QT412RXA	Quantec Mk2 Infrared/Radio Transmitter (Attack)	£117.00
QT424-1	Single Way Charger for QT412RXA	£19.10
QT424-10	10 Way Charger for QT412RXA	£295.00

NETWORK SPLITTER

QT603	Quantec Network Splitter	£29.80

QUANTEC CALL POINTS & ANCILLARIES

QT604	Quantec Monitoring Point with Switch & Isolate Keyswitch	£64.40
QT951	Quantec Accessible Toilet Alarm Expansion Kit	£189.20

QUANTEC OVERDOOR LIGHTS & SOUNDERS

QT606	Quantec Over Door Light	£26.70
QT606A	Quantec Addressable Over Door Light with Sounder	£57.50
QT688	Quantec Addressable Sounder	£73.30
QT688/2	Quantec Addressable High Output Sounder	£65.00

Quantec can accommodate up to 256 monitored devices over 7 call status levels to communicate, standard call, on suite, help, emergency, attack, presence and attendance making this a flexible system that can be used in all types of care environments, and/or used as a staff warning system.

Infrared transmitters can be used as a portable patient call device or configured to indicate a staff attack situation. When activated, the transmitter sends and alarm signal to the nearest wall mounted receiver which is then sent to the Quantec Controller giving the precise location of the incident.

We only list the popular call units and peripherals – also available are movement and other warning devices. All call units are also available with magnetic reset options.

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

C-TEC EMERGENCY VOICE COMMUNICATION SYSTEM

Suitable for use as:
- Disabled Persons Refuge Alarm
- Fire Telephone System
- Stadium Marshal Applications

The Master Control Panel can be used with both Type A Fire Telephone Outstations or if required for use as a Disabled Refuge Alarm, Type B Stainless Steel Hands Free Speech Outstations.

DISABLED REFUGE 4-8 LINE CONTROLLERS

ECU-4	Emergency Refuge Alarm 4 Way Master Controller (Requires 2x7Ah Batteries)	£1117.50
ECU-8	Emergency Refuge Alarm 8 Way Master Controller (Requires 2x7Ah Batteries)	£1382.80
ECU722	Network Communication Card for ECU4 & 8	£134.50
EVC385	Flush Bezel for ECU4 or 8 Controllers	£49.00

DISABLED REFUGE OUTSTATIONS (TYPE B)

EVC302GF	Refuge Alarm Outstation, Green Flush Mount (Type B)	£217.65
EVC302GS	Refuge Alarm Outstation, Green Surface Mount (Type B)	£234.30
EVC302F	Refuge Alarm Outstation, Flush Stainless (Type B)	£227.00
EVC302S	Refuge Alarm Outstation, Surface Stainless (Type B)	£244.70
BF359/1	IP66 Enclosure for EVC302F & EVC302GF	£170.00

FIRE TELEPHONE OUTSTATIONS (TYPE A)

EVC301RPO	Fire Telephone in Red Metal Box, Push To Open Door (Type A)	£205.00
EVC301RLK	Fire Telephone in Red Metal Box, Lift Lock Version (Type A)	£205.00
T-BEZ301	Flush Bezel for EVC301RPO & EVCRLK	£24.80

ACCESSORIES

EVC423	PC Programming Software, Configurator & Lead for ECU4 & 8	£156.20
FITT	Refuge EVC Line Tester	£170.00

C-TEC INDUCTION LOOP EQUIPMENT

Induction Loop Systems allow hearing aid users to participate in general conversation in domestic, retail & working environments. Modular systems also available to suit most applications, please phone for details.

PORTABLE INDUCTION LOOP KIT

PDA-PL1-K1	Portable Induction Loop Kit in Cardboard Carry Case	£243.80
PDA-PL1-K3	Portable Induction Loop Kit in Plastic Carry Case	£334.50

COUNTER INDUCTION LOOP KIT

PDA-ML1-K	Counter Induction Loop Kit with AMT Microphone	£161.10

ROOM INDUCTION LOOP KIT

PDA-103L	Small Room Induction Loop Kit 50m² (Tie/Desk Mic)	£183.40
PDA-103R	Small Room Induction Loop Kit 50m² (Omni Mic)	£266.60
PDA-103S	TV Lounge Induction Loop Kit 50m² with Connection Plate	£370.60
PDA-AKL1	Lecture Room Induction Loop Kit 120m²	£492.50
PDA-AKM1	Meeting Room Kit with Omni directional Mic 120m²	£346.30
PDA-AKT1	TV/Music Lounge Induction Loop Kit 120m² with APJ-APL Plates & Mic	£650.30

CABLE

PDA-FLAT2005	Insulated Copper Tape 100m x 1.0mm	£221.20
PDA-FLAT3005	Insulated Copper Tape 100m x 1.5mm	£249.60
PDA-LOOP2/W	100m x 1.0mm² White Loop Cable	£129.90
PDA-LOOP3/W	100m x 1.5mm² White Loop Cable	£85.20

ACCESSORIES

PDA-FPROK1	Fosmeter Induction Loop Test Kit	£551.70
PDA-TEAR10	Induction Loop Fitted Sticker (Pack of 10)	£14.60



VX-3000
Voice Alarm System



Today, the issue of safety is more important than ever. At TOA, we have developed a reliable and energy-efficient voice alarm system that combines all functions in a single device. Whether in airports, hotels, offices, hospitals or schools, the flexible system architecture makes it scalable and expandable for all size requirements.

Full TOA range now available from Detection Supplies!

We supply sound, not equipment.
www.toa.co.uk

TOA

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

VOX IGNIS EMERGENCY VOICE COMMUNICATIONS SYSTEMS

MASTER STATIONS

	VILX-228-0	Lexicomm Master Station Non-line Master Repeater	POA
	VILX-228-2	Lexicomm 2 Line Master Station	POA
	VILX-228-4	Lexicomm 4 Line Master Station	POA
A	VILX-228-8	Lexicomm 8 Line Master Station	POA
	VILX-TMS-W-0	Lexicomm Touchscreen Master Station Zero-line Master Repeater	POA
B	VILX-TMS-W-8	Lexicomm Touchscreen Master Station complete with 8 Integral Lines	POA
	VILX-TMS-W-0-SS	Lexicomm Touchscreen Master Station Zero-line Master Repeater, Stainless Steel Fascia	POA
	VILX-TMS-W-8-SS	Lexicomm Touchscreen Master Station complete with 8 Integral Lines, Stainless Steel Fascia	POA
	VILX-ACM-8	Lexicomm Assist Call Touchscreen Master Station	POA
	VILX-ACR	Lexicom Network Touchscreen Repeater Station	POA
	VILX-EX8-8	Lexicomm 8 Line System Expander Panel	POA
	VILX-LC2	Lexicomm 2 Way Line Card PCB to allow the expansion of the VILX-228 and VILX-TMS Controllers	POA
	VILX-CBZ	Semi-Recess Flush Mount Stainless Steel Bezel for the VILX-228 & VILX-NET Controllers	POA
	VILX-RAP	Remote Alarm Panel, Provides audible and visual indication of either a Refuge or Assist Call Activation.	POA

OUTSTATIONS

C	VILX-OSA	Lexicomm Surface Type A Fire Telephone Handset in a Stainless Steel Box with Red Screen Print	POA
D	VILX-OSB	Lexicomm Type B Refuge Point on a Double Gang Stainless Steel Plate (Back Box Not Supplied)	POA
	VILX-ILB-F	Lexicomm type B Refuge Point, with Integral Induction Loop supplied as a Flush Stainless Steel Plate	POA
E	VILX-OSC	Lexicomm Combined Type A Telephone and Type B Refuge Point in a Surface Stainless Steel Box	POA
	VILX-IPA	Lexicomm IP66 Weatherproof Type A Fire Telephone, Supplied in a Locking Enclosure	POA
	VILX-IPB	Lexicomm IP65 Weather Proof Type B Refuge Point, Supplied in a Sheet Steel Enclosure Colour Grey RAL 7035 with Hinged Door and Thumbturn Lock for Access.	POA
	VILX-OBZ	Flush Mounting Stainless Steel Bezel for the VILX-OSA & VILX-OSC	POA

INTEGRATED EMERGENCY ASSIST CALL 2 WIRE CALL SYSTEM

VILX-ACA	Lexicomm Assist Call Alarm WC System, Comprises of Over-door Plate, Cancel Plate and Pull Cord Brushed Stainless Steel Finish with Acknowledge Function	POA
VILX-ODP	Assist Call Over-door Plate, Brushed Stainless Steel Finish, Single Gang Plate with Blue Halo Indication and Buzzer	POA
VILX-CNP	Assist Call Cancel Plate, Brushed Stainless Steel finish, Single Gang Plate with Blue Halo Indication and Buzzer	POA
VILX-CPP	Assist Call pull cord, brushed stainless steel finish, single gang plate with blue indication and 3m cord with two 50mm diameter red rings	POA

All Lexicomm Emergency Voice Communications Systems (EVCS) are designed to comply fully with the requirements of BS5839-9:2011 for use as a fire telephone system (FT), disabled refuge system (DRS) or as a combined system when both fire telephones and disabled refuge call points are required. Master Stations require 1 x 7Ah Batteries

Key Features:

- Compact Design
- Fully Compliant to BS5839-9: 2011
- Integrated Assist Call and Acknowledge meeting BS8300
- 1.5A EN54-4:A2 PSU
- Full Duplex operation
- Wall mount enclosure
- Lockable handset cover
- Expandable from 2 to 8 lines
- Touchscreen network system up to 512 lines
- Inbuilt networking

The Lexicomm EVCS Disabled Refuge System

"From an easy to install small system to a scalable network solution"

The Lexicomm EVCS (Emergency Voice Communication Systems) concept covers Fire Telephone and Disabled Refuge Systems, as well as integrating Emergency Assist Alarm Systems in a single solution.

Compliance is at the core of the design process; every product fulfils the requirements of all applicable standards, coupled with high quality finishes, ease of installation and commissioning that provides all stakeholders with the optimum solution.

If your need is just for a small 2 line system or a 512 line network system, Vox Ignis has the solution for you.

"All systems fully compliant to BS5839-9 2011, BS8300 2009 & Building Regulations Approved Document M:2010"

Assist Call Disabled Toilet Systems

"Assist call can be easily connected to the Disabled Refuge Panel without any extra equipment required, you can also cable into a Type B and share a line"

The "Assist Call" system is designed to provide a fully compliant and scalable solution to building owners with many unique benefits, including clear indication, acoustic and visual feedback and high quality stainless steel finishes blending into all locations.

For simplicity all wiring is standard two core cable, and unlike other systems the wiring order of the devices is not fixed, allowing the designer total flexibility in the installation routes.

"Includes the Acknowledge feature – BS8300:2010"

VOX IGNIS ASSIST CALL STANDALONE KITS

VIAC-STK	Assist Call Standard Kit, Comprises of 1 x VIAC-PSC (PSU/over-door), 1 x VIAC-CNP (cancel plate), 1 x VIAC-CPP (pull cord) and 1 x VIAC-WCS (WC sticker). Brushed Stainless Steel Plates with Blue Halo Indication.	POA
VIAC-RTK	Assist Call Remote Kit, Comprises of 1 x VIAC-1ZC (1 zone controller PSU with accept), 1 x VIAC-ODP (overdoor plate), 1 x VIAC-CNP (cancel plate), 1 x VIAC-CPP (pull cord) and 1 x VIAC-WCS (WC sticker). Brushed Stainless Steel Plates with Blue Halo Fully compliant with BS8300 for Remote Toilets, Controller placed in the staffed area provides the acknowledge function.	POA
VIAC-4ZC	Assist Call 4 Zone Controller, Brushed Stainless Steel Finish, Double Gang Plate with Blue Halo Indication, 4 Zone Indicators, Buzzer, Buzzer Volume Control, Active Relay and Accept Button. Fully Compliant with BS8300 for Remote Toilets, Controller placed in the staffed area provides the acknowledge function.	POA

PRYSMIAN FIRE CABLE & ACCESSORIES

GOLD

A	P-2C1RED	FP200GOLD 100 Metres 2 Core 1 Red	POA
	P-2C1.5RED	FP200GOLD 100 Metres 2 Core 1.5 Red	POA
	P-2C2.5RED	FP200GOLD 100 Metres 2 Core 2.5 Red	POA
	P-2C4RED	FP200GOLD 100 Metres 2 Core 4 Red	POA
	P-4C1.5RED	FP200GOLD 100 Metres 4 Core 1.5 Red	POA

PLUS ENHANCED

	P-2C1.5RED-ENHANCED	FP200 PLUS Enhanced 2 Core 1.5, Red 100M	POA
	P-2C2.5RED-ENHANCED	FP200 PLUS Enhanced 2 Core 2.5, Red 100M	POA
	P-2C4RED-ENHANCED	FP200 PLUS Enhanced 2 Core 4, Red 100M	POA

CLIPS AND GLANDS (ALSO AVAILABLE IN BLACK & GREY)

B	P-AP7	FP200 Red "P" Clip for 2c 1.5 Cable (Per 100)	POA
	P-AP9	FP200 Red "P" Clip for 4C 1.5 cable (Per 100)	POA

NYLON CABLE GLANDS

C	EPN250-M20R	Protec Quick-Fit Nylon Cable Glands with Locknut, Red (pack 10)	POA
	EPN250-M20W	Protec Quick-Fit Nylon Cable Glands with Locknut, White (pack 10)	POA

STAINLESS STEEL CABLE TIES (PACK OF 100)

	FRCT150	Stainless Steel Cable Ties 150 x 4.5mm	POA
	FRCT200	Stainless Steel Cable Ties 200 x 4.5mm	POA
	FRCT300	Stainless Steel Cable Ties 300 x 4.5mm	POA

FIRE RATED CLIPS

D	D30	Safe D. 23mm Fire Rated Cable Clips (Pack of 50)	POA
	D40	Safe D. 31mm Fire Rated Cable Clips (Pack of 50)	POA
	D50	Safe D. 46mm Fire Rated Cable Clips (Pack of 50)	POA
E	1LCR608	Linian 6-8mm Clips, Red Single (Per 100)	POA
	1LCR68/2	Linian 6-8mm Clips, Red Double (Per 100)	POA

Noburn Cable available on request

(Installation in just 3 simple steps)

FIREFLY FIRE SAFETY CLIPS

Firefly clips meet the requirements of the BS7671:2018 wiring Regualtions to secure all surface cables with metal clips, Preventing fire-fighting and people escaping burning buildings from becoming entangled.

The 18th Edition regualtions which came into effect from January 2019 prohibit non-metallic clips or plastic trunking as the sole means of support.

Firefly clips have been specially developed with a new, flexible design to make them suitable for all popular siazes of plastic trunking. Firefly clips feature rounded ends, preventing damage to cables and injury to electricians

Whats more, their spring-loaded design makes it straightforward to add or remove cables in the months and years after installation. The full rainger included a variety of clips to secure cables both instide and outside trunking and conduits.

EXTERNAL FLAT CLIPS (PACK OF 50)

F	FFC1EXTR	Red Flat Clips for 16 x 16 Plastic Trunking	POA
	FFC2EXTR	Red Flat Clips for 25 x 16 Plastic Trunking	POA
	FFC4EXTR	Red Flat Clips for 40 x 25 Plastic Trunking	POA

INTERNAL CLIP (PACK OF 100)

	FFC1	Zinc Clips for 16 x 16 Plastic Trunking	POA
	FFC2	Zinc Clips for 25 x 16 Plastic Trunking	POA
	FFC4	Zinc Clips for 40 x 25 Plastic Trunking	POA

MULTI HOLD CLIP (PACK OF 50)

G	FFMHC75	Zinc Plated Multi-Hold, Multi Use Hanger, Frame Zize 75 x 25mm	POA
	FFMHC100	Zinc Plated Multi-Hold, Multi Use Hanger, Frame Size 100 x30mm	POA

ACCESSORIES

	FFC-MS4737M	100 Masony Screws & Washers, 4.7mm x 37mm	POA
	FFC-CFSM	50 Metal Cavity Fixing & Screws	POA

BUCKLE CLIP

H	FFBC1	Buckle Clip	POA

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

DOCUMENT BOXES & LOG BOOK

A

B

DOCUMENT BOXES

	BF357	Lockable Metal Document/Key Box with 2 Keys W245 x H310 x D56	£85.90
	A4-DOCBOX	A4 White Lockable Metal Document Box with 2 Keys W245 x H310 x D56	£31.85
A	A4-DOCBOX-R-FIRE	A4 Red Fire Lockable Metal Document Box with 2 Keys	£42.27
	K16000L2	Lockable Metal Document/Key Box with 2 Keys W385 x H310 x D60	£89.20
	K16000M2	Lockable Deep Document Box with 2 Keys W385 x H310 x D90	£102.50

FIRE LOG BOOK

B	FD-LB	Fire Detection & Fire System Log Book. As recommended in BS5839-1:2013	POA
	FA-LB	Customised Log Book	POA

ZONE PLANS

Zone plans are required for every fire alarm system, under the recommendations of BS5839-1:2013. These show the division of the building into zones, using a different colour for each zone. A simple plan of the building, or full architectural plans can be used to provide a clear representation of the building.

These plans are printed onto 5mm acrylic, then mounted on the wall with silver anodised stand-offs. The acrylic can be clear, white or frosted, to suit the decoration and give a truly professional and contemporary finish to the fire alarm system.

These glow in the dark zone plans are printed on 1.5mm this rigid plastic, offering fantastic durability. Perfect for care homes, hotels, schools and industrial sites too. Fire zones are printed in a diagonal hatch style, maximising the impact of the photo-luminescent plastic.

These plans are framed with a stylish silver anodised finish, with clear plastic flexible cover suitable for all types of premises. The plans are loaded into the front of the frame making it easy to change the plan should it become inaccurate after building changes.

Call us now for more details and prices.

FIRE RATED SEALANT & EXPANDING FOAM

FIRE RATED EXPANDING FOAM

C	FP-111	Fire Mate Sealant C3	POA
D	FP-135	Pyro Mate Sealant C3	POA
E	FP-999	Fire Rated Foam 750ml	POA

C

Fire Mate Sealant
A single part, emulsion acrylic based, Intumescent Acoustic sealant that provides a firm, flexible seal to joints in a variety of fire rated structures. 5 hour rated.

D

Pyro Mate Sealant
A neutral cure, elastic silicone sealant which conforms to the DN4102 standard for fire retardancy and has a fire rating of up to 4 hours in certain joint configuration.

E

Fire Rated Expanding Foam
Fire rated polyurethane expanding foam, that is designed to prevent the spread of fire and smoke from one compartment to another through gaps, voids, fire rated walls or floors.

CAN'T FIND WHAT YOU'RE LOOKING FOR?
WE'RE HAPPY TO HELP!

Call us today on 01425 658239 or email sales@detectionsupplies.co.uk

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

VIMPEX HYDROSENSE WATER LEAK DETECTION

The Hydrosense Water Leakage Detection System is designed to protect areas where water ingress could seriously damage electrical, communication and computer networks. When installed in vulnerable areas it continuously monitors for water leaks.
Hydrosense can be installed in a wide range of applications including HVAC, sprinkler systems and water-cooled plant.

VIMPEX HYDROSENSE

hydrosense

HYDROSENSE CONTROL PANELS

HSCP-S-2	2 Zone Hydrosense CP Panel	POA
HSCP-S-2-AP	2 Zone Hydrosense CP Panel with Ancillary PCB	POA
HSCP-S-4	4 Zone Hydrosense CP Panel	POA
HSCP-S-4-AP	4 Zone Hydrosense CP Panel with Ancillary PCB	POA
HSCP-S-8	8 Zone Hydrosense CP Panel	POA
HSCP-S-8-AP	8 Zone Hydrosense CP Panel with Ancillary PCB	POA

HYDROSENSE SYSTEM COMPONENTS & ACCESSORIES

HS-WLDP	Leak Detection Probe	POA
HS-WLJB	Leak Detection Probe Junction Box	POA
HY-WLRI-F	Remote Lamp Unit	POA
HY-WLRI-S	Remote Indicator "Water Alarm" with Surface Mount Box	POA
HYDW-05	Hydrowire (Water Detection Cable) 5m Length	POA
HYDW-10	Hydrowire (Water Detection Cable) 10m Length	POA
HS-HWCI	Hydrowire Connection Interface	POA
HS-HWCI-EOL	Hydrowire End of Line Device	POA
HY-FXSA	Fixing Clips for Leader and Hydrowire Cable - Screw or Adhesive Fix (Pack 100)	POA
HSVS	"Water Leakage Alarm Activated" - 'Hydrovoice' Voice Sounder	POA

Features

- Linear detection with Hydrowire
- Point detection with Floor and Drip Tray Probes
- 2-8 zone panels
- Choice of panel design and mounting
- Fully monitored detection and alarm circuits
- Easily installed, serviced and maintained
- Dedicated Fire-Cryer "Water Leakage" messages available
- Remote "Water Alarm" lamp units available
- Zone breaker cables available
- Auxiliary alarm contacts
- Monitored alarm outputs
- Battery backup



All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

AOV CONTROL UNITS

AOV SINGLE ZONE

A	AOV-003	AOV Single Zone - Auto 3A 24V	POA
	AOV-005	AOV Single Zone - Auto 5A 24V	POA
	AOV-007	AOV Single Zone - Auto 10A 24V	POA

AOV MULTI ZONE UNIT (1-5 ZONE) - 5 AMP PSU (1 AMP PER ZONE)

B	AOV5/A	AOV Multizone Panel Automatic 5A 1-5 Zone Base Unit	POA

AOV MULTI ZONE UNIT (1-5 ZONE) - 10 AMP PSU (2 AMP PER ZONE)

	AOV10/A	AOV Multizone Panel Automatic 10A 1-5 Zone Base Unit	POA

AOV MULTI ZONE UNIT (6-10 ZONE) - 10 AMP PSU (1 AMP PER ZONE)

B	AOV10/B	AOV Multizone Panel Automatic 10A 6-10 Zone Base Unit	POA

AOV MULTI ZONE UNIT (6-10 ZONE) - 20 AMP PSU (2 AMP PER ZONE)

	AOV20/B	AOV Multizone Panel Automatic 20A 6-10 Zone Base Unit	POA
C	AOVZ-01	Individual Zone Card (1 Required Per Zone Needed)	POA

A

ACTUATORS - 2 WIRE REVERSE (EXCLUDES MOUNTING BRACKETS)

ACT-301	Chain Actuator 24V / 2.1A 300N Stroke 100-400mm - White	POA
ACT-501	Chain Actuator 24V / 2.1A 400N Stroke 800mm - White	POA
ACT-502	Chain Actuator 24V / 2.1A 400N Stroke 600mm - White	POA
ACT-503	Chain Actuator 24V / 2.1A 400N Stroke 450mm - White	POA

ACTUATOR BRACKETS

BRK-301	Standard Bracket Set for ACT-301	POA
BRK-302	Fall Back Bracket Set for ACT-301	POA
BRK-303	Small Swivel Bracket for ACT-301	POA
BRK-304	Large Swivel Bracket for ACT-301	POA
BRK-501	Slide Bracket for ACT-501/502/503	POA
BRK-502	Pivot Bracket for ACT-501/502/503	POA
BRK-503	Z Bracket for ACT-501/502/503	POA

B

CALL POINTS

M3A-A000SG11	Orange Vent Release Surface Call Point (No Resistor)	£17.80
K21SAS-74	Orange 2 Position Keyswitch Call Point with "Smoke Vent" Label, Key Trapped	£39.50
K30SAS-56	Orange 3 Position Keyswitch Call point with "Smoke Vent" Label, Open/Auto/Close	£33.70
WA9201-SA	Orange 2 Position D/Pole Rocker with "Smoke Vent" Label, Open/Auto	£30.70
WA9203-G015-01	Orange 3 Position D/Pole Rocker with "Smoke Vent" Label, Open/Auto/Close	£28.70
PS200	Hinged Call Point Cover	£4.10

DETECTORS & ANCILLARIES

DET-003	Photoelectrical Smoke Detector (Type -H)	POA
DET-011	Mounting Base - Auto Reset (Type -H)	POA
REL-009	Relay (PCB) for 3 Wire Actuator	POA
REL-010	Relay (BOXED) for 3 Wire Actuator	POA

C



All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

EMERGENCY LIGHTS

A

B

C

EMERGENCY LED BULKHEAD

A	CAP-4-LED-EM-M	Capri 4W LED Bulkhead Maintained	£24.50
	EMRLEGPK	4 Legend Pack	£2.45

DECORATIVE, ROUND, WHITE, OPAL/PRISMATIC (NON EMERGENCY)

B	POLO15LED/V3/WO	15W LED Decorative Round IP54 Polycarb Bulkhead White Opal	£53.06

DECORATIVE, ROUND, WHITE, OPAL/PRISMATIC (EMERGENCY)

	POLO15LED/WO/EM	15W LED Decorative Round IP54 Polycarb Emergency Bulkhead White Opal	£91.33

ROUND/SQUARE, WHITE/BLACK, OPAL/PRISMATIC (EMERGENCY)

	MAXRD15LED/WO/EM	15W LED Decorative Round IP54 Polycarb Emergency Bulkhead White Opal	£86.73
	MAXSQ15LED/WO/EM	15W LED Decorative Round IP54 Polycarb Emergency Bulkhead White Prismatic	£86.73
	MAXRD15LED/WP/EM	15W LED Round IP65 Polycarb Emergency Bulkhead White Opal	£86.73
	MAXSQ15LED/WP/EM	15W LED Square IP65 Polycarb Emergency Bulkhead White Opal	£86.73
C	MAXRD15LED/BO/EM	15W LED Round IP65 Polycarb Emergency Bulkhead White Prismatic	£86.73
	MAXSQ15LED/BO/EM	15W LED Square IP65 Polycarb Emergency Bulkhead White Prismatic	£86.73
	MAXRD15LED/BP/EM	15W LED Round IP65 Polycarb Emergency Bulkhead Black Opal	£86.73

ROUND/SQUARE, WHITE/BLACK, OPAL/PRISMATIC (NON-EMERGENCY)

	MAXRD15LED/WO/50	15W LED Round IP65 Polycarb Bulkhead White Opal	£50.61
	MAXSQ15LED/WO/50	15W LED Square IP65 Polycarb Bulkhead White Opal	£50.61
	MAXRD15LED/WP/50	15W LED Round IP65 Polycarb Bulkhead White Prismatic	£50.61
	MAXSQ15LED/WP/50	15W LED Square IP65 Polycarb Bulkhead White Prismatic	£50.61
	MAXRD15LED/BO/50	15W LED Round IP65 Polycarb Bulkhead Black Opal	£50.61
	MAXSQ15LED/BO/50	15W LED Square IP65 Polycarb Bulkhead Black Opal	£50.61
	MAXRD15LED/BP/50	15W LED Round IP65 Polycarb Bulkhead Black Prismatic	£50.61
	MAXSQ15LED/BP/50	15W LED Square IP65 Polycarb Bulkhead Black Prismatic	£50.61

EXIT SIGNS LED

D

E F

EXIT SIGN

D	EMREXSLED	LED Emergency Exit. Arrow Down	£37.00

SUSPENDED LED MAINTAINED EMERGENCY EXIT SIGN (ALSO AVAILABLE IN CHROME & BRASS TRIM)

E	EMRLED/S/D/W	LED Emergency Exit Sign White Trim Arrow Down	£62.50

IP20 LED RECESSED MAINTAINED EMERGENCY EXIT SIGN

F	EMRLED/R/D/W	LED Emergency Recessed Exit Sign White Trim Arrow Down	£59.50
	EMRLED/R/LR/W	LED Emergency Recessed Exit Sign White Trim Arrow Left/Right	£53.06
	EMRAQ/LED/D	LED Emergency Recessed Exit Sign - Arrow Down	£57.00

NON-MAINTAINED EMERGENCY TWINSPOT LED

G

TWINSPOT

G	SAG/2X3/LED/NM3	LED 2X3w Non-Maintained LED Twinspot	£50.00

NON-MAINTAINED LED MINI DOWNLIGHTERS

LED MINI DOWNLIGHTERS

AUR3/LED/RC/NM	3W LED Non-Maintained Recessed	£46.00
HAL2/LED/SURF/DL/NM	2W LED Non-Maintained Surface Mount With Round/Oval Lenses	£56.00
HAL2/LED/REC/NM	2W LED Non-Maintained Recessed	£58.00

EMERGENCY LIGHT TEST KEY SWITCH

H

H	CMA110	Emergency Light Test Key Switch	£3.50
	MI003	Test Key (Pack of 10)	£5.00

For more information or to place an order: Phone: 01425 658239 Fax: 01425 658241 Email: sales@detectionsupplies.co.uk

SIGNS

FIRE POINT

	FEX04W	Fire Point 150 x 200 R/P	POA
	FEX10W	Call Point 150 x 200 R/P	POA
A	FEX20G	Call Point 100 x 100 R/P	POA
	FEX01W	Fire Extinguisher 150 x 200 R/P	POA
B	ACT04W	Fire Action 150 x 200 R/P	POA
	FEX18H	Do Not Use Lift 150 x 150 R/P	POA

FIRE EXIT

	FE01L	Fire Exit Up/Right 400 x 150 R/P	POA
	FE01E	Fire Exit Up/Right 300 x 100 R/P	POA
	FE02L	Fire Exit Up/Left 400 x 150 R/P	POA
	FE02E	Fire Exit Up/Left 300 x 100 R/P	POA
	FE03L	Fire Exit Left 400 x 150 R/P	POA
	FE03E	Fire Exit Left 300 x 100 R/P	POA
	FE04L	Fire Exit Right 400 x 150 R/P	POA
	FE04E	Fire Exit Right 300 x 100 R/P	POA
	FE05L	Fire Exit Up 400 x 150 R/P	POA
	FE05E	Fire Exit Up 300 x 100 R/P	POA
	FE06L	Fire Exit Down 400 x 150 R/P	POA
	FE06E	Fire Exit Down 300 x 100 R/P	POA
	FE07L	Fire Exit Down/Right 400 x 150 R/P	POA
	FE07E	Fire Exit Down/Right 300 x 100 R/P	POA
	FE08L	Fire Exit Down/Left 400 x 150 R/P	POA
	FE08E	Fire Exit Down/Left 300 x 100 R/P	POA
	FE15L	Fire Exit 400 x 150 R/P	POA
	FE15E	Fire Exit 300 x 100 R/P	POA
	FE13L	Fire Exit Keep Clear 400 x 150 R/P	POA
	FE13E	Fire Exit Keep Clear 300 x 100 R/P	POA

ASSEMBLY POINT SIGNS/ PUSH BAR/ TURN TO OPEN

	FE12E	Push Bar to Open 300 x 100 R/P	POA
	FE12Q	Push Bar to Open 600 x 100 R/P	POA
	FED05G	Turn To Open (Left) 100 x 100 R/P	POA
	FED06G	Turn To Open (Right) 100 x 100 R/P	POA
	FE10Z	Fire Assembly Point 600 x 400 R/P	POA
C	FE32F	Fire Assembly Point 200 x 300 R/P	POA
	FER05R	Refuge Point 300 x 150 R/P	POA

EXTINGUISHER ID SIGNS

	FIW12Y	Foam Fire Extinguisher Sign 150 x 100 R/P	POA
	FI05N	Foam Fire Extinguisher Sign 80 x 200 R/P	POA
D	FIW13Y	CO2 Fire Extinguisher Sign 150 x 100 R/P	POA
	FI06N	CO2 Fire Extinguisher Sign 80 x 200 R/P	POA
	FIW14Y	Water Fire Extinguisher Sign 150 x 100 R/P	POA
	FI07N	Water Fire Extinguisher Sign 80 x 200 R/P	POA
E	FIW15Y	Powder Fire Extinguisher Sign 150 x 100 R/P	POA
	FI08N	Powder Fire Extinguisher Sign 80 x 200 R/P	POA
	FIW20Y	Wet Chemical Fire Extinguisher Sign 150 x 100 R/P	POA
	FI10N	Wet Chemical Fire Extinguisher Sign 80 x 200 R/P	POA
	FIW18Y	Fire Blanket Sign 150 x 100 R/P	POA
	FI09N	Fire Blanket Sign 80 x 200 R/P	POA

EXTINGUISHER ID SIGNS (PHOTOLUMINESCENT)

	PP51Y	Foam Fire Extinguisher Sign 150 x 100 P/L	POA
	PP52Y	CO2 Fire Extinguisher Sign 150 x 100 P/L	POA
	PP53Y	Water Fire Extinguisher Sign 150 x 100 P/L	POA
	PP54Y	Powder Fire Extinguisher Sign 150 x 100 P/L	POA
	PP56Y	Wet Chemical Fire Extinguisher Sign 150 x 100 P/L	POA
	PP55Y	Fire Blanket Sign 150 x 100 P/L	POA

A

B

C

D

E

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

YUASA EMERGENCY LIGHT BATTERIES



NICKEL CADMIUM

A	Y1DH4	Nickel Cadmium Battery 1.2V 4Ah "D" Single Cell With Tags	£5.30

NICKEL CADMIUM PACKS (SIDE BY SIDE)

B	Y2DH4-OL3	Nickel Cadmium Battery 2.4V 4Ah "D" 2 Pack with Leads	£11.20
C	Y3DH4-OL3	Nickel Cadmium Battery 3.6V 4Ah "D" 3 Pack with Leads	£16.90
D	Y4DH4-OL3	Nickel Cadmium Battery 4.8V 4Ah "D" 4 Pack with Leads	£22.50
	Y5DH4-0L3	Nickel Cadmium Battery 6V 4Ah "D 5 Pack with Leads	£28.00
	Y6DH4-0L3	Nickel Cadmium Battery 7.2V 4Ah "D" 6 Pack with Leads	£33.70

NICKEL CADMIUM STICKS (END TO END)

E	Y2DH4-OL4	Nickel Cadmium Battery 2.4V 4Ah "D" 2 Stick with Leads	£11.20
F	Y3DH4-OL4	Nickel Cadmium Battery 3.6V 4Ah "D" 3 Stick with Leads	£16.90
	Y4DH4-OL4	Nickel Cadmium Battery 4.8V 4Ah "D" 4 Stick with Leads	£22.50
	Y5DH4-0L4	Nickel Cadmium Battery 6V 4Ah "D" 5 Stick c/w Leads	£28.00
	Y6DH4-0L4	Nickel Cadmium Battery 7.2V 4Ah "D" 6 Stick c/w Leads	£33.70

YUASA CELL BATTERIES

G	1CR123A	CR123A Lithium Cylindrical cell 3V	£2.90
	1CR2	Lithium Cylindrical cell 3V	£2.50
	1AA3-6	AA Lithium cell 3.6V	£4.75

YUASA
BATTERY
www.yuasaeurope.com



Powering
HONDA YUASA

The World's Leading
Battery Manufacturer

YUASA
BATTERY
www.yuasaeurope.com

The World's Leading
Battery Manufacturer

All product specifications are supplied by the manufacturer. All manufacturers reserve the right to change specification without notification.

Terms & Conditions

Catalogue

- This catalogue is a pricing guide only. All descriptions, illustrations, drawings, dimensions, weights, measure, specifications, standards of performance or other descriptive matter are for guid ance only and shall not form part of a contract. All goods are sold subject to the prices and any relevant discount ruling at the time of delivery. Our prices, discount rates and conditions of sale may be altered at any time without notice, due to manufacturer price increases or similar changes, within the life of this catalogue.

Deliveries

- We offer same day dispatch to all our customers (subject to stock availability) for orders placed before 3:00PM. In most UK destinations this means a next day delivery, any time up to 6:00PM. Timed deliveries are available on request. Orders below £250.00 will be charged at the standard rate. Orders above £250.00 are free for a standard next day delivery. Additional charges apply to timed and Saturday deliveries.
- Any discrepancies or shortages found on deliveries must be notified to us within 24 hours of receipt of the delivery.

Returns

- All products are subject to the manufacturers' conditions and policies and are beyond our control.
- Faulty products within the warranty period must be authorised by the returns department, giving a full description of the fault, date and document number relevant to the sale, before they are returned. Some items found to be faulty within the warranty period are sent back to the manufacturer and may be repaired, not replaced. If tested and found not to be faulty the product will be returned to the customer. In some cases the manufacturer will levy a charge against non-faulty items, or fault/damage caused by installation error. Any such charge, including carriage charges, will be passed on to the customer and no credit will be issued.
- Advanced replacements will be invoiced at full cost. In the case of a non-credit account customer, payment will be required before goods are dispatched.
- Non-faulty items should be authorised by us before they are returned. Detection Supplies is not obliged to take any product back. Products purchased more than 3 months previously will not be accepted back for credit. Specials will not be accepted back for credit. Products that have damaged packaging or packaging that has been modified or written on will not be accepted back for credit. Any products that we do agree to take back will be subject to a minimum re-stocking charge of 15%.
- Any returns to Detection Supplies must be recorded delivery. In the event of a missing parcel, proof of delivery will be required.

Additional 'Terms of Business' applies, a copy of which is available on request. Contact us for details.
E&OE - Although we strive to keep this document as accurate as possible, we cannot be held responsible for any errors and omissions.

SUPPLY SYNERGIES

Advanced · aico · apollo · Freeman & Pardoe Established in 1947 · boddingtonselectricalltd

C-TEC · COOPER · Electro-Detectors · Danfoss · detectortesters

e2s warning signals · EATON Powering Business Worldwide · ELMDENE Protecting People & Property · EMS Wireless Solutions for Fire & Security

EVACUATOR Site Alarms · ffe · Fike · thefirebeam™ · GEOFIRE INNOVATORS OF FIRE TECHNOLOGY

GLOBAL FIRE EQUIPMENT · GST United Technologies · HOCHIKI · Honeywell · GO LINK

JEWEL SAFEFIRE Products Limited · KAC · Kentec Electronics Ltd · KEWTECH · Kidde

klaxon Signalling Solutions · MORLEY IAS FIRE SYSTEMS · NITTAN · nvc Lighting · PRYSMIAN

STEPHENSONGOBIN · STI · SYSTEM SENSOR · United Technologies Climate | Controls | Security · VIMPEX

Vox Ignis The Voice of Fire · xtralis The sooner you know · YUASA · ZITON · BULL

WES

Detection Supplies

Unit 4, Fordingbridge Business Park, Ashford Road
Fordingbridge, Hampshire, SP6 1BD

For more information or to place your order:

T 01425 658239 F 01425 658241

E sales@detectionsupplies.co.uk

www.detectionsupplies.co.uk